Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



6 2 34



· CARD ·

A year ago we called attention to the unprecedented crops and agricultural prosperity of '97 and predicted a general improvement of business based thereon.

We little thought then that a war destined to banish Spanish rule from the Western hemisphere was so near at hand or that those crops, and the improved conditions largely resultant from them, would give us an overwhelming prestige in the conflict.

Business received a severe check, as war became imminent, but confidence was soon restored and the year as a whole proved very satisfactory to us.

The conclusion of peace, another record-breaking crop, and generally favorable conditions have inaugurated a season of remarkable prosperity, that, already enjoyed throughout the West and South, is spreading this way and we believe the year of 1899 will be a very busy and, we trust, profitable one for all in the East as well.

Having outgrown our store-house on Clinton Street, we have secured one of nearly double its capacity (seven floors, 25 x 125) on State Street, which will greatly facilitate business.

Much thought and labor has been expended in bringing our '99 Annual up to date, especially in the Flower Seed Department.

The use of <u>Incubators</u>, <u>Brooders</u> and <u>Poultry Supplies</u> generally is increasing so rapidly and we have become such a factor in their distribution that we feel it incumbent on us to especially mention this Department.

Our "Golden Roll of Honor," "We Double It," "Bureau of Registry and Information," "Department of Landscape Architecture," and other features so popular with our patrons and as usual we shall endeavor by promoting the interests of our customers in every way to merit a continuance of their favors.

Entrance at the "Big Clock," 51 and 52 North Market St., also entrances at 46 Merchants Row and 21 1-2 North Street.

BOSTON, MASS.

Juft Brocker font

INDEX.

	Page		age		rage	
				Calandrinia		Climbers
Abroma	65	Avena	96	Caladium 98,	101	Clintonia 74
Abutiloni, 93,	IOI	Awnings x	111	Calceolaria	94	Cloth, Protecting 56
Abyssinian Grass (Poa		Azalea	801	Calendula72	-101	Clover 39, 43, 44
		Baby's Breath (Gypso-		California Poppy (Esch-		Clover, Cut 58
				scholtzia).		Clover Meal 58
Acacia 93.					08	
Acanthus						Cobæa
Achillea 65,						Coccinea 90
Achimenes 93	, 98	Balloon Vine (Cardios-		Callirhoe	72	Cockscomb (see Celosia).
Achyranthes	IOI	permum).		Calycanthus	108	Coix 97
Actinidia Polygama	107	Balsam (Impatiens) ii.				Coleusiv, 94, 101
Aconitum	6:	Bands, Leg	=8	Canary Rird Flower		Collards 23
\ overlining	05	Danks, 1/eg	50	(Transpalmy)	0.1	
Actorimum	95	Barberry 108, 1	-0	(Tropæorum)	91	Collections, Flower Seeds97
					, 58	Collinsia 74
		Bartonia				Color, Butter 56
Adonis	65	Baskets, Hanging Rus-		iv, 72	, 79	Columbine (see Aquilegia).
Æsculus	100	tic	52	Canker Worm Exter-		Commelina 74
		Baskets, Verbena			5.5	Condition Powder 58
Agathea	6-	Poons 12 18 10	20	Conno iii 72 00	101	Convolvulus74, 90, 99
		Bedding Plants 1			72	Copperas 58
Ageratum65,	IOI	Beech (see Fagus)	109	Canterbury Bells (Cam-		Copperdine, Powell's 56
Agrostemma	65	Beef Scraps	57	panula)		Corchorus 108
Agrostis	96	Bee Larkspur (Delphin-		Caps, Hay	56	Coreopsis (see Calliop-
Ajugaii,				Caponizing Tools		sis)74, 106
						Cornus 108
Alleghany Vine (see Ad-						Corn. Elemen (222, 25, 39
lumia)		Beggar Weed	39	Cardoon	22	Corn Flower (see Cen-
Allium	65	Begonia iii, 93, 98, 1	101	Carduus	72	taurea Cyanus).
Almond, Flowering	108	Bellis	7 I	Carnation (see Dianthus		Corn Salad 23
Alonsoa	66	Bellows 53.	58	Cary)	100	Cosmanthus 74
Aloysia Citriodora 02	IOI	Ressera	08	Carrot	22	Cosmidium 74
					XV	Cosmosiii, iv, 74
		Bignonia 89, 1				Cotton Batting 56
		Birch (Betula)				
Alyssum, Sweet, 66, 101,	106	Bird Seeds	37	Catalpa 108,	109	Veris).
Amaranthus i	, 66	Bisulphide	55	Catchfly (see Silene Ar-	ĺ	Crepis 75
Amaryllis	08	Blackberries 1	112	meria)		Cress 25
Ammobium				Caterpillar Lime		
Ampelopsis89,				Cauliflower22		
Anagallis				Celastrus Scandens		
Anchusa				Celery 12, 13, 23	, 38	Cucumber 25
Andromeda	108	Blue Grass	41	Celosia	72	Cucumis 90
Andropogon	96	Bocconia	71	Centaurea	- 1	Cucurbita 90
		Boltonia 1				
						Cuphea94
Anthonia 66	6	Done	00	C	13	
Anthemis 00,	100	Books 49, 1	02	Centrosema	09	Currants II2
Auti-Auts, Brecks	55	Boots, Horse	X11	Cerastium		Cyclamenv, 94, 68
		Bordeaux Mixture55,				Cyclanthera 90
Antipest, Little's	55	Borecole	26	Chair, Lawn	xii	Cyclobothra 100
Antirrhinumi	, 66	Boston Ivv (Ampelop-				Cyperus Papyrus 102
Apios	08	sis)	07	Chalk	58	Cypress Vine (see Ipo-
Apples	III	Boxes, Rustic Window.	52	Chammeneuce	72	mæa)
Apricots	III			Charcoal	13	Dahlia
Aquatic Plants	102	bradiey's Complete Ma-		Chelone		
1quilegia 00, 07,	100	nures	01	Chemicals	00	Aster Perennis).
Arabis 67.	106	Briza	96	Chervil	22	Dalmation Insect Pow-
Aralia		Brizopyrum	96	Cherries	IIO	der, Breck's55, 58
Arbor Vitæ 109,	IIO	Broccoli		Chestnut (see Æsculus)		
Arctotis				Chick Manna		Daphne 108
Argemone	- "			Chicory		D 7
Aristolochia					-3	
Armeria				Chinese Pink (see Dian-		Day Lily (see Funkia).
		Brushes	50	thus).	0	Death to Lice 58
Arnebia		Brussels Sprouts	21	Chionanthus		Delphiniumv, 75, 106
Arsenate of Lead		Buckthorn			38	Desmodium 108
Artichoke	17	Buckwlieat 38,	58	Chloropsis	97	Deutzia 108
Arundo		Bug Death				Devil-in-the-Bush (see
Asclepias		Bug Exterminator			,	Nigella).
1 1 1 1		Bulbs and Plants 98, 1			IOO	
Ashes, Hard Wood						
		Buphthalmum				bryanthemum).
		Bureau of Registry				Dhoura (see Sorghum). 40
Asparagus	93	Butter Color	50	Cineraria74	94	Dianthusv, 75. 76, 106
Asperula	67	Bryonopsis	891	Cinnamon Vine		Dicentra 106
Asphodelus	67	Cabbage 13, 21, ;	38 (Clarkia	74	Dictamnus 76; 106
Aster ii, 67-70, 101-	105	Cacalia	71 (Clematis	107	Diggers, Potato x
Astilbe	ii	Cactus 10	00 (Clianthus	9.1	Digitalis 76
			-		17	7

Page			
* "5"	Page		Page
Dip, Slieep 55	Forage Seeds 39, 40	Helipterum	Larch
Disinfecting Powders. 55	Forsythia 108	Hellebore 55	Larkspur (see Delphin-
Distributors, Insecticide 53	Fostite 55	Helleborus 78	ium).
Dodecatheon 76	Fountains, Drinking 58	Hemorcallis 106	Lathyrus (see Sweet
Dolichos 90	Four O'Clock (see Mir-	Hemp Seed37-58	Peas)vi 01. 02. 106
Dogwood (see Cornus).	abilis.)	Herbaceous Plants. 105-107	Lavatera
Doronicum 106		Herbs 37	
	Foxglove (see Digitalis)	Hesperis	Lavender (Lavendula). 79
- 144	Freesia	Heuchera 78-101	Lawn Cross
Dusters, Tin 53	Freezer	Hibiscus	Lawn Glass 40
Duster Miller (see Con	Emit Troop	Hillor Colony	Lawn Mowers x11
Dusty Miller (see Cen-	Fruit Trees110-111	Hiller, Celery x	Lawn Mowers Repairs. xii
taurea).	Fruit Tree Seeds 37	Hoes, Wheel Garden xi	Lawn Sprinklers xiv
Dutchman's Pipe (see	Fuchsia94, 101	Hollyhocks . 78, 79, 101, 107	Leek 26
Aristolochia).		Honesty (see Lunaria).	Lemon Verbena93, 101
Echeveria 76	Fungiroid 55	Honeysuckle 107	Leptosiphon
	Funkia		Leptosyne 79
Eciffo 55	Gaillardiav, 77	Hordeum 97	Lettuce
Edger, Grass xi	Galega 77	Horn Poppies (see Glau-	Liatris 79
			Lilac (see Syringa). 108, 110
	Gaura	Horse Lawn Mowers xii	Lillium
Egg Plant		Horse Radish Sets 38	
		House Plants	T 1
Eichhornia 102	Gerardia	Hose, Cotton xiii	Limnanthus
Elder 108	Gesnera	Hose Menders xiii	Linden (Tilia)
Eleagnus Longipes 108 Eleusine		Hose, Rubber xiii	
		Humea 95	
Elichry sum (see Heli-	Gilly Flower (see Stocks)	Humulus 90	London Purple 55
chrysum).	Gladioli 100	Hungarian 43	
Elm (Ulmus) 109		Hyacinth Bean (see Dol-	suckle) 108
Emulsion, Kerosene. 54, 55			Lophospermum 90
Endive	Globe Amaranth, (see	Hyacinth, Water 102	Lotus 79
Epimedium 106	Gomphrena) 95	Hyacinthus Candicans. 101	Love - in - a - Mist (see
Eragrotis 97	Gloxiniav, 94, 95, 100	Hydrangea 108	Nigella).
Erianthus 97	Godetia 78	Iberis (Candytuft) 72, 79, 106	Love-Lies-Bleeding (see
	Golden Bell (see Forsy-	Ice Plant (Mesembry-	Amaranthus) 66
	thia) 108		Lucerne 44
	Golden Feather (see Py-	Impatiens (Balsam) 71-79	
	rethrum).		Lupinus, v, 80
	Golden Roll of Honor 10, 11		Lychnis
	Gomphrena95, 96		Lymnanthemum102
	Gooseberries 112		Lythrum 80
Euonymus Radicans107, 108			Madeira Vine101
	Grain		Magnolia 110
	Grape Dust 55		Mahonia 108
		cides54, 56	
(Enothera).	Grasses, Agricultural. 40-48	Insect Powder Breck's	
			Mallow (Malva) 80
Everlastings95, 96	Grasses, Golf Mixtures. 48	Dalmation55, 58	Malope 80
Evergreens95, 96	Grasses, Golf Mixtures. 48 Grasses, Ornamental.96, 97	Dalmation55, 58 Inula79	Malope
Evergreens95, 96	Grasses, Golf Mixtures. 48	Dalmation55, 58 Inula79	Malope 80
Evergreens95, 96	Grasses, Golf Mixtures. 48 Grasses, Ornamental.96, 97 Grasses, Prices of 47	Dalmation55, 58 Inula79	Malope
Everlastings95, 96 Evergreens109 Examples, We Double	Grasses, Golf Mixtures. 48 Grasses, Ornamental 96, 97 Grasses, Prices of 47 Gravel, Bird 37	Dalmation	Malope
Everlastings95, 96 Evergreens109 Examples, We Double It	Grasses, Golf Mixtures. 48 Grasses, Ornamental 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97	Malope
Everlastings95, 96 Evergreens109 Examples, We Double It	Grasses, Golf Mixtures. 48 Grasses, Ornamental 96, 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42	Malope
Everlastings95, 96 Evergreens	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Iacobæa (see Senicio). 97	Malope
Everlastings95, 96 Evergreens	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Iacobæa (see Senicio). 97	Malope
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 99 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Polemonium).	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrys-
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum)
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Ama-	Malope
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). 60	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes). vii, 86, 87, 101
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta. 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Joseph's Coat (see Amaranthus). Juniper Juniper 109	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Ponltry 58
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 66 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus).	Dalmation. 55, 58 Inula 79 Ipomæa 99 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio), Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). 50 Jadoo 60 Ioseph's Coat (see Amaranthus). 50 Juniper 109 Kaffir Corn 40	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus).	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacobès Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). 109 Juniper 109 Kaffir Corn 40 Kale (Borecole) 20	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) 110 Marker, Ponltry 58 Martynia 27, 80 Marvel of Peru (see Mir
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of. 47 Gravel, Bird. 37 Grevillea, Robusta. 95 Grit, Poultry. 57 Guano. 59 Guaranty. 6 Guicide Powder, Powell's. 56 Guns, Powder. 53-58 Gynerium. 97 Gypsophila. 78, 106 Hard Fescue. 43 Hare's Tail (see Lagurus). Harness. xv Harrow. ix, x	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). Juniper 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). Juniper 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Ponltry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 5
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). Feather Grass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flax (see Linum) 37	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacobæa (see Senicio), Jacobes 60 Joseph's Coat (see Amaranthus). 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Li-	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 55 Mathiola 86
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 99 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio), Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). 1 Juniper 109 Kaffir Corn 40 Kale (Borecole) 20 Kallmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria). 79	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 56 Mathiola 86 Matricaria v. 86
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 97 Grasses, Prices of	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). Juniper Juniper 40 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria). Kerosene Emulsion	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures 60 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) 110 Marker, Poultry 58 Martynia 27 Marvel of Peru (see Mirabilis 56 Mathiola 56 Matricaria V. & Mats, Archaugel 56
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harness xv Harrow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix). 97 Jacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). 109 Kaffir Corn 40 Kale (Borecole) 20 Kallfussia 79 Kenilworth Ivy (see Linaria). 55 Kerosene Emulsion 55 Kill-m-right 55	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 55 Mathiola 86 Matricaria v. 88 Mats, Archaugel 56 Mats, Hot Bed 56
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). FeatherGrass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flax (see Linum) 37 Flower Seeds, General list 63-97 Flowering Shrubs 108 Food, Breck's Eureka 58	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harness xv Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helenium 78, 106	Dalmation 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio) Jacobæa (see Senicio) Jacobes Ladder (see Polemonium) Jadoo 60 Ioseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria) 55 Kerosene Emulsion 55 Kill-m-right 55 Kohl Rabi 26	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manures, Special Complete 60 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthenum) 110 Marigold (see Tagetes) vii, 86, 87, 101 Marker, Ponltry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis 36 Mathiola 86 Matricaria V, 8 Mats, Archangel 56 Mats, Hot Bed 56 Maurandya 90
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). Feather Grass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flower Seeds, General list 63-97 Flowering Shrubs 108 Food, Mocking Bird 37	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 66 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Harre's Tail (see Lagurus). Harness xv Harrow ix, x Harrow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helge Plant 110 Helianthus 78, 106	Dalmation. 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio), Jacobæa (see Senicio) Jacobæa (see Senicio) 60 Joseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria). 55 Kerosene Emulsion 55 Koll-nu-right 55 Koll Rabi 26 Labels 51, 52	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manures, Special Complete 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) 110 Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis 36 Matricaria 86 Matricaria 40 Mats, Archangel 56 Mats, Hot Bed 56 Maurandya 90 Maw Seed 37
Everlastings	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 66 Guns, Powder 53 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harnow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helenium 78, 106 Helenium 78, 106 Heleinthus 106	Dalmation. 55, 58 Inula 79 Ipomæa 99 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass. 42 Job's Tears (see Coix) 97 Iacobæa (see Senicio), Jacob's Ladder (see Polemonium). Jadoo 60 Ioseph's Coat (see Amaranthus). Juniper. 109 Kaffir Corn. 40 Kale (Borecole) 20 Kalufussia. 79 Kenilworth Ivy (see Linaria). Kerosene Emulsion. 55 Kill-m-right 55 Kohl Rabi 26 Labels. 51, 52	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60 Maps Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemun) 110 Marker, Poultry 58 Martynia 27 Marvel of Peru (see Mirabilis 58 Matrica 56 Mathiola 86 Matricaria 78 Mats, Archaugel 56 Mats, Hot Bed 56 Maw Seed 37 Meadow Fescue Grass 42
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). FeatherGrass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flawer Seeds, General list 63-97 Flowering Shrubs 108 Food, Breck's Eureka 58 Food, Mocking Bird 37 Food for Flowers 59	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of	Dalmation 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio) Jacob's Jacob's Ladder (see Polemonium) Jadoo 60 Ioseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria) 55 Kill-maright 55 Kill-m-right 55 Kohl Rabi 26 Labels 51, 52 Laburnum 109 Lagurus 97	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 55 Mathiola 80 Matricaria v. 80 Matricaria v. 80 Mats, Archangel 56 Mats, Hot Bed 56 Maurandya 90 Maw Seed 37 Meadow Fescue Grass 42 Meadow Foxtail Grass 42
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). FeatherGrass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flax (see Linum) 37 Flower Seeds, General list 63-97 Flowering Shrubs 108 Food, Breck's Eureka 58 Food, Mocking Bird 37 Food for Flowers 59 Foliage Plants 105	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harness xv Harrow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helenium 78, 106 Helianthus 96 Helichrysum 96 Helichrysum 96 Helichrysum 96 Helichrysum 96 Helichrysum 96 Heliopsis 78, 106	Dalmation 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio) Jacobæa (see Senicio) Jacobes Lyadder (see Polemonium) Jadoo 60 Ioseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria) 55 Kerosene Emulsion 55 Kill-m-right 55 Kohl Rabi 26 Labels 51, 52 Laburnum 109 Landscape Gardening 1	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Ponltry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 55 Mathiola 86 Matricaria 48 Matr, Archangel 56 Maurandya 90 Maw Seed 37 Meadow Fescue Grass 42 Meal, Poultry and Swine 57
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). FeatherGrass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flax (see Linum) 37 Flower Seeds, General list 63-97 Flowering Shrubs 108 Food, Breck's Eureka 58 Food, Mocking Bird 37 Food for Flowers 59 Foliage Plants 105	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harness xv Harrow ix, x Harrow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helenium 78, 106 Helianthus vii, 37, 58, 78, 106 Helichrysum 96 Heliopsis 78, 106 Heliopsis 78, 106 Heliopsis 78, 106 Heliotrope (Heliotropi-	Dalmation 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio) 97 Jacobæa (see Senicio) 97 Jacobæa (see Senicio) 60 Joseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria) 55 Kill-nn-right 55 Kohl Rabi 26 Labels 51, 52 Laburnum 109 Lagurus 97 Lantana 95, 101	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 57 Mathiola 86 Matricaria v. 86 Mats, Archangel 56 Mats, Hot Bed 56 Mats, Hot Bed 56 Matwardy 90 Maw Seed 37 Meadow Fescue Grass 42 Meadow Foxtail Grass 42 Meadow Foxtail Grass 42 Meal, Poultry and Swine 57 Melon, Musk 13, 14, 28
Everlastings 95, 96 Evergreens 109 Examples, We Double It viii Exocordia 108 False Indigo (see Baptisia). FeatherGrass (see Stipa) 97 Feeder, Calf xvi Fenzlia 37 Ferns 94 Fertilizers 59,61 Festuca 97 Feverfew (see Pyrethrum 84, 101 Firs 109 Fish, Desiccated 57 Flavoring Seeds 37 Flax (see Linum) 37 Flower Seeds, General list 63-97 Flowering Shrubs 108 Food, Breck's Eureka 58 Food, Mocking Bird 37 Food for Flowers 59 Foliage Plants 105	Grasses, Golf Mixtures. 48 Grasses, Ornamental. 96, 97 Grasses, Prices of 47 Gravel, Bird 37 Grevillea, Robusta 95 Grit, Poultry 57 Guano 59 Guaranty 6 Guicide Powder, Powell's 56 Guns, Powder 53-58 Gynerium 97 Gypsophila 78, 106 Hard Fescue 43 Hare's Tail (see Lagurus). Harness xv Harrow ix, x Harrow ix, x Hawthorn 102 Hay Caps 56 Heart's Ease (see Viola Tricolor). Hedge Plant 110 Helenium 78, 106 Helianthus vii, 37, 58, 78, 106 Helichrysum 96 Heliopsis 78, 106 Heliopsis 78, 106 Heliopsis 78, 106 Heliotrope (Heliotropi-	Dalmation 55, 58 Inula 79 Ipomæa 90 Iris 79, 101, 106 Isolepsis 97 Italian Rye Grass 42 Job's Tears (see Coix) 97 Jacobæa (see Senicio) Jacobæa (see Senicio) Jacobes Lyadder (see Polemonium) Jadoo 60 Ioseph's Coat (see Amaranthus) 109 Kaffir Corn 40 Kale (Borecole) 20 Kalmia 108 Kaulfussia 79 Kenilworth Ivy (see Linaria) 55 Kerosene Emulsion 55 Kill-m-right 55 Kohl Rabi 26 Labels 51, 52 Laburnum 109 Landscape Gardening 1	Malope 80 Malus (Japan Crab) 109 Mangel Wurzel 20 Manure, Market Garden 59 Manure, Sheep 59 Manures, Special Complete 60, 61 Mapes Manures 60 Maple (Acer) 110 Marguerite (see Chrysanthemum) Marigold (see Tagetes) vii, 86, 87, 101 Marker, Poultry 58 Martynia 27, 80 Marvel of Peru (see Mirabilis Mastica 57 Mathiola 86 Matricaria v. 86 Mats, Archangel 56 Mats, Hot Bed 56 Mats, Hot Bed 56 Matwardy 90 Maw Seed 37 Meadow Fescue Grass 42 Meadow Foxtail Grass 42 Meadow Foxtail Grass 42 Meal, Poultry and Swine 57 Melon, Musk 13, 14, 28

INDEX.

5

P	age	Pag	ge	P	age		age
Mesembryanthemum	80	Pæonies82, 103	oi P	Prices of Permanent		Scabiosa	106
Michaelmas Daisy		Palms 105 Pampas Grass (see Gy-	2.5	Pasture, Permanent		Schizanthus,	85
(Aster Perennial)		Pampas Grass (see Gy-		Mowing and Alternate		Schizopetalon	
					17	Scraps, Ground Beef	
Trial	- 00	Pans, Seed 51	. D	Daimage Mixtures.			
Milla	101	Pans, Seed 51	I	Timrose		Sedum85,	
Millet14, 39,43,	58	Pansy (see Viola) vii,	P	Protecting Cloth		Senecio	85
Mimosa	80	88, 89, 10	υГЬ	Protectors, Plant	56	Sensitive Plant (see Mi-	
Mimulus	81	Papaver82, 83, 106	6 P	Prickly Poppy (see		mosa).	
Mina Lobata (see also		Paper 56	-6	Argemone)		Settees, Lawn	eiii
Milla Lobata (see also		Dames Dlant Examples	D	Printed (200 Printed 20) 84	0.5		
		Paper Plant, Egyptian 102			,95	Classes Bases	109
		Paris Daisy (see Chrys-		Prince's Feather (see		Sheep's Fescue	42
Mixtures for Mowing		anthemum		Amaranthus)		Sheep Manure	59
and Grazing Lands. 45.	46	Paris Green 56	56 P	Privet	IIO	Shell Flower (see Molu-	
Mixtures for Permanent		Parrot's Feather 102	2 P	Priming	110	cella).	
		Parelow	P	Publications Preals's 6	T.	Shells, Ground Oyster.	F >>
Pastures44,	45	Parsley 30	30 1	duffications, breek so	, 15	Ole - with	3/
Molucella	81	Parsnip 3	31 2	umpkin	32	Shortia	96
Momordica	90	Paspalum 9	97 P	Punch, Marking	58	Shrub Seeds	37
Monarda	106	Passion Flowers (Passi-	P	Purple Fringe (see		Sieves, Wire	57
Monkey Flower (see		flora) 90				Silene	85
Mimulus)		Peaches	TO P	Putty Rulb	۲6	Silkaline	57
							37
Monks-Hood (see Aco-		Pears II	III	apyrus	102	Silk vine (see relipo-	
nitum).		Peas14, 31, 32, 58	58 P	yrus	108	loca)	107
Montbretia	IOI	Peas, Southern Cow 39, 40	40 P	Pyrethrum 84,	106	Slug Shot56,	, 58
Moonflower	99	Peas, Sweetvi, 91, 9	2 0	Duaking Grass (see		Small Fruits	II2
Moonseed (see Menis-	,,	Pelargonium 9	25	Briza)	20	Smilax (see Myrsinhyl-	
		Pennisetum9	200	Juggaine Powell's	39	11111)	100
permum).		D	1/2	Duines and	20	Smoke Tree (D1	101
Morning Glory (see		Pentstemon83, 10				Smoke-Tree (see Khus)	
Convolvulus)74	, 90	Pepper32, 38	38 R	Radish33,	34	Snake Cucumber (see	
Moss, Spaghnum	57	Perper	41 R	Ragged Robin (see		Cucumis Flexuosus)	90
Mountain Laurel (see	٠.	Perilla 8	32	Lychnis)		Snowball (Virburnum)	TOS
		Periwinkle (see Vinca)				Snapdragon (see Antir-	100
Mourning Bride (see		PermanentMowingMix-	T IN	Rape37	, 40	Tillium).	
Scabiosa).		tures 4					sia)
Mowers, Lawn	X11	Permanent Pasture Mix-	R	Red Fescue	43	Snow-on-the-Mountain	
Mower Repairs	xii	tures	15 R	Red Top Grass	41	(see Euphorbia)	
Mulberries	TTO	Petunia	DI R	Red Hot Poker Plant	'	Soap, Fir-Tree Oil.	
Musa Ensete	05	Phacelia	22	(see Tritoma)		Soap, Powell's, F. & F.	33
						Soon Sulpho Tobassa	55
		Phaseolus 90					
Musk (see Mimulus).						Soap, Tobacco	56
Mustard	29	Adonis	R	Resedav, vii	, 80	Soap, Whale-Oil	56
Myosotis v.	81	Philadelphus (Mock Orange 108	R	Retinospora	100	Soil	57
Wyriophyllum	102	21100	18 B	Phodanthe	06	Solanum	86
Myriophyritin	0.5	Dhlor Vo voi	6 D	Phodo Island Done	90	Song Doctoron	00
Nigisiphymum	95	Phlox83, 101, 100	POLK	chode Island Bent		Song Restorer	37
Nasturtium (see Trop-		Physalis Franchetivii, 8	53	Grass	41	Sorghum37, 40,	, 58
æolum)		Physalis Francheti vii, 8 Pills, Roup 5	58 R	Rhododendrons107,	108	Sowers, seedx,	xvi
V11, 33, 87, 92 93,	100	Pimpernelle (see Ana-	R	Rhubarb34,	38	Spanish Pink	56
Nelumbium81,	102	gallis)	R	Rhus	TO8	Speedwell (see Veronica)	
Vemesia	8т	Pines 100	DOP	Pice Unhulled	27	Sphagnum Moss	
Vomonhile	0.	Diules (see Connetions)	D	Diag Wild	3/	Cohengarune	3/
Nemophina	01	Pinks (see Carnations). 100	JO L	cice, wild	30	Sphenogyne	00
Nests, Wire Hens'	58	Planet Jr. Implements x, ix	XK	Ricinus84, 85,	IOI	Spinach	34
New Zealand Pampas		Plant Tubs 5:	51 R	Roffea	57	Spiræa106,	108
Grass (see Arunda)		Planet Jr. Implements.x, ix Plant Tubs	vi R	Rose Campion (Agros-		Spraguea	86
Nicotiana	81	Plaster58, 60	50	temma).		Sprayers	xiv
Nierembergia	81	Plaster Dust 59	SO R	Roses 102 104	105	Spraying Calendar	5.4
Vige11a	8т	Platycodon 100	36 R	Rose of Heaven (Agros-	- 5	Sprinklers, Lawn	74
Vikoteen	-6	Plows	1	tommo)		Sprinklers, Hawn	XIV
		Plowsix, x				Sprinklers, Plant53.	57
		Plums 110, 113				Sprinkling Cart	K1V
Nozzles	X111	Poa 9	97	Althæa).		Spruce109, 1	OII
Nycterinia	81	Points, Glazier's 50	56 R	Rough Stalked Meadow		Spurrey	
		Polemonium84, 100			11	Squash	25
		Poplar (Populus)			-8	Squirrel-Tail Grass (see	33
		Poppy (see Papaver)					
							01
Œnothera82,				Rustic Work			86
Oil, Lemon		Portulaca 8.				Stands, Plant	52
Oil, Soluble Fir Tree	55	Potatoes	33 R	Rye	38	Stands, Rustic	52
Ointment Death to Lice		Potentilla 84, 100				Statice	
Okra	20	Pots, Flower and Hanging 5	SIS	Saintpaulia Ionantha		Stevia	
Onion Seed	20	Poultry Roue	7 0	Salniglossis wii	85	Sticks Plant	73
	30	Poultry Mool Proph's	2/3	Calaify	05	Ctine	57
Onion Sets	30	Poultry Meal, Breck's. 5	0/10	oalsily	34	Stipa	97
Onopordon	82	Poultry Supplies 57, 58	58 5	parviavii., 85,	101	Stockbridge Manures	60
Orchard Grass	41	Powder, Condition 58	58 S	Sanvitalia	85	Stocks (see Mathiola) 86, 1	IOI
Orobus	82	Powder, P. D. Q 58	58 S	Saponaria	85	Stonecrop (see Sedum)	
Oxalis		Powers, Horse xx	vS	Sash, Hot Bed	57	Strawberries	112
Oyster Plant(seeSalsify)		Prices of Agricultural		Saucers, Flower Pot, 51,			
Oyster Shells			170	Sawing Machines	32	Colvernthus)	
O'DICI DIICIIO	34	orassesana ciover 4	1/10	Author Machines	AN V	cary can thus,	

Page	Page	_	
Streptocarpus 95	Tagetes (Marigold) vii, 86, 87	1 450	Page
Stretchers Wire	Tall Fescue Crass	Tropæorum	Wallflower 89
Sugar Cane 40	Tall Manday Oat Crass	vii, 33, 87, 92, 93, 101	Water Lily 102
	Tape, Electric 57	Trucks, Plant 52	Wax, Grafting 57
	Tomos (Victobias)	Trumpet Flower (see Datura).	We Double It viii
	Tares (Vetches) 40	Datura).	Weaner, Calf xiv
	Tarragon 38	Trumpet Vine (see Big-	Weigelia 108
Sulphur, Flowers of 56	Tassel Flower (see Caca-	nonia)	Weights, Table of 62
Sunflowers (see Helian-	lia).	Tuberoses	Weeder xvi
thus)vii., 37, 58, 78	Thermometers 58	Tubs, Plant 51	Whale-Oil Soap 56
	Inistle, Fishbone (see	Turnip	Wheelbarrows xv
	Chamæpeuce).	Twine 57	Wheat
Swanconia 86	Thistle (Onopordon) 82	Uniola 97	White Fringe (see Chio-
Swan River Daisy (see	Thrift (see Armeria)	Ulmas 100	nanthus).
Brachycome).	Thunbergia 90	Valeriana 87	Whitlavia 89
Sweet Alyssum (see	Tigridia ioi	Vases, Rustic and Flor-	Wigandia 80
Alyssum).	Timothy 41	ists 52, 53	Wild Cucumber 90
Sweet Clover 86	Tinfoil 57	Vegetable Plants and	Wild Flower Garden 97
Sweet Peas (see Lathy-	Tobacco 35	Roots 82	Wild Indigo (see Amor-
rusv1, 91, 92	Tobacco Dust56-58	Vegetable Seeds, Gen-	pha).
Sweet Potato Plants 38	Tobacco Extract 56	eral List12-37	Wild Rice 28
Sweet Rocket (see Hes-	Tobacco Stems 56-58	Venidium 87	Willow (Salix) IIO
peris).	Tobacco and Sulphur	Venus' Looking-glass	Wind Flower (see An-
Sweet Sultan (Centau-	Powder and Fertilizer	(see Campanula)	emone).
ria) 73	56-60	Verbenavii. 87. 101	Wire, Bonanet 57
Sweet Vernal Grass 43	Tomato	Veronica88, 106	Wistaria 57
Sweet William (see Di-	Torenia 87	Vetches 40	Wood Meadow Grass . 43
antnus).	Tough on Flies 52	Viburnum 108	Xeranthemum 96
Swings, Lawnxiii	Tree Ink 55	Vinca95, 101	
Syringa108, 110		Violavii, 88, 89, 101	
Tables of Mixtures for	Trellises50, 53	Virginia Creener (Am-	Yarrow (see Achillea).
Permanent Pastures 44, 45	Tricholæna	pelopsis)	Vellow Oat Grass
Tables of Mixtures for	Trifolium	Virginian Stock (see	Yucca Filamentosa 106
Permanent Mowing			Zea 97
and Alternate Hus-	Tripsacum	Viscaria 89	Zing Labola
bandry45, 46	Tritoma	Wahlenbergia 89	Zinnio
Tables, Valuable 62	Tritonia	Waitzia	7izonia
Tacsonia		Wake Robin (see Trillium)	Zizania38, 102
	11011143	wake Robin (see Hilliam)	

The Most Complete and Best Illustrated Catalogue of

Agricultural Hardware, Implements, Machines and Woodenware

in the United States or the world is published by us. It contains about three hundred large pages (8½ x 11½), nearly one thousand illustrations, and is, in fact, the result of our experience covering a period of over 75 years.

The following brief synopsis will serve to show its value as an "Encyclopedia of Everything for the Farm, Garden, Lawn and Household."

CONTENTS.

Improved Farm Machinery, Spraying Appliances, Dairy Supplies,
Hoes, Forks, Rakes, Etc., Barn and Stable Supplies, Lawn Supplies,
Farm, Garden and Greenhouse Requisites, Haying Tools of Every Description.

Household G ods, Ensilage Machinery, Shovels, Spades and Scoops,

Contractors' Supplies, Saws, Axes, Hammers, Hatchets, Cider Machinery,
Handles of all kinds, Chains for all purposes, Root Cutters, Poultry Supplies,
Incubators and Brooders, W. T. Wood & Co.'s Celebrated Ice Tools,

Improved Maple Sugar Supplies, Self-Steering Sleds,

Woodenware, a complete line, Etc., Etc., Etc. Will be sent free, on request, to all who send us an order from this book, and to others on receipt of 15 cents to cover transportation.

OUR GUARANTY.

- First. Our seeds are guaranteed pure and clean, and of the percentage of vitality named on the label accompanying and describing contents of each package.
- Second. This guaranty is subject to the test and analysis of the botanist of any of the State experiment stations, and to properly authenticated complaint being made to us within twenty days from time of purchase of seeds complained of. If the result of the analysis does not confirm the guaranty, we will take back the seeds, and refund the money paid for them, and pay the cost of transportation both ways.
- Third. Seeds once sown, or the above specified time for complaint having expired, our responsibility ceases. The results in field culture depend upon so many things besides the quality of the seeds, that the growth and crop cannot be guaranteed.

The advantages of this method of guaranty will at once be apparent to the careful farmer; it will give security as to vitality, freedom from noxious weeds, and to some extent, confidence as to varieties planted; in short, by obtaining seeds a few days before they are required for planting, you can have, without cost (for we assume expenses if results of tests are unsatisfactory), a warrant against almost everything except the visitations of Providence. JOSEPH BRECK & SONS (Corporation).

PRICE. Nos. 47 to 54 North Market St., Express or Post Office & Brought forward. Carried forward. Entrance at the "Big Clock." Boston, Mass. NAMES OF ARTICLES ORDERED. Postal Note, Cash or | Stamps, } Draft, 1899. 18 If both PLANTS and SEEDS are ordered, kindly use separate column for each. JOSEPH BRECK & SONS, QUANTITY. County, PRICE. Carried forward. Express Office (if different from Post Office), NAMES OF ARTICLES ORDERED. の間の国内 STEEDIT. Post Office,_ Name. QUANTITY.

		passer entre string	Carried forward.	
The state of the s				
	And the second s			
	The second secon			
	The second section of the	and the first things the same of the same		
	Amendment of the first of the contract of the	The second secon		
		And design the second s		
		and the second s		
		Appropriate and the state of th		
PRICE.	QUANTITY. NAMES OF ARTICLES ORDERED. Brought forward.	PRICE. QUA	NAMES OF ARTICLES ORDERED. Brought forward.	QUANTITY.
manufacture of the manufacture desired	The second commenced control of the	representa administra de la constantación de l	The state of the s	The state of the s



Copyright, 1899, by Joseph Breck & Sons

New England Agricultural Warehouse,
47 to 54 North Market Street,
BOSTON, MASS., U. S. A.




OUR GOLDEN ROLL OF HONOR.

A GROUP OF OLD FRIENDS.



HON. F. L. CARNEY,
Shipbuilder,
Sheepscott, Me.
A Customer for 50 Years.



ASAHEL WHEELER, ESQ., Painters' Supplies, Milk St., Boston. A Customer for 47 Years.



JOHN S. TEWKSBURY, ESQ., Court Park, Winthrop, Mass. A Customer for 49 Years.



HON. JOSEPH BRECK, Founder of Our Business. Born 1794. Died 1873.



HON. C. H. B. BRECK, President of Joseph Breck & Sons (Corporation), Connected with the Business for 60 Years.



L. W. L NJOLN ESQ., Woburn, Mass. A Customer for 46 Years




A. D. PUFFER, ESQ., Medford, Mass. A Customer for 42 Years.



REV. W. H. WILLCOX,
Malden, Mass.
A Customer for 40 Years,

Reproduced from our 1898 Catalogue.

Vegetable Novelties. 1899.



WOODS' PROLIFIC LIMA BUSH BEAN.

An improved strain of the Henderson type of bush lima. The plant is of true bush habit, but of more vigorous growth than the original; the stems being very stout, and the vines covered with pods that contain beans of nearly twice the size of the old variety. It is a reliable and prolific cropper, and as early as any of the bush limas. Pkt., 10 cts.; qt., 40 cts.; pk., \$3.00.

MEDIUM GREEN SOYA BEAN.

This sort is a perfect success for cultivation in New England. It is valuable either as a forage crop or for the silo, and is not surpassed by any crop for plowing under. The seed we offer was grown in Massachusetts. Per qt., 25 cts.; pk.. \$1.25; bush., \$4.00.

JONES' ROUND FOD WAX BEAN.

A cross between Yosemite and Ivory Pod Wax. It is of strong growth, free from runners and immensely productive. The pods are large, round, solid, perfectly stringless, of unsurpassed flavor, and ready for table a week earlier than the best strain of Black Wax. Pkt., 15 cts.; 10 for \$1.30.

"The seeds I ordered from you are all right, and they are all up in good shape."

C. B. JACKSON, Fargo, N. D.

"Your seed has given satisfaction to the growers to whom we have sold. Some thought that every seed grew."

BRISBIN & DOUGLAS, Clyde, N. Y.

BRECK'S BEATS-ALL BEET.

This Beet is without exception the very best variety know to us, and nas found favor with both market and private growers. It is extra early, of good size, fine form, very smooth, deep blood-red flesh and excellent flavor. The tops are very small, thus allowing it to be grown in rows close together. We recommend it with the fullest confidence for early and main crop alike. Pkt., 5 cts.; oz., 10 cts.; lb., 75 cts.

KEPPLER'S LONG ISLAND CELERY.

This, as its name implies, is a Long Island (N. Y.) variety, where it is very popular as a winter sort among the market gardeners who grow for New York market. The introducer says regarding it:—"This variety is thoroughly established by careful selection. It is a sport from the Schunmaacher Celery, and is of a fine, nutty flavor, being entirely free from any bitter taste. It grows about one and one-half feet high; the stalks are very broad, thick and crisp. It bleaches with but slight earthing up, and very quickly—in five or six days. It is a splendid keeper." Pkt., 25 cts.; oz., \$1.50.



PREHISTORIC CORN.

A year's experience with this variety in New England shows that the introducer's claim as to its im-

mense cropping qualities were under, rather than overstated. We said regarding it last year:—
"A variety with a remarkable history. It is claimed that the seed producing this sort was originally found, some eight years ago, in a burial mound in Ark., where it had remained for over three thousand years. Rev. Dr. S. S. Curry, the discoverer, says :- "'I have raised stalks 15 feet high, the blades 7 inches broad

and 10 feet 5 inches from tip to tip on opposite sides of the stalk, with eleven ears on the stalk. It is a wonderful deep feeder, sending its roots from choice down into the subsoil, thus withstanding droughts easily.'" Qt., 25 cts.; pk., \$1.00; bush., \$3.00.


DANISH BALL HEAD OR HOLLANDER CABBAGE.

A winter variety that is unsurpassed as a cropper, keeper, or for quality. It is grown almost exclusively in Denmark for winter

use. To obtain best results for late marketing, plant about ten days earlier than the common Drumhead. Pkt., 10 cts.; oz., 30 cts.; lb., \$3.00.



There are so many types of Celery sold under the name of "Boston Market" that growers of it are surprised if by any chance a plant of the true form is found among their crops, The strain we offer is Arlington grown and genuine. It is, everything considered, the most desirable late crop celery grown, and those who like the true Boston Market quality can sow this seed





BOSTON MARKET CELERY.

EXTRA EARLY CROSBY SWEET CORN.

We offer home grown seed of this famous, early white sweet corn. We believe it to be as early as any corn obtainable, and the name "Crosby" is a sufficient guarantee as to quality. Per pkt., 10 cts.; qt., 25 cts.; pk., \$1.25.


FIRST CROP SUGAR CORN.

We offer an exceedingly fine strain of this extra early, good quality, sweet corn. It was grown from the introducer's stock under our personal care, and is, through continued selection, superior to the original strain. Per pkt., 10 cts.; qt., 25 cts.; pk., \$1.25.

COLUMBUS MARKET SWEET CORN.

A new second early sort, said to produce ears twice as large as any of its season. The ears carry an average of sixteen rows of long white kernels of the finest quality. The stalk is of strong growth, and sets an abundance of ears. Pkt., 10 cts.; qt., 30 cts.; pk., \$1.25.

ROCKY FORD, OR COLORADO MUSK MELON.



This is the very fine green fleshed variety that has been offered in Boston and other Eastern markets for the past two seasons under the name of Colorado cantaloupe. It is of the Netted Gem type, oval in shape, averaging from four to five inches in length, of a delicate flavor, very smooth and fine grained flesh, a light green color throughout when ripe, and is the most attractive and popular melon now on the market. While the extra quality of this melon is due to a large extent to the locality in which it is grown, nevertheless it is a very desirable sort and will please all who plant it. Pkt., 5 cts.; oz., 10 cts.; lb., \$1.00.

ROCKY FORD MELON.

EXTRA EARLY CROSBY

See Special Offers on third page of cover.



PANICUM CRUS GALLI.

TIP TOP MUSK MELON.

The introducer of "Tip Top" says:—"Every Melon produced, whether big or little, early or late, is a good one; sweet, juicy, finest flavor, firm fleshed, and eatable even to the outside coating. The fruit is of attractive appearance, large sized, nearly round, evenly ribbed and moderately netted. Pkt., 5 cts.; oz., 10 cts.; lb., \$1.00.

MILLET, Japanese Barnyard Grass (Panicum Crus Galli). Distinct from other varieties, enormous cropper, grows six to eight feet high, excellent either green or cured as hay. It prefers a moderately moist soil and may be sown in an average season from the middle of May until the first of July. Broadcast, at the rate of 25 lbs. per acre, or in drills eighteen inches apart, 15 lbs. to the acre. Price, per lb., 15 cts.; 25 lbs. for \$3.00.

—Breck's Japanese (Panicum Miliaceum var. Japonica). In growth and appearance somewhat like the best Southern grown Golden Millet, but of superior quality and immensely more productive. Everything considered, we believe it is the best Millet yet introduced. Pk., 50 cts.; bush., \$1.50.

GREGORY'S SURPRISE PEA.

The earliest of all wrinkled Peas, compared with the early hard sorts it will be found to be decidedly earlier than many of them, including the well-known Alpha and Maude S., while it is as early as the very earliest of them. Vines two feet high and need no bushing; pods well filled, containing six or seven peas, not as large as the American Wonder, but it is a far better cropper and ready for the table days before it. The Rural New Yorker says: "The seeds were planted April 18, and we picked the first mess June 7; picked second mess June 12." Pkt., 15 cts.; pt., 25 cts.; qt., 40 cts.; pk., \$3.00.

NEW DWARF TELEPHONE PEA.

This is a valuable main crop variety, being a dwarf

pea with the large handsome pod of Telephone. The habit is dwarf, branching and vigorous, remarkably uniform in height, growing from eighteen inches to two feet, and very productive. The pods are frequently five inches in length, broad and contain from eight to ten peas of largest size, tender and of delicions flavor. Pkt., 10 cts.; pt., 20 cts.; qt., 40 cts.; pk., \$2.50.

GRADUS PEA.

This pea represents the greatest advance yet achieved in earliness, for although it ripens with such sorts as Alaska the deep green colored pods are as large and well filled as those of Telephone, with large, wrinkled peas, of fine quality. Pt., 45 cts.; qt., 80 cts.

BRECK'S NEW LIFE PEA.

The Rural New Yorker says:—"The most productive pea, and all things considered the most valuable pea for home or for market of its season, that we have ever tried. That's saying a good deal, for we have tried nearly every pea, old and new, from year to year for twenty years."

The New England Farmer says:—"Breck's New Life is a strong, stocky grower. The pods are as large as the Stratagem and are produced abundantly. Both pods and vines retain their bright green color for a long time." Pkt., 10 cts.; qt., 30 cts.; pk., \$2.00.



NEW DWARF TELEPHONE PEA

JOSEPH POTATO.

The New England Farmer says regarding this variety, which was included in the BRECK'S NEW LIFE PEA. potato test it conducted season of 1897:—"We recommend every farmer to plant some

'Joseph,' it produced with us a larger crop of even sized, marketable potatoes than any other." It is a main crop sort, of large, oblong form, very smooth and fine flavored. Pk., 60 cts.; bush., \$1.75; bbl., \$4.00.

GOLDEN HUBBARD SQUASH.

This differs from the type only in color, size and earliness. The shell is a bright orange red, the flesh is of extra quality and somewhat deeper in color than the olive green variety. The size is a trifle smaller, but the habit is decidedly earlier. Pkt., 5 cts.; oz., 10 cts.; lb., 80 cts.

WARTED HUBBARD SOUASH.

Owing to the attractive appearance and heavy cropping qualities of this variety, it is a favorite with market gardeners. It differs from the Smooth Hubbard in that it grows to a much larger size and the shell is covered with warty knobs. Pkt., 5 cts.; oz., 10 cts.; lb., 75 cts.

"HONOR BRIGHT" TOMATO.

This differs from all other tomatoes in its peculiar habit of ripening and in the firmness of the fruit. The plants are of vigorous habit although the foliage is of a greenish yellow color. If the fruit is picked in the middle stage of ripening it is the longest keeper of any, hence very valuable for long distance shipping. The skin is crack-proof. The flesh when fully ripe tender and melting and of delicate flavor. color of the fruit when ripe is bright red, but before reaching this stage it is first green, then waxy white, changing to lemon and later to red. It is adapted both for home use and marketing. Pkt., 5 cts.; oz., 30 cts.

JOSEPH BRECK & SONS' PUBLICATIONS.

(CORPORATION.)

We publish the following, and gladly mail any of them free on application.

Annual Catalogue and Gardener's Guide, published in January.

Holland Bulbs and Plants, published in September. Market Gardeners' Catalogue, published in Feb-

The Lawn, The Garden. (Third Edition.)

New Method Sweet Pea Culture. Success with House Plants.

Cattle Owners' Daily Reminder.
Points for Poultry Raisers. A vade mecum for all interested in poultry. Fifth edition. 64 pages and practical Egg Record.

Bees and Bee-Keepers' Supplies.

Having many calls from Market Gardeners, owners of Greenhouses, and Bee-keepers, for articles in the Bee Supply line, we have made arrangements with a reliable apiarist to furnish full Swarms of Italian Bees, on Movable frames, in Brood chamber, all ready to be hived. By this method they can be examined at any time. Price upon application. We also have in stock Bee Hives, Section Boxes, Smokers, Brood and Section Foundation, Bee Veils, Rubber Gloves, and many other articles necessary to the successful Bee-keeper.

THE DOVETAILED (OR LOCK-CORNER) HIVE.

The particular feature of the hive, and hence its suggestive name, is the dove-tailed -or, more properly speaking, the lock corner. Unlike the old-fashioned lap, miter, or halving plan, it will not gap or pull loose, but will successfully resist all climates, and

even a California sun. This Hive has been very popular since it was introduced, and is fitted with Danzentaker bottom board and cover. As we ship, it is fitted complete with starters in Brood Chamber and Section Boxes. We have in stock but one size, the eight frame. All Hives set up ready for use. Net price each, \$2.50.

SECTION HONEY-BOXES.

Section Boxes, each, Ict.; per 100, 75 cts.; per 250, \$1.10; per 500, \$1.75. Our No. I sections are made of the choicest white basswood lumber, and are all perfect in finish, and free from defects. They are not all snow white, but vary from that to a light cream color. Choice honey shows off to best advantage in a section not too white, as it is


the honey rather than the wood that the consumer looks at.

BINGHAM SMOKER.

This is strong, well made, does not clog up, and burns any fuel. It has recently been improved by the addition of a curved snout to prevent fire dropping, and a safety attachment to prevent burning the fingers in removing the hot cone for replenishing. They have wide shields; have wire handle to cone, and inverted bellows. We carry but two of the many kinds and sizes manufactured, as our experience has shown them to be the

most desirable. Conqueror, 3 in., each 75 cts, by mail, \$1.00; Large, 21/2 in., each 70 cts., by mail, 90 cts.

Bee Supplies not included in special offers on third page of cover. We shall be pleased to quote prices on Bee Supplies not listed above.





BINGHAM SMOKER.



DOVETAILED (OR LOCK-CORNER) HIVE



BRECK'S

Bureau of Registry and Information

SUPPLIES THROUGH ITS

Horticultural and Agricultural Departments

APPROVED . .

Gardeners, Farm Managers, Farm Hands. Coachmen. Grooms. Superintendents for Public Institutions. Men for General Work on

Country Places, etc.

Mercantile Department

APPROVED . .

Bookkeepers, Cashiers,

Stenographers.

Salesmen,

Clerks.

Shippers,

Entry Clerks, Porters.

Watchmen,

Janitors.

Hotel Help.

Boys, etc.

Help for Institutions and Hospitals.

AND THROUGH ITS

Female Mercantile Department,

Supplies approved Female Bookkeepers, Cashiers, Stenographers, Saleswomen, Young Ladies for Office Work, Matrons, Nurses, etc.

When this Bureau was established in 1890 our purpose was to secure to employers a better class of help than they had been obtaining.

How well we have succeeded is shown by the rapid growth of this Department of our business, and the many voluntary statements received concerning its convenience and the high grade of employees furnished.

We mail free on application circulars descriptive of our Bureau, and blank forms whereon employers can state particulars necessary to guide us in selecting suitable employees.

Our Bureau of Registry and Information has certainly improved and elevated the service and we believe it will continue to do so, besides supplying a long-felt want.

We take this opportunity to thank our customers for the business given us and to assure them that our Bureau was never so well prepared to serve them as now; those who have not as yet patronized it are invited to do so, and give us an opportunity to practically demonstrate the benefits to be derived from its use.

Yours respectfully,

Entrance at the "Big Clock," 47 to 54 North Market St. Also Entrances at 46 Merchants Row and 211 North St., BOSTON, MASS.

NO. MARKET ST., BOSTON



Goods delivered in your town or city at prices quoted.

Special Offers on third page of Cover-

URS is the largest business of the kind in New England, and, we believe, the third oldest as well as largest in the United States. We have been growers and dealers for seventy-five years. There are no better strains of Flower, Vegetable, or Field seeds obtainable than those offered by us; our long and varied experience and large connections, at home and abroad, together with the great volume of business, cause the leading producers the world over to prefer us rather than smaller dealers for the general distribution of their specialties. Our Golden Roll of Honor shows we are both able and willing to satisfactorily serve the gardening public, else we would not be privileged to have on our books the names of persons, as customers, for such periods of years. Their recommendations bring us new patrons. If our methods of doing business are unknown to you, some of your neighbors can tell you of them, and also of the quality of our seeds. Inquire, and if results warrant it, send us a trial order. We supply only tested seeds of varieties that experience has shown to be the best.

Note. - Prices may vary as the season advances. Ours will always be as low as the lowest for goods of equal quality.

ARTICHOKE.

German, Artischoke. - French, Artichaut. - Spanish, Alcachofa.

CULTURE. - Sow seed in April in drills I in. deep. Following spring transplant the young plants in rows 2 ft. plant to plant, 3 ft. between the rows. Mulch during dry weather. They prefer rich deep loam, and should be well manured every spring. One ounce of seed sows 30 ft. of drill.

Large Green Globe, grown for the unripe flower-heads, which are produced in abundance from May to August. Packet, 5 cents; ounce, 25 cents; ib., \$3.00. Jerusalem, a species of Sunflower (Helianthus Tuberosus). A Tuber that thrives

well upon light dry soil and is cultivated for feeding sheep and swine. It is also used for pickles. The tops when cut and cured, make an excellent dry fodder. Quart, 20 cents; peck, \$1.00 net.



ASPARAGUS.

German, Sparget. - French, Asperge. - Spanish, Esparragos. (For price on Asparagus Roots, see Vegetable Plants.)

An Asparagus bed may be made from one or two year old roots, planted in October, or during April and May. The bed should be made very rich with well-rotted manure, and thoroughly worked over to a depth of nearly 2 ft. Plant the roots in rows 4 ft. apart, leaving about 12 in. between the plants in the row. Lay the roots flat in trenches, spreading them well, and using care to have all the crowns placed in the same direction. Cover lightly at first, gradually filling the trenches as the plants grow.

Seed may be sown in April in drills I in deep and I ft. apart. ounce of seed sows 60 feet of drill. Pkt. Ounce. Lb. Conover's Colossal, large and excellent .05 .IO .60 . .10 Hub Asparagus, the best .20 \$1.50 Moore's Giant .IO .05 Palmetto

(For Asparagus Plants, see under "Vegetable Plants.") See Special Offers on third page of cover.

BEANS-ENGLISH.

Plant as early in spring as the ground can be worked. The rows should be three feet apart; set the seed in the rows six inches deep, four inches apart. As the pods get formed, top the plants, thereby preventing too much running to vine.

Broad Windsor, the best variety for general use. Packet., 10 cents; quart, 30 cents; peck, \$1.00 net.

BEANS-DWARF OR BUSH.

German, Bohne. - French, Haricot. - Spanish, Frijorenano.

To afford a regular succession of crops throughout the season, plant every two weeks, from the middle of spring to the end of summer; but not until the soil becomes warm, as they are very sensitive to cold. Plant in rows, eighteen inches apart, two inches deep; cultivate frequently, but only when dry, as the scattering of earth on the foliage or pods, when moist, will cause them to become damaged with rust. One quart will plant 100-feet drill.

GREEN-PODDED VARIETIES.			
	Pkt.	Qt.	Pk.
Breck's Dwarf Horticultural, unexcelled	.10	.25	\$1.50
Burlingame Medium, a white field bean, in size between Marrow and Pea	.IO	.20	1.00
Burpee's Bush Lima, a true bush form of the large Lima, of excellent quality	·IO	-35	2.50
Dreer's Bush Lima, a bush form of the			
Dreer's Improved Lima, possessing	RPFE		
all the good qualities of that sort10 .35 2.50		ء ک	
Dwarf Horticultural, one of the best shell	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ARI	
beans			
Early China, early and good			
Early Mohawk, about the best early,			
quality excellent			
Henderson's Bush Lima, a bush variety			
of the small Lima or Sieva			
Long Yellow Six Weeks, an excellent			
general crop variety		The second	
Low's Champion, large, green, flat, string-			
less pods			
ing 10 .20 I.00	Pkt.	Qt.	Pk.
Red Cranberry, a stringless variety of great			
merit	.IO	.25	\$1.50
Red Kidney, a standard field sort	.10	.25	1.25
Red Valentine Improved, desirable for private	• • • • • • • • • • • • • • • • • • • •	123	3
and market gardens	.IO	.25	1.25
Refugee or Thousand to One, the best pickling	***	5	0
bean	.IO	.25	1.25
Round Yellow Six Weeks or Yellow Cran-		1-3	
berry, good either as a string or shell bean	.IO	.25	1.25
Thorburn's Extra Early Market, round fleshy			
pods, produced in clusters, productive .	.Io	.30	1.75
Turtle Soup, the small black bean used for soup	.IO	.25	1.25
Warren, excellent either as a string or shell			
bean	.IO	.25	1.50
White Marrow, used generally as a winter bean	.IO	.20	1.00
Yellow Eye Improved, a desirable winter bean	.IO	.20	1.00

WAX-PODDED VARIET			
	Pkt.	Qt.	Pk.
Challenge Black Wax, pods waxy-yellow, thick			
and tender	.IO	.30	\$1.50
Currie's Rust-Proof Wax, nearly rustless,			
very productive	.IO	.25	1.50
Davis Kidney Wax, the best white-seeded wax			7.56
bean extant	.10	.25	1.50
Golden-Eyed Wax, almost rust-proof, quality			7.70
	.10	.25	1.50
Jones' Round Pod, a desirable white wax variety	.10		
Lima Wax, broad stringless pods, fine quality.	.10	∙35	1.75
Prolific Black Wax, the standard black-seeded		25	1.50
- The state of the	.10	.25	1.50
Refugee wax, suitable for early of face planting	.10	.25	0
Rust-Proof Golden Wax, none more desirable	.10	.25	2.50
Saddle-Back Wax, very meaty and absolutely stringless	.10	·35	1.50
Thorburn's Valentine Wax, very early, fine quality, very prolific	.10	.25	1.50
Wardwell's Kidney Wax, productive and desirable	.10	·25 ·35	1.75
White Way, very tender and delicious	.15	·35	2.50
Yosemite Wax, the pods are nearly all solid pulp	3	-33	,50
See Special Offers on third page of cover.			


BEANS-POLE OR RUNNING.

German, Stangen Bohne. - French, Haricots a Rames. -- Spanish, Jidas.

It is desirable to make the planting of Pole Beans at least a week later than the first planting of the bush sorts, as they are more tender. Plant in hills 3 to four feet apart, putting four or five beans in a hill, and leaving space in the centre for the pole. A liberal quantity of well-composted manure in each hill is desirable.

GREEN-PODDED VARIETIES.			
	Pkt.	Qt.	Pk.
Brockton, vigorous, productive, and fine quality	.IO	.30	\$1.75
Carmine Podded Horticultural, most desirable Horticultural		5 -	#15
bean for color, quality and productiveness	.IO	.30	2.00
Concord, or Parti-colored, excellent quality and very prolific	·IO	.30	1.75
Dreer's Improved Lima, early, large and fine quality	.IO	.30	1.75
Horticultural Lima, the best pole lima for New England	.IO	.30	1.75
Horticultural, the most popular pole bean,	.IO	.30	1.75
Kentucky Wonder, excellent green podded snap bean, very	110	.30	1./5
productive	·IO	.30	1.75
Large White Lima. This is considered the best quality of all	•10	.30	1./5
nole beens	.IO	20	1 77
pole beans. Lazy Wife's, entirely stringless, green pods, fine flavor.	.10	.30	1.75
Red Cranberry, one of the earliest, quality unsurpassed	.10	.30	1.75
Scarlet Runner, very ornamental flowers, early. An excellent	.10	.30	1.75
	Τ.Ο.	20	
string bean	.10	.30	1.75
Small Lima, or Sieva, the earliest lima, small beans	·10	.30	1.75
White Case Knife, early, productive, excellent flavor. Good			
white Runners, large white flowers. Good as a string bean.	.10	.30	1.75
white Runners, large white nowers. Good as a string bean.	.IO	.30	1.75
WAX-PODDED VARIETIES.	701.4	0.	TO!
	Pkt.	Qt.	Pk.
Early Golden Cluster, extra early, productive of good quality.	.IO	.40	\$2.00
Flageolet Wax, long semi-transparent pods, follows Golden			
Butter	.10	.40	2.00
Giant Red, an old-fashioned favorite yellow-podded sort	.IO	.40	2.00
Indian Chief, or Black Wax, the most popular wax pole bean.	.IO	-35	.175
Mont d'Or, or Golden Butter, earliest of the wax pole varieties.			
Excellent	.IO	-35	1.75
BEET.			

German, Runkel Rube. - French, Betterave. - Spanish, Beteraga.



Dewing's Beet.

being used as spinach

Sow from April to middle of June, in deep rich sandy loam, one inch deep, in drills about one foot apart. Thin the young plants to the distance of six or eight inches, and fill up any vacant places

with those taken out. The turnip rooted are the earliest, and are of fine quality. When young, the leaves make excellent greens. One ounce will sow fifty feet of drill.

Pkt. Oz. Lb' Breck's Beats All, superior


	variety.	.05	·IO	.75
١	Columbia, round and	-		
	smooth, deep red flesh .	.05	.IO	.60
	Crosby's Egyptian, as early			
	as the original type, but			
	thicker, smoother, and of			
	better quality	.05	.IO	1.00
	d variety of excellent quality			.50
(ound form, blood red color	.05	.IO	.60
	l; flesh almost white			.60
	wing sort, of good color .		.IO	.60
n	or, small top, smooth roots.	.05	.TO	.60

in all respects to others as an early or main crop

Dewing's Early Blood, a standard variety of excellent quality	.05	.IO	
Early Arlington, early deep, round form, blood red color			
Early Bassano, the earliest of all; flesh almost white			
Early Bastian, a quick, large-growing sort, of good color .	.05	.IO	
Eclipse, very early, dark-red color, small top, smooth roots.	.05	.IO	
Edmand's Early Turnip, the best in shape, color, size, and			
quality	05	TO	

quality								. 0,7	.10	°/J			
Egyptian, ar	early, go	od co	lor, sm	ootl	turnip bee	t							
Long Smoot	h Blood I	Red, a	n excel	lent	late variet	V							
Swiss Chard							vated s	olely	for	its lea	ives.	The	
					Asparagus.								

Beet, for greens See Special Offers on third page of cover.



POLE BEAN

.05 .05

.05

.60

MANGEL-WURZELS and SUGAR BEETS.



Long Yellow Mangel

Sow in April or May, six to eight pounds per acre. The value of these for stock-feeding cannot be over-estimated; for sheep, dairy-stock, and fattening of cattle, experience has proved the Mangel-Wurzel to be at once healthful, nutritious, and economical. One ounce will sow 50 feet drill, 6 pounds per acre.

Develop Warrangelle Lange Dad 1 12 (11 1	Pkt.	Oz.	Lb.
Breck's Mammoth Long Red, a selection of the long			
red variety. It is smooth skinned, fine grained,			
and a heavier cropper. We consider it superior to	0-	т.	10
all others	.05	.10	.40
are small top, tap root, heavy cropper, color pale			
	0-	т.о.	40
orange Golden Tankard, a half-long variety of a bright yellow	.05	.10	.40
color.	05	TO	10
Long Yellow, differs from long red only in color	.05	.10	
Kinver Yellow Globe, large globular formed roots.	.03	.10	.40
Adapted for growing in shallow soils	.05	.10	.10
Norbiton Giant, Long Red, a valuable variety			.40
Red Globe, similar to Yellow Globe, except in color .	.05	.IO	
Breck's Imperial Sugar, an improved American-grown	Ü		
French Sugar Beet	.05	.IO	.40
Klein-Wanzleben Sugar Beet, unsurpassed for the			.4-
production of sugar or for cattle feeding	.05	.Io	.50
Lane's Improved Sugar Beet, a well-known variety,			
valuable for feeding to cattle	.05	.IO	.40
DODECOTE - HAVE			

BORECOLE, or KALE.

German, Blatterkohl. - French, Chou Vert. - Spanish, Breton.

Breck's Sugar Beet

Sow early in the spring in prepared beds, covering the seeds thinly and evenly; transplant in June, and treat in the same manner as for cabbage. They are extremely hardy, and will endure quite a low temperature. One ounce will sow 150 feet drill.

Dwarf Green Curled Scotch, leaves of a bright green and very tender and closely curled. This variety should be sown in the spring. The quality is improved if the plants are touched by frost before being used. Pkt., .05; oz., .10; 1b., 1.00.

Siberian or German Greens, sow in fall for spring use. Pkt., .05; oz., .10; lb., 1.00.

Tall Green Curled Scotch, similar to the dwarf but of more vigorous growth. Pkt., .05; oz., .10; lb., 1.00.

BROCCOLI.

German, Spargelkohl. — French, Chou Brocoli. — Spanish, Broculi.

This vegetable somewhat resembles the Cauliflower, but is hardier. In parts of the country where the thermometer does not fall below 20° to 25° Broccoli can be had from November until



Kale, Green Curled, Scotch

March. It succeeds best in a moist and rather cool atmosphere. The seed should be sown in May in a seed-pan and the plants afterwards set out in rows two and a half feet apart and eighteen inches between the plants.

One ounce of seed produces about 1,200 plants.

		1	rkt.	UZ.	LD.
Early Purple Cape, similar to White Cape, but hardier			.IO	.30	\$3.00
Walcheren, a valuable late variety, with large, fine heads			.IO	.40	4.00
White Cape, heads medium size, close, compact, and of a creamy color			.IO	.30	4.00

3.00

.30

BRUSSELS SPROUTS.

German, Sprossenkohl.—French, Chou de Bruxelles.—Spanish, Berza de Brusela.

Species of the Cabbage family. It produces along the whole length of the stem small sprouts resembling miniature cabbages. These heads are a great delicacy boiled in the same way as Cauliflower. Seed should be sown about the middle of May in a seed bed, and the plants afterwards set out in rows two feet or more apart and cultivated like cabbage. It is ready for use late in autumn after the early frost. One ounce of seed produces about 1,200 plants.

Dwarf Improved French, of sturdy compact growth. Packet, 5 cts.; ounce, 20 cts; pound, \$2.00.

Dwarf Improved French, of sturdy compact growth. Packet, 5 cts.; ounce, 20 cts; pound, \$2.00. Improved Paris Market, a most desirable strain. Packet, 5 cts.; ounce, 20 cents; pound, \$2.00

CABBAGE.

German, Kopfkohl. — French, Chou Pomme. — Spanish, Berza. (For price on Cabbage Plants, see Vegetable Plants).



Brunswick, rounder in shape and extremely solid

All the cabbage tribe requires is the soil to be rich, deep, well-drained, and abundantly manured. For the early kinds, plant thirty inches between the rows and sixteen inches between the plants. For late kinds, three feet between the rows and two feet between the plants. For very early use, sow in January or February, in hotbeds. Set out when the plants are strong enough into other hot-beds, or set in cold-frames in March. Transplant when danger from frost is past to the open ground. For a succession, sow in the open ground last of March or early in April. Late plants are sometimes subject to attacks of the cabbage fly, which destroys them as fast as they appear above ground. To prevent this destruction, sprinkle the plants with wood ashes, air-slacked lime, plaster, slug-shot, or tobacco dust, when the plants are wet with dew. One ounce of seed produces 3,000 plants.

wet with dew. One ounce of seed prod	luces 3	,000 pl	ants.
All Seasons, an early Drumhead	Pkt.	Oz.	Lb.
variety,	.05	.25	\$2.50
American Improved Savoy, the best	· ·	Ŭ	
of all winter cabbages	.05	.30	3.00
Breck's Strain Early Jersey Wake=			
field, a favorite with market-gar-			
deners. Very early, medium size,			
Breck's Fremium Drumhead Cabbage. of pyramidal shape	.05	.25	2.50
Breck's Premium Drumhead, recommended for its immense size and sure heading			
qualities	.05	.25	2.50
qualities Breck's Premium Flat Dutch. This we consider superior to any late cabbage	.05	.25	2.50
Drumhead Savoy, the largest of this class	.05	.30	3.00
Early Etampes, one of			
the earliest05 .25 2.50			
Early Express, of the	- 100 Da		
Etampes type, but			
earlier			
Early Winningstadt, a	-		
conical-shaped vari-		102/	
ety			
Early York, a well-	/- 0		
known, fine-flavored			
early variety05 .20 2.00 English Curled Savoy,			
(for greens). Used			
only to sow early in	1 VIV.		
spring for greens05 .15 1.00			
Fottler's Improved			
Brunswick, a short-			Maria
stemmed early Drum-		Million B.	
head			
Henderson's Early Sum-	Millians		
mer, a little later American Drumhead Savoy Cal	hhaaa		
than wakeneru;	obage.		
larger and more globular in shape	.05	.25	2.50
Henderson's Succession Cabbage. Valuable second and late crop variety	.05	.25	2.50
Hollander or Danish Ball Head, an unsurpassed winter variety, heads round, large,			
very hard, tender, and fine flavored	.05	.30	2.50
Marblehead Mammoth Drumhead, the largest variety of Drumhead. Heads often			2.50
weigh fifty pounds Ox-Heart, an early conical shaped variety Prefection Red, superior in size and quality to all other red varieties	.05	.25	2.50
Ox-flearly, an early conical snaped variety	.05	.25	1.75 4.00
Princetion Reu, superior in size and quality to all other red varieties	.10	.40	2.50
Red Dutch, or Pickling, an old out desirable sort for pickling	.05	•25	2.50
warren-Stone-Mason, an improved strain of Stone Mason, hearly as early as Pottlet's	0.5	20	2.00

CARROT.

German, Mohre. - French, Carotte. - Spanish, Zanahoria.

Carrots are grown largely both for feeding to stock and culinary purposes; the long varieties used for the former, the "Horn" and medium sorts for the latter. The "Horn" sorts can be grown on thin soil and are mostly for early use. The others prefer deep, sandy loam that was well-manured the previous year for some other crop, such as potatoes or onions. Sow in April or May about one inch deep in drills fifteen inches apart for garden sorts. The rows in field cultivation should be two feet apart. Thin out the plants from three to eight inches apart, according One ounce of seed is sufficient for one hundred feet drill, four pounds to an acre.

Chantenay, a type of Danvers, half-long but earlier and smaller,
Danvers Half Long, the most desirable main crop variety; an
excellent keeper
Early Scarlet Forcing, very early and valuable for forcing .
Early Scarlet Horn, a medium-sized, half-long variety of
fine color
Guerande or Oxheart, intermediate between half-long and
Horn sorts
Large Yellow Belgian, a desirable variety for feeding to stock,
Large White Belgian, the largest and most profitable for
feeding to stock
Long Orange Improved, a large, long-rooted variety, suitable

.05 .IO 1.00 1.00 .05 .05 I.00 .05 .IO 1.00 Scarlet Horn OI. .50 .05 .05 .IO .50 .IO .80 .05

.Io

.05

\$1.00

Carrot

Chantenay Carrot

for table or stock

CARDOON.

German, Kardon. - French, Cardon. - Spanish, Cardo Hortense.

Cardoon is grown for the midrib of the leaf, which requires to be blanched in the same manner as celery. Sow early in spring, where the plants are to remain, in drills three feet apart and an inch and a half deep, and thin out the young plants to a foot apart in the drills.

Pkt. Large Spanish. \$3.00 .IO

CAULIFLOWER.

German, Blumenkohl. - French, Chou-flour. - Spanish, Coliflor. (For price on Cauliflower Plants, see Vegetable Plants.)

Cauliflower is the most delicate and delicious of the cabbage family. For the production of the Cauliflower a rich, deep loam is required, a low moist situation being preferable. A liberal supply of water when possible produces very marked results. Seed of the very early variety should be sown in a hot-bed in February or

March. For later supply, sow seed in May, choosing a cool, moist place. When large enough, transplant, making the rows about 21/2 feet apart, and 18 inches between the plants. Transplanting should be done in damp weather. One ounce of seed produces about 2,500 plants.

Breck's White Bouquet. This we be- Pkt. lieve the earliest and most reliable Cauliflower for New England. Since its introduction it has become an especial favorite with the market gar-

Danvers Half-Long Carrot deners \$12.00 .25 3.50 Early Dwarf Danish, a variety of the Erfurt from Denmark. It matures evenly and is a reliable header 10.00 .25 3.00 Earliest Dwarf Erfurt, a very choice strain of the

well-known Erfurt Cauliflower . .25 3.00 12.00 Early Paris, an old but still popular sort .60 2.00 Early Snowball, a reliable early variety, grown largely for market .20 2.50 10.00 Half Early Paris, a well-known variety. .IO .60 2,00 Lenormand's Short Stemmed, a large dwarf sort, desirable for main crop

Veitch's Autumn Giant, a desirable large, late variety





CHERVIL.

.IO

.60

2,00

German, Gartenkerbel. - French, Corfeuil. - Spanish, Cerafolio de Cafe.

Chervil, Curled, an aromatic sweet herb. The young leaves are used in soups and salads. Sow evenly, in May, in drills half inch deep, one foot apart. 5 cts. per pkt.; 20 cts. per oz.; \$2.00 per lb. Chervil, Tuberous Rooted, sow in April after treatment same as for carrots. 10 cts. per pkt.; 30 cts. per oz.; \$3.00 per 1b.

CELERY.

German, Sellerie, French, Celeri, Spanish, Apio.

(For price on Celery Plants, see Vegetable Plants.)

Sow seed the first or second week in April in hot-bed or cold-frame. As soon as the plants have attained a height of three inches, transplant in prepared border, setting them four inches apart. In order to secure "stocky" plants, cut off the tops once or twice before again transplanting into richly manured soil, in rows four feet apart, and



from seven to nine inches plant to plant. Keep down all the weeds, and as fall approaches draw earth up to the plants, keeping the stalks well together. When well blanched it is ready for use. For winter use it is usually placed in frames and covered with litter, or stored in pits or cold cellars. Some of the varieties, such as Golden Self-Blanching and White Plume, may be blanched by simply placing a board twelve to fifteen inches wide on edge on each side of the row, and to hold them in place tack bits of laths across the rows at the top. One ounce of seed produces Rose-Ribbed Paris Selfabout 3,000 plants.

Boston Market, the best and most popu-

Blanching Celery Oz.

Pkt.

	lar sort in cultivation	.IO	.30	\$3.50
	Carter's Dwarf Crimson, solid, crisp,			"00
	and fine-flavored	.05	.25	2.50
	Celeriac, or Turnip=Rooted. The turnip-			
	shaped roots of this variety are cooked			
	and sliced and used with vinegar,			
	making a most excellent salad	.05	.20	2.00
	Dilk's Many-Hearted, a favorite with			
	gardeners around Philadelphia	.05	.30	3.00
	Giant Pascal, a sport from Golden Self- Blanching. A strong grower and won-			
Boston Market Celery.	derful keeper	.10	.30	3.00
	early golden-colored variety that is very		.50	3.00
popular. The seed we offer is from the		.10	.40	4.00
A				-F

New Rose, possessed of fine keeping qualities, a desirable sort .05 .20 2.50 Pink Plume, color bright pink, quality first-class, an excellent keeper Rose Ribbed Self-Blanching, a sport from Paris Golden, of pleasing appearance and .05 .25 2.50 good quality .IO .40 4.00 Sandringham, a dwarf white variety, solid, crisp and fine-flavored .05 .25 2.50 Triumph, a large growing variety, fine quality and flavor, unsurpassed as a keeper White Plume. This variety can be blanched with boards. It is solid, and of a pleas-.IO .40 4.00 ing nutty flavor .IO .25 2.50 Celery Seed for Flavoring .05 .50

CHICORY.

German, Cichorie. - French, Chicoree. - Spanish, Achivoria de Cafe.

It may be sown and treated in the same manner as carrots, used to mix with or as a substitute for coffee. The root is taken up, washed, cut in small pieces and carefully dried. Large Rooted. 5 cts. per pkt.; 10 cts. per oz.; \$1.00 per lb.

COLLARDS OR COLEWORTZ.

A class of plants closely allied to the Cabbage family, used as greens and grown quite largely in sandy sections, particularly of the south. Transplanted when four inches high into rows three feet apart and one and a half feet apart in the rows. Thin out to three feet apart during the summer. 5 cts. per pkt.; 10 cts. per oz.; \$1.00 per 1b.

CORN SALAD, or FETTICUS.

German, Lammersalat. - French, Mache. - Spanish, Macka Valerianilla.

Used as a salad. It is sown very early in spring, in rows one foot apart, and is fit for use in six or eight weeks. For early spring use sow in September, and winter in cold-frames, or cover with litter. One ounce will sow 100 feet of drill.

Large-Leaved. Per pkt., 5 cts.; ounce, 10 cts.; pound, \$1.00.




Chicory.

CORN. - Sweet.

German, Mais. - French, Mais. - Spanish, Maiz.

A rich, warm soil is best, especially for the earlier varieties, which ordinarily should not be planted before the middle of May. Successive plantings may be made until July. Plant in hills three or four feet apart each way, according to the height of the variety. One quart will plant about 200 hills.



CORN.—Field.—Continued.			
Golden Beauty, a tall-growing leafy dent variety, suit-	Qt.	Pk.	Bu.
able for ensilage Leaming, a yellow dent variety, very valuable for ensil-		.50	\$1.50
age Longiellow, eight-rowed yellow flint, long ears with	.15	.50	1.50
small cob	.15	.50	1.75
Mastadon, one of the best yellow dents for ensilage . P. & W. Perfect Mammoth Ensilage, a well-known	.15	.50	1.50
ensilage variety	.15	.50	1.50
Pre-Historic, a remarkable variety	.25	I.00	3.00
Pride of the North. This variety can be successfully grown farther north than any other dent corn. Grown			
for ensilage or fodder	.15	.50	1.50
Red Cob Ensilage, an excellent fodder and ensilage sort, White Southern, valuable for ensilage and fodder.	.15	.50	1.25

Leaming Corn.

POP-CORN.

Eight=Rowed White, selected ears for seed purposes, 3 cts. per ear.
Tattooed Yankee Pop=Corn, per pkt., 5 cts.
White Pearl, selected ears for seed purposes, 3 cts. per ear.
White Rice, selected ears for seed purposes, 3 cts. per ear.

Special Offer No. 3 only applies to Ensilage and Pop-Corn.

CRESS.

German, Gartex und Brunnen Kresse. - French, Cresson. - Spanish, Mastuerzo.

Sow early in the spring and at intervals throughout the season, for a succession, thickly in shallow drills, as it soon runs to seed. The Water Cress requires a stream of running water, ditch, or pond, in which it will grow without care, except at first keeping weeds from interfering with it. It is easily introduced by planting along the margins of ditches or streams, and increases rapidly by the spreading of the roots or from the seed.

CUCUMBER.

German, Gurken. — French, Concombre. — Spanish, Pepino.

White Spine Cucumber
The first planting should be made early in May on partly spent hot-beds; inverted sods form an excellent medium for both planting on and for carrying the young plants to their permanent location, or small pots can be used. Such plantings are usually ready for transplanting to the open ground in from three to four weeks, and are seldom troubled with the striped bug. Transplanting, when practical, should be done in the evening, into hills four feet apart each way. Thin out to about four plants to a hill when established. The seed may be planted in hills late in May, thus giving a succession. For pickles, plant during the last two weeks of June.

Plaster Dust, or an Infusion of Hellebore powder in water, will destroy the striped bug. One ounce will plant about fifty hills.


1	Pkt.	Oz.	Lb.
Boston Pickling. Produces an abundant crop of short, dark-green fruit	.05	.10	\$1.00
Breck's Forcing White Spine. This seed is raised from selected specimens by an			
Arlington market gardener and is the best obtainable	,IO	.40	5.00
Early Cluster. Grows in clusters. Bluish-green color	.05	.IO	.75
Early Frame. Of medium size. Valuable for both table and pickling	.05	.IO	.75
Early Russian. The earliest variety. About four inches long	.05	.IO	.75
Emerald. Similar to Tailby's Hybrid, but a better quality	.05	.IO	1.00
Everbearing. Medium size, early and productive	.05	.10	1.00
Evergreen. Without an equal, quantity and quality considered	.05	.10	I.00
Improved Long Green. The standard late variety. Productive and good	.05	.IO	1.00
Improved White Spine. The best table variety, of excellent quality		.10	1.00
Japanese Climbing. A productive variety, fine quality. The vine will grow over a			
summer house or climb a pole if given opportunity Tailby's Hybrid. A cross between White Spine and an English Frame sort.	.05	.IO	1.00
Tailby's Hybrid. A cross between White Spine and an English Frame sort	.05	.IO	1.00
West India Gherkin. A short green oval for pickling	.05	.15	1.50

ENGLISH FRAME VARIETIES.

These are mostly grown by private gardeners. They attain a length of from twelve to thirty inches. and are of fine quality. Rollinson's Telegraph. Blue Gown. Carter's Model. Each, per pkt., 25 cts.

DANDELION.

German, Pardeblum. - French, Pisse-en-lit. - Spanish, Amargon.



One ounce will sow 200 feet of drill. One 1b. will sow

American Improved. A fine home-grown variety .10 .40 Thick=Leaved French. Large and tender .10 .40

EGG-PLANT.

German, Eierpflanze. - French, Aubergine. - Spanish. Berengena.

(For price of Plants, see Vegetable Plants.) Sow the seed in hot-beds the first week in April, care being taken to protect the young plants from cold at night. Plant out about June I, about two and a half feet apart. One ounce will produce about 1,000 plants.

Black Pekin, early, fruit jet black, round in form and very solid, Early Long Purple, differing in	.10	.40	\$4.00
shape from the foregoing; hardy			
New York Improved Egg-Plant and productive	.IO	.30	3.00
New York Improved, the leading market variety; excellent and very productive	.IO	.40	4.00
White Pearl. Quite an ornamental plant	.IO	.40	4.00

ENDIVE.

German, Endivien - French, Chicorec. - Spanish, Endivia.

Sow for an early supply about the middle of April. As it is used mostly in the fall months, the main sowings are made in June and July, from which plantations are formed at one foot apart each way, in August and September.

As it is generally used for salads, it should be blanched by tying all the leaves into a bunch at the extreme top. One ounce

will sow 150 feet of drill.


	Pkt.	Oz.	Lb.
Broad-Leaved Batavian, used for soup	05	.20	\$2.00
Guaran Caralad 1 1 1 1 1	05	.25	2.50
Moss Curled, of dense habit, finely curled	.05	.25	2.00

KALE. - See Borecole. KOHL RABI (Turnip-Rooted Cabbage).

German, Kohl-Rabi. - French, Chou-Rave. - Spanish,

Col de nabo o Nabicol.

and thin out or transplant in rows 8 inches apart. When 3 to 4 inches in diameter they are fit to eat. late use, sow in June and July. One ounce will sow



LEEK.

German, Lauch. - French, Poireau - Spanish, Puerro.

Makes a valuable second crop on land that has been used for cabbage, etc., but the soil should receive a liberal dressing of well-composted manure before being planted. Sow the seed in April, in rows i foot apart, and transplant in July. Transplant quite deeply into rows 15 inches apart, with 6 inches between the plants. Hoe up the earth around the stems when they begin to grow, so as to blanch and make them tender. One ounce of seed will sow 100-foot drill.

Lb. Giant Carentan, large size, hardy and excellent . .30 \$3.00 London Flag, a hardy sort 2.00 .20 Musselburgh, or Scotch, grows to a large size; .05 3.00 .30

Moss Curled Endive An intermediate vegetable between the Cabbage and Turnip. Sow in April, in rows 18 inches apart, 150 feet of drill.



Pkt. Oz.


Lb

LETTUCE.

German, Lattich-Salat. — French, Laitue. — Spanish, Lechuga.

(For price on Lettuce Plants see Vegetable Plants.)

The most easily grown of all open-air plants used for salads. It requires a warm soil that has had a liberal dressing of wellrotted manure and abundant moisture. To be of a satisfactory quality, the growth should be rapid and vigorous. Seed may be sown in a frame in February or March, the plants set out as early as the ground can be worked, as light frosts will not injure them. Set the plants 9 inches apart in the rows, and 18 inches between the rows. For successive crops, sowings may be made every two weeks up to the end of August. One ounce of seed will produce about four thousand plants.



Grand Rapids Lettuce.

All the Year Round, an excellent summer lettuce, also valuable for forcing	.05	.25	\$2.50
Arlington Black-Seeded Tennis Ball, a local grown, extra fine strain, a favorite sort	.IO	.40	4.00
Asparagus , especially desirable for spring and late summer planting	.IO	.35	3.50
Big Boston, a larger Boston Market Black-Seeded Simpson, one of the best for out-door culture	.05	.30	3.00
Black-Seeded Simpson, one of the best for out-door culture	.05	.25	2.50
Black-Seeded Tennis Ball, well-formed heads; one of the best for out-door culture;	U	U	J
	.05	.30	3.00
compact and tender	3	.5-	3
earliness, beauty, and good			
table qualities	.05	.25	2.50
Breck's Boston Market, a su-			2.50
perior selection of White-			
Seeded Tennis Ball, grows			
very compact, and is a most			
profitable forcing variety .	TO	10	4.00
Defiance, one of the best cab-	.10	*40	4.00
bage sorts and very tender.	05	20	2,00
Denver Market, an early head	.03	.20	2,00
variety, with blistered leaves			
like the Savoy Cabbage	05	20	3.00
Early Curled Simpson, forms a	.03	.30	3.00
compact mass of tender			
leaves of a yellowish-green			
color	0-	20	2.00
color	.05	.20	2.00
and tender	0~	.25	2.50
Grand Rapids, a desirable cab-	.05	.25	2.50
bage variety, leaves crisp			
and tender	05	25	2.50
Hanson, one of the best in culti-	.05	.25	2.50
vation, large, solid, heavy,			
Defiance Lettuce. crisp heads	0.5	20	2.00
Hittinger's Relmont uncurpossed as a forcing variety	.05	.20	2.00
Hittinger's Belmont, unsurpassed as a forcing variety	.05	.30	3.00
nicely and heave close planting			2.00
	.05		2.00
White Summer Cabbage, large, extra tender, and keeps well	.05	.20	2.00
The building values, large, extra tender, and keeps well	.05	.20	2.00

MARTYNIA.

The seed-pods are used for pickling, and should be gathered when green and tender. Plant in the open ground the last week of May in rows two feet apart, making hills one foot apart in the rows; place several seeds in each hill, and when well up thin out to one plant. One ounce will plant fifty hills.


MELON (Musk).

German, Melone. - French, Melon. - Spanish, Melon.

Melons prefer a warm, light, sandy loam; being tender, plantings should not be made before the middle of May. Plant about six seeds, half-inch deep, in hills five to six feet apart each way. The hills should have at least a peck of well-rotted compost thoroughly stirred into each of them before the seed is planted. When

well-grown thin out to three plants in a hill. If an earlier crop than this method of cultivation allows is desired, the directions given for growing early cucumbers may be followed.

One ounce will plant about sixty hills. Two pounds will plant an acre.



acre. Breck's Emerald Gem Musk Melon			
De View Contributed in the Contribute of the Con	Pkt.	Oz.	Lb.
Bay View Cantaloupe, large size, green flesh, fine flavor	.05	.IO	\$0.75
Breck's Improved Emerald Gem, beautiful, large, almost smooth, green variety, with			
	.IO	.20	1.50
Casaba, large size, green flesh, fine quality	.05	.IO	.75
Delmonico , medium size, deep orange, pink flesh delightful flavor	.05	.IO	.75
Coming Coming tions	.05	.IO	.75
Consult Game 11 had a stiff and the	.05	.IO	.75
Exten Couls: Hadron and to be and John and the TT-1 1 to 110 11 11 11	.05	.IO	•75
Hadromande 1	.05	.IO	•75
Vinamana - Outan	.10	.20	.13
I among Vallages Marals 1 O al. and long 11.	.05	.10	
I amortaland Danielas 1	~		•75
Millowia Casama Occasión de distancia de la constantidad de la constan	.05	.10	.75
	.05	.10	.75
	.05	.IO	-75
	.05	.IO	.75
	.05	.IO	-75
	.05	.IO	1.00
	.05	.IO	.75
Mango, for pickles, small, used in the green state	.IO	.20	2.00

MELON (Water).

French, Melon d'eau. — German, Wassermelone. — Spanish, Sandia.

Water melons require the same general treatment as Musk Melons; but being more tender they should have the best possible exposure. The hills should be eight feet apart.

One ounce for thirty hills; five pounds for an acre.

		Pkt.	Oz.	Lb.
Black Spanish, scarlet flesh, thin rind, sugary flavor		.05	.IO	.70
Citron, for preserving		.05	.IO	.70
Cuban Queen, round, large, bright red, sweet and sugary		.05	.IO	.70
Green and Gold, a large early variety, of fine quality		.05	.IO	.70
Ice Cream, medium size, solid, scarlet flesh, fine flavor		.05	.IO	.70
Kolb's Gem, bright-red flesh, one of the best shippers		.05	.IO	.70
Mammoth Iron Clad, very large, solid, and of delicious flavor		.05	.IO	.70
Mountain Sweet, one of the best for general culture		.05	.IO	.70
Phinney's Early, a standard sort for N. E., bright-red flesh, sweet and tender		.05	.IO	.70
Vick's Early, early, medium size, oblong form, pink flesh	•	.05	.IO	.70

MUSHROOM.

German, Champignon. — French, Champignon. — Spanish, Hongo. (Special offer No. 3 only applies to Mushroom Spawn.)



Mushrooms may be grown in cellars, out-houses, sheds, or under greenhouse benches. The amateur, however, is more likely to meet with success in cellars than elsewhere, as the cool moisture of the atmosphere and the uniform temperature are more congenial to the growth of this vegetable than in the structures above ground. The temperature should range between fifty-five and sixty degrees. Use a mixture of equal weights, fresh horse droppings and loam that has no manure in it. Before placing this mixture in the bed turn it over every day for a week so that it does not heat violently, and be careful to keep it under cover so that it cannot get wet. Then begin to make the bed by spreading thin layers of the mixture, and pound each firm, until you have in all a depth of eight to ten inches; leave

MUSHROOM. - Continued.

it thus for a few days until the heat runs up to a hundred degrees or over and then declines to ninety degrees; when this point is reached it is ready for spawning, which is done by making holes, three or four inches deep and twelve inches apart each way; into each hole put a piece of spawn about as large as a hen's egg and fill in the hole with compost. At the end of ten or twelve days the spawn will have run through the whole bed. There should then be spread over the entire surface about two inches of fresh loam. Over all place a few inches of straw. All that remains to be done is to keep the temperature as near to sixty degrees as possible; it should never be allowed to fall below forty degrees, or the crops will be both reduced and delayed. Ordinarily, if the conditions are right, mushrooms will appear in about six weeks and continue to come for about a month. In the event of the surface of the bed becoming very dry sprinkle it freely with water at a temperature of about a hundred degrees. After the crop has been taken off the bed, it should receive a dressing of fresh loam to a depth of half an inch, thoroughly firmed, over the entire surface, and when dry a sprinkling with water as above recommended, and a second crop will soon be had. A brick of English spawn is sufficient for nine square feet of bed.

Mushroom Spawn. Original English Milltrack, superior to all others, lb., 12 cts.; 50 lbs., \$5.00; 100 lbs., \$9.00.

Mushroom Spawn. Genuine French Virgin, lb., 50 cts.; 100 lbs., \$45.00.

"How to Grow Mushrooms," by Faulkner, the most practical work on the subject to date \$1.50. "Mushroom Culture," by Robinson. \$0.75.



MUSTARD.

German, Senf. - French, Moutarde. - Spanish, Mostaza.

Cultivated as a salad. The leaves are used like cress, when very young. Sow thickly in rows at different times from April to June, and cut when about two inches high; for use during winter, it may be sown at intervals in boxes, in the greenhouse, or in a frame. One ounce will sow forty feet of drill.

	Oz.	Lb.
Brown or Black. More pungent in flavor		
than white	.05	\$0.25
Chinese. Leaves twice the size of the or-		
dinary white mustard, of a deeper green,		
flavor pleasantly sweet and pungent,		
and desirable as a salad	.IO	-75
White London	.05	.25

Okra. White Velvet.

NASTURTIUM, or INDIAN CRESS.

German, Indianische Kresse. — French, Capucine. — Spanish, Capuchina

Cultivated both for use and ornament; the seeds while young and succulent are picked and used as capers. The young leaves are also useful in salads. Its beautiful scarlet and orange colored flowers, which bloom freely all summer, add a charm to the garden. One ounce will sow forty feet of drill.


For complete list of finest flowering sorts, see Novelties, and pages 84 and 89.

OKRA, or GUMBO.

German, Essbarer. — French, Gumbo. — Spanish, Quibombo.

This vegetable is of the easiest culture, and grows freely, bearing abundantly in any ordinary garden soil. Sow early in May, in drills two inches deep, setting the plants from two to three feet apart. One

ounce will sow forty feet of drill.			1
Dwarf Green. Early and productive, tender pods	.05		Lb. \$0.75
large and tender			
White Velvet. Large, creamy-white pods, very tender	.05	·IO	•75



ONION.

German, Zweibel. - French, Ognon. - Spanish, Cebolla.

The Onion thrives best in rather strong, deep, loamy soil, which should be well enriched with old well-rotted manure or compost, or what is better, deeply trench, add manure the autumn previous to sowing, and lay upon ridges during the winter to soften. Sow the seed thinly in drills about one-quarter inch deep and one foot apart. To ensure quick and safe germination after sowing the seed, the drills should be trod along evenly with the foot, and then raked even, so that the hot, dry atmosphere may not dry up and destroy the sprouting seed. When three inches high thin to two inches apart. Hoe frequently to keep down weeds. In the seed rows where the hoe cannot be used, the soil should be stirred with the fingers, otherwise weeds will quickly grow up and choke the crop. One ounce of seed will sow one hundred feet drill; four pounds per acre.

The seed we offer, with the exception of the imported varieties, is Eastern grown, and calculated to

give more satisfactory results than Western-grown seed.

Hamburg or Turnip=Rooted. Roots used for flavoring soups

	Pkt	Oz.	Lb.
Breck's Yellow Globe Danvers. Grown from specially selected bulbs	05	.25	\$2.00
Extra Early Red. Flat in shape and fully two weeks earlier than the Wethersfield	05	,20	1.60
Giant Rocca. Beautiful globe-shaped, light red onion, and mildly flavored	05	.20	1.50
Large Red Wethersfield. Deep-red color, immense yielder and excellent keeper	05	.20	1.50
Mammoth Silver King. Immense size, skin silvery white, very mild flavor	05	.25	2.00
Queen. A small white variety grown extensively in the South	05	.25	2.00
Red Globe. A fine, globe-shaped onion of superior quality	05	.20	2.00
Red Italian Tripoli. Same as the White, except in color	05	.20	1.50
Southport White Gobe. Mild flavored, early and large, not a good keeper	05	.25	2.50
Southpart Yellow Globe. Handsome and distinct	05	.20	2.00
White Italian Tripoli. Grows to an immense size, flat in shape, very mild in flavor	05	.20	1.50
White Portugal. Early, mildly flavored, and excellent	05	.25	2.00
Yellow Globe Danvers. Good, but not quite as good as Breck's strain	05	.20	1.50

ONION SETS.

(Prices Variable.)

Special Offer No. 3 only applies to Onion Sets.

The sets should be planted out as early in spring as the ground is dry enough to work; plant them in rows one foot apart, with sets three or four inches apart. When raised from sets the onions can be used in the green state in June, or they will be ripened off by July.

														Qt.	Peck.
Yellow or Red Onion S	ets													.25	\$1.25
Potato Onions															
Top or Button Onions.															1.00
Garlic Sets															
White Onion Sets															
Shallots			•	٠			•		•	•			٠	.30	2.00
White Multiplier or P	otat	0			•	•		•			•		•	.25	1.25

PARSLEY.

German, Petersilie. - French, Persit. - Spanish, Perejil.

.05

.IO

.75

PARSNIP.

German, Pastinake. - French, Panais. - Spanish, Pastinaca.

Sow thick in April, in rows twelve inches apart, and one inch deep, in a rich, deep soil, well manured the previous fall, or with fine manure early in March. When the plants are two or three inches high, thin out to five or six inches apart in the rows. Unlike carrots they are improved by frost, and it is usual to take up in the fall a sufficient quantity for winter use, leaving the rest in the ground until spring, to be dug up as required. One ounce for one hundred feet of drill; five pounds to an acre.

	Pkt.	Oz.	Lb.
Breck's Market Garden. For flavor, texture of flesh, form, smoothness and as a crop-			
per, this variety is without an equal	.05	.15	\$1.00
Hollow Crown. A well-known sort, fine quality	.05	.IO	.60
Long Smooth. The best for general use	.05	.IO	.60
The Student. A fine-flavored variety	.05	.IO	.60

PEAS.

German, Erbse. - French, Pois. - Spanish, Chicaros.

Peas come earliest to maturity in light, rich soils, but for a general crop a deep loam or moderately heavy soil is better. For early crops decomposed leaves or leaf mould should be used; if the soil is very poor stronger manure may be applied. The first sowing will be earlier if covered only one inch deep; those following should be covered two to six inches deep, the deep planting preventing mildew and prolonging the season. Fresh manure, and wet, mucky soil should be avoided, as

prolonging the season. Fresh manure, and wet, mucky soil should be avoided; as they cause the vines to grow too rank and tall. All wrinkled Peas are superior to, more delicate in flavor, and remain longer in season than the smooth sorts, but should not be sown until the ground becomes warm, for, as in sugar-corn, the wrinkled appearance indicates the greater amount of saccharine matter. One quart will sow one hundred feet of drill.



Breck's New Life
Tom Thumb. Very

William Hurst. I

EXTRA EARLY SORTS.

		Pt.	Q+.	Pk.	Bu.
	Alaska. A smooth, blue, prolific, sweet extra early variety.	.15	.25	\$1.25	\$4.50
	Aloha. A fine-flavored early wrinkled variety	115	.25	1.25	4.50
	Bliss' American Wonder. Well known early wrinkled sort,	.15	.30	1.50	5.00
	Breck's Excelsior. The best extra early for market and				
	private garden	.15	.30	1.50	5.00
	Carter's Premium Gem. A dwarf prolific, green, wrinkled,				
	early variety	.15	.25	1.25	4.50
	Gradus. The largest podded first early wrinkled pea. The				
	pods are almost as large as those of Telephone, and are fit				
	to pick about two days later than Alaska. Pkt., 25 cts.;	-45	.80		
	Gregory's Surprise. The earliest wrinkled sort, productive				
	and of good quality Pkt., 15 cts.;	.25	.40	3.00	
	Improved Dan'l O'Rourke. A standard extra early variety .	.15	.25	1.25	
	McLean's Little Gem. A variety similar to Premium Gem.	.15	.25	1.25	4.50
	Nott's Excelsior. Extra early wrinkled sort, grows fifteen				
	inches high, superior to American Wonder in quality and				
	productiveness			1.50	5.00
	P. & W. Maud S. A vauable extra early variety			1.25	4.50
	early, excellent quality, grows only about nine inches high	.15	.25	1.25	5.00
. 11	height and some Pt. Qt. Pk. Bu.				

SECOND EARLY SORTS.

SHOWD LARLY SO	1	3.		
Bliss's Abundance. Strong vines of				
medium height that bear an enormous number of well-filled pods	т =	25	T 25	4.50
Bliss's Everbearing. A most desirable	• • • • •	•23	1,25	4.30
main crop variety for the private				
grower	.15	.25	1.25	4.50
Boston Wrinkled. Superior to any				
other second early sort	.15	.30	1.50	5.00
Horsford's Market Garden. Type and				
quality of Advancer, more productive	.15	.25	1.25	4.50
Juno. Remarkably large, long, straight,				
thick throughout, well filled pods.				
Peas are dark green and a fine flavor.	.15	.25	1.50	5.00
McLean's Advancer. A dwarf green				
wrinkled marrow of fine flavor	.15	.25	1.25	4.50



Gradus.

PEAS .- Continued:

GENERAL CROP.				
	Pt.	Qt.	Pk.	Bu.
Blackeye Marrow. An excellent old-fashioned sort	.IO	.20	.65	\$2.00
Breck's New Life. All things considered, the most valuable pea of its season for				
home or for market	.15	.30	2.00	6.00
Carter's Telephone. A vigorous grower, extra large well filled pods	.15		1.50	5.00
	.15	.25	1.25	4.00
Dwarf Telephone. Like the old variety except in height		_	2.50	·
Dwarf White Marrow. An old-fashioned yet popular variety	.10		.65	2.00
Heroine, A green wrinkled variety, following Advancer	.15		1.50	5.00
Paragon. Large, well filled pods, one of the latest	.15	_	1.50	5.00
Pride of the Market. An enormously productive wrinkled marrow of good quality	.15		1.75	6.00
Profusion. A productive, large-podded sort of good quality			1.50	5.00
Sharpe's Queen. Large, well filled pods, of extra quality, equal in all and supe-	.13	.23	1.50	3.00
rior in some respects to Stratagem	7.5	25	1.50	5.00
Stratagem. A sport that usually produces stalky vines covered with full pods of	•13	.23	1.50	5.00
		20	T =0	- 00
extra size	7.15	.30	1.50	5.00
Shropshire Hero. After the style of Yorkshire Hero, but more desirable			1.50	5.00
Yorkshire Hero. A wrinkled marrow of extra fine quality	.15	.25	1.50	5.00
EDINI E BODDED DELL				
EDIBLE PODDED PEAS.			Pt.	Qt.
Early Dwarf Wrinkled Sugar. A French variety, early and of good quality .				.40
Tall Gray Sugar. Can be used either shelled or cooked in the pods				.40
Tail Gray Sugar. Can be used either shelled of cooked in the pods			.20	.40







Sweet Mountain Pepper



Large Bell Pepper



Procopp's Giant Pepper

PEPPER.

German, Pfeffer. - French, Piement. - Spanish, Pimiento.

Plant in hot-beds in March, and transplant into the open ground the latter part of May, in rows about twenty inches apart and eight inches apart in the row. Repeated hoeings promote their growth. One ounce of seed will produce about 2,000 plants.

One other of seed will produce about 2,000 plants.			
	Pkt.	Oz.	Lb
Cayenne, Long Red. The pods of this variety are from three to four inches in length,			
cone-shaped, and coral red when ripe	.05	.25	\$3.00
Golden Dawn. Shaped like the Bell; color, golden yellow	.05	.25	2.50
Large Bell, or Bull Nose. Fruit large; an early sweet variety	.05	.25	3.00
Procopp's Giant. Long and large, fine scarlet; flesh thick	.05	.25	3.00
Red Cherry. Fruit round, very productive, and ornamental	.05	.25	2.50
Red Chili. Used for pepper sauce, small, narrow pods, about five inches long; very			
	.05	.25	2.50
Ruby King. Pods about five inches long, very thick, fine flavor	.05	.25	2.50
Squash, or Tomato-Shaped. The kind most generally grown for pickling; an excel-		Ŭ	
lent sort	.05	.25	. 2.50
Sweet Mountain, or Mammoth. Similar in shape to the Large Bell, but of much			
larger size	.05	.25	2.50

PUMPKIN.

German, Kurbis. - French, Courge, - Spanish, Calabaza.

The Pumpkin is now little used except for agricultural purposes, the squashes being so much sweeter, drier and finer grained for the kitchen. The farmer, however, finds the Pumpkin a serviceable addition to his feed. The most common and least troublesome method of cultivation is to plant them with corn, two or three seeds in each hill.

	Pkt.	Oz.	Lb.
Connecticut Field. Very productive; largely grown for feeding stock. Per bushel, \$4.00.	.05	.IO	\$0.25
	.05	.IO	.60
Mammoth. Grows to an immense size, often weighing over one hundred pounds.	.IO	.15	I.CO
Mammoth Red Etampes. One of the largest; skin red, flesh very thick, firm and of		·	
fine flavor	.05	.15	1.00
Nantucket or Negro. Dark warted shell, fine flavor, makes excellent pies	.05	.10	.60
Sweet Sugar. Round, not large, but very sweet, and an excellent table variety	.05	.IO	.60



Breck's Chance Potatoes



New Queen Potatoes



Early Norther Potatoes

POTATOES.

(Prices subject to market changes.)

Special prices on large quantities quoted on application. Special Offers do not apply on Potatoes.

Of the many varieties of Potatoes that claim public favor, we have selected only a few, and these the best in cultivation. We aim to include in our list only those sorts which we have found by actual test are worthy of cultivation. Orders will be booked as received, and shipped in rotation, after danger of freezing is over; and as Potatoes are of a perishable character, we assume no responsibility for damages incurred in transit, but we will, of course, exercise the greatest care to guard against sudden changes in the temperature.

	Peck	Bush.	Bbl.
Beauty of Hebron. A standard sort, pure white skin and flesh, an excellent cropper,	.50	\$1.40	\$3.25
Bliss' Triumph. Extra early, of attractive appearance and superior quality	.50	1.40	3.25
Breck's Chance. Quality is the leading feature, but it is early, a good cropper; the			
	.50	1.40	3.50
	.50	1.40	3.50
	.50	1.40	3.50
Clark's No. 1. A well-known very productive sort of fine quality	.50	1.40	3.50
Early Harvest. Wonderfully early, fine sized tubers	.50	1.50	3.75
Early Ohio, Jr. An old rough-skinned standard sort, highly recommended	.50	1.50	3.75
Early Norther. Earlier and more prolific than Early Rose, of which it is a seedling.	.50	1.40	3.50
	.50	1.40	3.50
	.50	1.50	3.75
	.50	1.50	3.75
Joseph. Large, even sized tubers	.60	1.75	4.00
	1.00	3.50	
New Queen, of the Hebron type, but earlier, a greater yielder, fewer small ones	.50	1.40	3.50
P. & W. Victory. The handsome variety, resembling Clark's No. 1, but earlier	.50	1.40	3.50
	.50	1.40	3.50
Peerless, Jr. "Quantity and Quality" would be a fitting name for this sort	.60	1.50	4.00
	-1 10%		

RADISH.

German, Rettig, Radieschen.-French, Radis, Rave, Petit Rave.-Spanish, Rabano.





Radishes require a light, rich, sandy loam; heavy or clayey soils not only delay their maturity, but produce crops much inferior, both in appearance and especcially in flavor. For a constant supply SOW from the middle of March until September, at intervals of two or three weeks. For an ear-French Breakfast Radish, ly supply they may be sown in a hot-bed in Feb-

For winter Radishes, sow the seed about beginning of July, and keep the roots during winter in a cool cellar, covered with earth. They should be placed in cold water an hour or so before using. I oz. of seed will sow 100 feet drill; 10 lbs. per acre.

Chartier. Color rose and white, quality excellent	Pkt.	Oz.	Lb.
Chartier. Color rose and white, quality excellent.	.05	.IO	.75
French Dreaklast. A variety of quick growth	.05	TO	.75
LONY DIACK Winter. An exceedingly fine winter variety	OF	10	-75
Lung Scarlet Short=10D. Bright scarlet crish	05	TO	
Olive Shaped Scarlet. An early sort	.05	.10	.75

Long Scarlet Radish

RADISHES .- Continued

ALIE O ADALLIDI				
Dog China Winton Diale and a superior to the state of the		Pkt.	Oz.	Lb.
Rose China Winter. Bright rose color, grows to a large size, quality excellent.		.05	.10	.75
Rosy Gem. Globe-shaped, upper portion scarlet, shading into white at the tip .		.05	.IO	\$1.00
Round Black Winter. Like the Long Black except in shape		.05	.IO	.75
Scarlet Turnip. One of the best for summer use		.05	. TO	.75
White Turnip. Excellent for summer use		.05	.10	.75
The Startle. A half-long variety, fine for forcing		.05	. TO	1.00
White Giant Stuttgart. Withstands summer heat better than any other sort. Ea	rlv.		1	
mild, and tender		05	.10	.75
White Tipped Scarlet Turnip. An early variety of medium size, crisp and tender		.05	.10	
Yellow Summer, Turnip Rooted. Desirable summer sort		.05		75
Zenzow Dammer, rammp recorded Department botton in		.05	.10	-75

RHUBARR.

German, Rhabarber.—French, Rhubarbe.—Spanish, Ruibarbo Bastardo.

(For price of Rhubarb Roots, see Vegetable Plants.)

Sow early in the spring, in drills a foot apart, thinning out to about the same distance apart in the rows when a few inches high. In fall, or the following spring, transplant into deep, rich soil about three feet apart each way. If propagated by dividing the roots, it may be done either in fall or spring, planting it at the same distance apart as given above.

SALSIFY, or OYSTER PLANT.

German, Boksbart.-French, Salsifis.-Spanish, Ostra Vegetal.

The demand for Salsify is increasing from year to year, as its delicious qualities are becoming known.



It is used stewed, boiled, or fried, and sometimes as a salad sliced raw in vinegar with salt and pepper. When cooked it has an oyster flavor, and is commonly called "vegetable oyster." The directions for growing and keeping are the

same as for Parsnip. One ounce will sow fifty feet of drill.

			Pkt.	Oz.	Lb.
Breck's Improved. Roots of medium size, white and smooth			.05	.15	\$1.50
Mammoth Sandwich Island. Twice as large as the preceding, and of fine	qualit	у .	.05	.15	1.50

SPINACH.

German, Spinat-French, Epinard-Spanish, Espinaca.

Spinach likes a rich soil, and should be sown for a main crop in August or September. When cold weather sets in, it should be protected from frost by covering it with straw and brush. For summer use sow at intervals of two or three weeks from April to August. One ounce will sow fifty feet of drill; twelve pounds per acre.

drill; twelve pounds per acre.			
* *	Pkt.	Oz.	Lb.
Long Standing. Does not readily run to			
seed	.05	.10	\$0.30
New Zealand (Tetragonia expansa). A	_		
distinct spreading plant, producing an			
abundant supply of greens all summer;			
should be started in a hot-bed, and trans-			
planted when the ground is warm; set			
three feet apart each way	.05	.15	1.00
Prickly or Winter. Hardy	.05	.10	.30
Round Thick Leaf. One of the best	.05	.10	.30
Savoy Leaf. An extra good "carrier".	.05	.10	.30
Victoria. Good for spring sowing, broad			
dark green leaves	.05	.10	-30



Long Standing Spinach.


SQUASH.

German, Kurbiss.—French Courge.—Spanish, Calabaza Tontanera.

As all Squash are somewhat tender, they should not be planted out until danger from frost is past. They will grow on almost any soil, but a warm, mellow one that has been well manured suits them best. The hills for bush varieties should be about six feet apart; for running sorts, eight to ten feet. Thin out to two plants to a hill, and in the early stages of growth keep well sprinkled with plaster dust. Bush varieties, one ounce to fifty hills; running varieties, one ounce to twenty hills; four pounds per acre.



White Bush Scallop





TOMATO.

German, Liebsapfel.—French, Tomate.—Spanish,
Tomate.

(For Tomato Plants, see Vegetable Plants.)

The seed should be sown in a hot-bed about the first week in March, in drills five inches apart and half an inch deep. When the plants are about two inches high, they should be set out about four or five inches apart in another hot-bed. About the middle of May the plants may be set in the open ground; they are planted for early crops on light, saudy soil, at a distance of three feet apart, in hills in which a good shovelful of rotten manure has been mixed. On heavy soils, which are not suited for an early crop, they should be planted four feet apart. Water freely at the time of transplanting, and shelter from the sun for a few days until the plants are established. One ounce will produce about 2,000 plants.


Dwarf Champion Tomato
One ounce will produce a See Special Offers on third page of cover.

TOMATO .- Continued.

	771 .	_	
Acme. Very early and productive, medium size, dark-red fruit	Pkt.	Oz.	Lb. \$2.50
Breck's Belmont. The best for either forcing or out-door culture. Bright-scarlet	.03	.23	\$2.50
fruit, finely flavored, very few seeds	0~	20	3.00
		.30	~
Canada Victor. One of the earliest, of medium size, very symmetrical in form	.05	.25	2.50
Dwarf Champion. Of dwarf and strong habit, fruit fine color, with few seeds .	.05	.25	2.50
Honor Bright. Delicate flavor, very tender and the best keeper yet introduced	.10	.50	
Livingston's Beauty. An early variety, growing in clusters of four or five, glossy			
crimson in color	.05	.25	2.50
Livingston's Favorite. Perfect in shape; ripens evenly and quite early. It is noted			
for its good shipping qualities	.05	.25	2.50
Livingston's Perfection. Large and early, blood-red, perfectly smooth, thick meat,			
few seeds	.05	.25	2.50
Lorillard. Especially adapted for culture under glass	.05	.25	2.50
Paragon. Medium size, color dark-red, ripens evenly, very solid, largely used for			
canning	.05	.25	2.50
Peach. Resembles a peach in size, shape, and color; fine for preserves	.05	.25	2.50
Ponderosa. The largest, solid and of good flavor	.05	.25	2.50
Red Cherry. A small early variety, size and shape of a cherry, used for pickling.	.05	.30	3.00
		0	0
Stone. Very smooth, solid, bright-scarlet color, thick-fleshed	.05	.35	2.50
Strawberry, or Winter Cherry (Physalis Alkekengi). The fruit grows in a husk, and will keep all winter. It has a pleasant strawberry-like flavor and is esteemed			
by many for preserving	.05	.30	3.00
Yellow Cherry. Similar to Red Cherry, except in color	.05	.30	3.00

TURNIP.

German, Steckrube.-French, Navet.-Spanish, Nabo Comun.




Turnips may be sown at all seasons from April to August in our climate, although those will be the best which are sown very early in spring for summer crop, and early in August for a fall and winter crop. A light soil well manured the previous year is the best; no manure should be applied at the time of sowing, unless it be well-decomposed compost, or the roots would be liable to be badflavored. The ground should be dug and ploughed deep and made mellow and fine. Sow the seed of the flat sorts broadcast, and rake in evenly. After they are wel! up, thin to six or eight inches apart, and keep them clear from weeds. The Ruta Baga sorts should be sown in drills fifteen inches apart, and for winter use may be sown from the twentieth of June to the middle of July, on land that has been well manured for other crops in spring; thin out as for the early crop. One ounce will sow 150 feet drill. Two pounds will sow one acre in drills. One pound will sow one acre broadcast.

Lb. Golden Ball. A small, golden-yellow flesh variety, unsur-.50 Long White or Cow Horn. Flesh white, fine graded and sweet, and of excellent quality .50 Budlong Ruta Baga Purple=Top Munich. One of the best earlies, of good form and quality . .50 Purple-Top White Globe. A round, handsome turnip of superior quality, either for .50 .IO white, sweet, tender flesh .50 Redtop Strap Leaf. The best of the flat Turnips. Equally valuable for early or late .05 .50 A handsome egg-shaped white variety; grows large .IO .05 .50 White-Top Milan. The earliest of all turnips, very mild flavor .05 .50 .05 .IO .50 White Norfolk. One of the best late varieties for stock White-Top Strap Leaf. Similar to the preceding, but not so popular Yellow Aberdeen. Very hardy and productive; good for stock and table; keeps well .50 .05 .IO .50 Yellow Stone or Globe. Of medium size, excellent flavor, and a good keeper; flesh .IO .05 .50 See Special Offers on third page of cover.

RUTA BAGA, or SWEDISH TURNIP.

	Pkt.	Oz.	Lb.
Budlong Swede. A choice strain of white. Swede, said to			
be earlier and of better form than other sorts	.05	·IO	.50
Improved American. Flesh yellow, solid, sweet, and fine			
flavor	.05	.IO	.50
Shamrock. A globe-shaped, very hardy, fine-grained,			
yellow	.05	·IO	.50
Skirving's Purple Top. Large, yellow, firm flesh, sweet,			
and a good keeper	.05	.IO	.50
St. Andrews. A yellow flesh variety of excellent quality	.05	OI.	.50
Sweet German. Flesh pure white, very solid, sweet, mild,			
well flavored	.05	.IO	.50
White French. An excellent sort for table or stock. Flesh			
firm, white, and solid; a popular market variety	.05	.10	.50



American P. T. Ruta Baga

9 V	VEET,	POT,	and	MEDICINAL	MERBS.

These herbs are all of easy cultivation. Sow the seed as early in May as practical in shallow drills about fifteen inches apart, thin out when two or three inches high. Generally speaking, it is best to cut the herbs when in flower.

			Pkt.			Pkt.					Pkt.	Oz.
Anise.			.05	\$0.15	Fennel, Sweet .	.05	\$0.15	Rue .			.05	\$0.25
Arnica			.10	1.75	Hop Seed	.IO	1.00	Saffron			.05	.20
Balm .			.05	.40	Horehound	.05	.25	Sage .			.05	.20
Basil, Swe	et,		.05	.40	Hyssop	.05	-35	Savory,	Summe	er .	.05	.20
Borage			.05		Lavender			Savory,				
Caraway			.05	.Io	Lovage	.10	.40	Sorrel,	Broad-I	eaved	.05	.20
Catnip.			.10		Marjoram, Sweet			Thyme,				
Coriander			.05		Pennyroyal .			Wormw				.20
					Rosemary	.05	.40				. 3 3	.20
			5	** 3	1(00011111111)	5	.4-					

FRUIT, SHRUB and TREE SEEDS.

Special Offers do not apply on these seeds.

					Pkt.	Oz.	Lb.]		Pkt.	Oz.	Lb.
Apple .					.05	.10	.50	Barberry, Common		OI.	.15	1.00
Apricot Pits					.05	.10	.50			.10	.15	.50
Blackberry					.15	1.00	10.00	Ash, White		.IO	.15	.75
Currant					.10	-30	3.00	Beech		.IO	.15	.60
Gooseberry					.15	.75		Birch, White .		.IO	.15	1.50
Peach Pits,	per l	oush.	\$2	.50.				Cedar, Red		.10	.15	1.00
Pear .			٠		.10	.25	2.50	Elm, American .		.IO	.30	3.00
Quince .					.10	.25	2.50	Maple, Sugar .		.IO	.20	1.00
Raspberry					.10	.25	3.00	Pine, White or We	uth	.10	.20	I.00
Strawberry					.IO	.50	5.00	Spruce, Norway		.10	.20	1.00
Arbor Vitæ,	Am.	•			·IO	.30	2.00					

And Comment of the Co

BIRD SEEDS.

None of our Special Offers apply on Bird Seeds.

210110 01	- ui	opecia.	1 011	or brid or brid beeds.	
Sicily Canary		qt.	.15	Millet, German . qt1	0
Hemp		7.	.15	Gravel, for Cages ".1	0
Rape, German		6.6	.15	Mocking Bird Food 1b2	5
Rape, English		6.6	.20	Mocking Bird Food bot3	5
Rice, Unhulled		6.6	.15	Cuttle Fish Bone . J2	5
Flax		6.6	.15	Song Restorer . bot2	5
Maw, or Poppy		6.6	.30	Sorghum for pigeons,	
Parrot Food .		"	.15	qt., .10; bush \$1.50	١.

SEEDS USED FOR FLAVORING, ETC.

	Spe	cia1	lúíte	ers de	o not	apply on these seeds.		
1/2				07.	Lb.	l .	Oz.	Lb.
₩Anise.				.IO	.40	Caraway	.IO	.25
Cummin				.IO	.40	Dill	.IO	.50
🖔 Coriander				.IO	.25	Fennel, Sweet	.10	.30
Celery				.IO	.50	Medicinal Pumpkin,	.IO	.25

VEGETABLE PLANTS AND ROOTS.

Special Offer No. 3 only applies to Vegetable Plants.
All are especially grown for our trade from choicest strains of seed.

Colossal, two year old roots . \$1.00 \$7.00 The Hub, two year old roots . 1.25 10.00 Palmetto . 1.25 10.00 CABBAGE PLANTS. From hot-beds, ready about first week in April.
The Hub, two year old roots . I.25 Io.00 Palmetto I.25 Io.00 CABBAGE PLANTS. Black Pekin
The Hub, two year old roots Palmetto 1.25 10.00 1.25 10.00 TARRAGON PLANTS. CABBAGE PLANTS. -Each Per Dozen 1.25 10.00 \$3.00
Palmetto
CABBAGE PLANTS. -Each
CABBAGE PLANTS. Per Dozen
Tel Bozen
Early Jersey Wakefield \$1.00 \$8.00 Per dozen, 25 cents; per 100, 60 cents; per 1000 \$5.00
Henderson's Summer 1.00 8.00
Stone Mason LETTUCE PLANTS.
Fottler's Brunswick 1.00 8.00
For Winter Crop, Ready July 1st. Boston Market Head
Forly Cyrlod Simmon
Eattlen's Designations
PEPPER PLANIS.
Stone Mason
\$T.75
CAULIFLOWER. 100 1000 RHUBARB ROOTS.
Snowball
SWEET POTATO PLANTS.
CELERY PLANTS.
100 1000 Nansemond \$0.75 \$6.0
Boston Market \$1.00 \$8.00
Golden Self-Blanching 1.00 8.00 TOMATO PLANTS.
Giant Pascal Breck's Belmont
Wille Piulie
CHIVES. Paragon
Dwarr Champion
Used for flavoring soups, etc., each .15; dozen, \$1.25. Livingston's Perfection

"The neighbors are onto it (the quality); next year they will buy seeds from Breck."
-W. J. Wheeler, Worcester.

This expression as to the quality of our seeds is only one of thousands.

AGRICULTURAL SEEDS.

GRAINS.

(Prices Subject to Market Change.) Special Offer No. 3 only applies to seeds under this heading.

BARLEY.	1	RYE.
	er Bush.	To avoid disappointment, we offer only New Eng-
Two=Rowed	\$1.25	land grown Rye for seed purposes. Per Bush.
Four=Rowed	1.00	Spring
BUCKWHEAT.	ĺ	Winter
	er Bush.	
Silver Hulled	\$1.10	SPRING WHEAT.
Japanese, enormously productive	1.10	Saskatchewan Fife, one of the best Spring
		sorts \$2.00
OATS.		White Russian, beardless white chaff,
	Per Bush.	amber-colored grain 2.00
Welcome, fine variety	\$0.80	
Lincoln, unsurpassed	.80	WINTER WHEAT.
Black Tartarian, most prolific and dis-		Per Bush.
tinct variety of black oats desirable	7.70	Martin Amber, beardless heads, four to
for growing on meadow land	1.50	seven inches long, of amber color . \$2.00 Clawson White, a well-known favorite sort 2.25
Gray Winter or Turf	1.50	
Wild Rice, for naturalizing around duck po	onds .	per lb25
See Special O	ffers on	third page of cover.

MISCELLANEOUS SEEDS.

FOR FORAGE CROPS, PLOWING UNDER, ETC.

Special Offer No. 3 only applies to seeds under this heading.



Beggar Weed.

BEANS, Breck's Soya. The most suitable variety for cultivation in New England, valuable either as a fodder crop or for the silo. The dry beans when ground make an excellent meal for feeding to milch cows. When roasted and ground they form an excellent substitute for coffee. Quart, 20 cts.; peck, \$1.00; bushel, \$3.50.

—Medium Green Soya. Especially suitable for New England. Quart,

25 cts.; peck 1.25; bushel, \$4.00
BEGGAR WEED (Desmodium Molle). Recommended as a forage plant for thin, sandy lands. Sow about first of June in drills three feet apart, about five pounds per acre. Per lb., 40 cts.; 5 lbs., \$1.75.

CORN, Broom. This does best in a good, deep, moderately moist soil.

20 cts. 1b., \$15.00 per 100 lbs.

Prehistoric. A variety with a remarkable history. growth, stout stalk, thickly set with leaves, three to five feet in length, four to seven inches wide. Said to produce four good ears to the stalk. Being a novelty, we recommend our customers to try it in a small way, and if it does just half of what is claimed for it, it will be more than satisfactory to the average planter.

Per quart, 25 cts.; peck, \$1.00; bush., \$3.00.

-Jerusalem. See Sorghum.

—Kaffir. See Sorghum.

DHOURA. See Sorghum.

MILLET, Pearl (Penicillaria Spicata). A valuable and very productive fodder plant; should not be sown until danger from frost is over. Drill, 18 inches apart, 10 pounds to acre. Lb., 15 cts., \$12 per 100 lbs.

MILLET, Japanese Barnyard Grass (Panicum Crus Galli). Distinct from other varieties, enormous cropper, grows six to eight feet high, excellent either green or cured as hay. It prefers a moderately moist soil and may be sown in an average season from the middle of May until the first of July. Broadcast, at the rate of 25 lbs. per acre, or in drills eighteen inches apart, 15 lbs. to the acre. Price per 1b., 12 cts.; 25 lbs. for \$2.50.

-Breck's Japanese (Panicum Miliaceum var. Japonica). In growth and appearance somewhat like the best Southern grown Golden Millet, but of superior quality and immensely more productive. Everything considered, we believe it is the best Millet yet introduced. Peck, 50 cts.; bushel, \$1.50.

CLOVER, Crimson, German, or Scarlet. Recommended as a valuable green manure crop and for an April green-food crop for cattle. Sow broadcast during July or August, 20 lbs. per acre. Per lb., 10 cts.; \$9.00 per 100 lbs.

OATS, Gray Winter or Turf. As hardy as winter wheat, and should be sown in August or September at the rate of oneand-a-half to two bushels per acre. They can be grazed late in the Fall or early Spring, without injury to the grain crop. The yield of grain on good soil is frequently from fifty to seventy bushels per These oats are also valuable for acre. Spring seeding. Per peck, 50 cts.; bushel, \$1.50.

PEAS, Southern Cow. Valuable both for fodder and as a green crop to plow under. Sow broadcast at the rate of one and a half to two bushels per acre.
-Whippoorwill. One of the earliest. Per

quart, 20 cts.; per bushel, \$3.00.



Millet. Panicum Crus Galli

-Southern Yellow Eye. Of rapid growth and a heavy cropper. Per quart, 20 cts.; per bushel, \$3.00. See Special Offers on third page of cover.

MISCELLANEOUS SEEDS .- Continued.

PEAS. Clay or Wonderful. Will mature in New England. Per quart, 20 cts.; per bushel, \$3.00

—Southern Black Eye. A desirable sort. Per quart, 20 cts.; per bushel, \$3.00.
—Flat Forage (*Lathyrus Sylvestris*). A valuable perennial forage plant, does well on poor, sandy soil, its deeply penetrating roots enabling it to stand severe drought. The forage is relished by all farm stock. Plant the seeds thinly in drills one foot apart. Per oz., 20 cts.; lb., \$2.00.
—White Canada Field. Per bushel, \$1.35.
—Green Canada Field. Per bushel, \$1.35.

—Black Eye Marrow. Per bushel, \$1.75.

RAPE, Dwarf Essex. Valuable for sheep pasture or for plowing under. If sown in May it will be ready for pasture in July. It may be sown as late as the end of July, and under reasonable conditions will produce a large amount of pasture or fodder. Broadcast, 10lbs. to the acre. Per lb., 15 cts.; 100 lbs., \$9.00.

SACALINE (Polygonum Sachalanense). A forage plant said to be suitable for growing on what are termed "waste lands." Seed should be started in the same way as cabbage, and the plants when large enough, set out four feet apart each way. Per pkt., 10 cts.; oz., 25 cts. Strong one-year-old plants, 10 cts each; \$8.00 per 100.

SORGHUM.

Early Amber Sugar=Cane. Ripens where Indian Corn matures. Per lb., 15 cts.; per 100 lbs., \$8.00. Early Orange Sugar-Cane. Ripens about ten days after Early Amber. Per lb., 15 cts.; per 100 lbs., \$8.00. Brown Dhoura Corn. Per lb., 15 cts.; per 100 lbs., \$8.00. Yellow Branching. (Yellow Millo Maize.) It is non-saccharine; used only for the large amount of

foliage, green feed, or cured fodder that it furnishes, and for its grain. Per lb., 20 cts.; per 100 lbs.,

\$10.00.

White Branching. (White Millo Maize.) The merit of this non-saccharine Sorghum is, that when cut for feeding it starts again from the remaining stumps with renewed strength and vigor; thrives

in the hottest and driest localities. Per lb., 20 cts.; per 100 lbs, \$10.00.

Red Kaffir Corn or Sorghum. Non-saccharine. The plant is low, stocky, perfectly erect. The whole stalk as well as the blades cure into excellent fodder, and in all stages of its growth is available for green feed. Per 1b., 15 cts.; per 100 lbs., \$8.00

White Kaffir Corn. Per lb., 15 cts.; per 100 lbs., \$8.00.

White African Sorghum, African Millet, or White Dhoura. Per lb., 15 cts.; per 100 lbs. \$8.00.

Jerusalem Corn. One of the best and surest for dry countries and seasons. Grows about three feet high,

with one large head on main stalk and several smaller heads on side shoots. The grains are white and nearly flat. Per lb., 15 cts.; per 100 lbs., \$8.00.

SPURREY. (Spergula Arvensis.) This plant will grow on land that is too dry and thin to support Clover, and so rapidly that three sowings may be made in one season. The crop may be fed both green and

as hay. Sow broadcast 20 pounds per acre. Per lb., 12 cts.; per 100 lbs., \$10.00.

VETCHES—Spring Tares. (Vicia Sativa.) Sown broadcast at rate of 1 to 1½ bushels to the acre like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for peas. Also ground up into flour, after which it is mixed with wheat flour for making bread. A valuable plant. Per qt., 20 cts.; per bush., \$3.00.

GRASSES.

"And he gave it for his opinion that whoever would make two ears of corn or two blades of grass to grow upon a spot of ground where only one grew before would deserve better of mankind, and do more essential service to his country, than the whole race of politicians put together." - SWIFT.



Timothy.

We desire to call special attention to the following list of AGRICULTURAL GRASSES, which will, we think, be found very comprehensive, both as to varieties and descriptions. We are devoting a great deal of time to this most important subject, and the department has already become an extensive one with us.

Having learned by experience that the so-called imported grasses which are offered by those making a specialty of them in this country are very far from reliable; both as regards purity and quality, we have found it necessary to import all our seeds of this character direct. We have accordingly made arrangements for our stocks with one of the most prominent growers of Agricultural Grasses on the continent, who, by virtue of many years' experience in growing seeds of this peculiar character has become the recognized headquarters for same. This will enable us to furnish our customers with the very best, and that which we know to be free from all adulteration.

It seems almost unaccountable that at this day, when the different branches of practical agriculture are seemingly so thoroughly understood, that our American farmers should apparently ignore the importance of sowing upon their fields only those kinds of grasses which are adapted to the soil and climate, and which will produce in the shortest length of time a luxuriant crop of the desired character. The first of grasses now in use by most of our farmers can be counted on the fingers of one hand, which showing is indeed a small one, when we take into consideration the many species, valuable because of their respective merits, which should be in constant de-

mand for the various soils and climates of America.

We invite special attention to our "Mixtures" for Permanent Pastures and Mowing Lands, which follow our descriptions. We have endeavored to bring into prominence a few important facts under the head of *Mixtures*, which, we think, cannot fail to be of interest to any one who is concerned in the laying down of profitable pastures, or who desire to obtain large crops of hay of choice quality from their fields.


Timothy (Herd's Grass or Catstail) (Phleum Pratense). Root fibrous on moist soils; on dry soils often bulbous; perennial; flowers in June and July. While this grass is commonly known as Timothy, it is frequently called Herds Grass, as this is the name under which it was originally cultivated. It without doubt, a most valuable grass for hay, especially in the North. thrives best on moist, loamy soils of medium tenacity. Grows very readily and yields large crops on favorable soils. Should be cut just when the blossom falls. The hay is of best quality, yielding, under favorable circumstances, three or four tons per acre. (Per bushel, 45 lbs.)

Orchard Grass (Dactylis glomerata.) Root fibrous; perennial; flowers in June and July. This is one of the most valuable and widely known of all the pasture grasses. Its rapidity of growth, the luxuriance of its aftermath, and its power of enduring the cropping of cattle, all commend it highly to farmers. Thrives well on light soils, and as its roots penetrate to a considerable depth, where the subsoil is favorable, it withstands droughts better than most species on dry sandy soils. It is very valuable to be used in a mixture with Timothy and Clover, and produces splendid crops of hay. This grass is sometimes condemned because of its coarse growth, which is only apparent when in a neglected condition, but with proper management no grass is more valu-


able. When pastured Orchard Grass should never be allowed to become coarse, but should be kept closely cropped. In this condition it is highly nutritive, and relished very much by all kinds of stock. (Per bushel, 14 lbs.)

Kentucky Blue Grass (Meadow Grass, June Grass, Spear Grass), (Poa pratensis). Root creeping; perennial; flowers in June. This valuable grass is very common in the soils of America, and is claimed by some to be the most valuable of all the grasses in our pastures. Orchard Grass.
On the other hand, some claim that its creeping root impoverishes the soil.

a fact, however, that it grows very luxuriantly, producing the most nourishing food for cattle until late in the season in the North, while in the South abundant herbage is furnished throughout the entire winter. It is a very valuable species in lawn mixtures. Kentucky Blue Grass requires about two or three years to become well set, and does not arrive at perfection as a pasture grass until the sward is at least four years old, hence it is not suited for alternate husbandry, or where the land is to remain in grass two or three years, and be then plowed up. bushel, 14 lbs.



Fancy or clean seed per bushel, about 40 lbs.



Rhode Island Bent (Agrostis canina). Root creeping; perennial; flowers in July. A most valuable permanent grass, largely used in New England for pastures and for lawns. For the latter purpose it is often sown by itself, and if cheapness is an object perhaps it is as good as could be sown, but we recommend the lawn mixture wherever practicable. Soil and treatment same as for Red Top (A. vulgaris). (Per bushel, 10 lbs.)

Fancy or clean seed, per bushel, 40 lbs.

Rough Stalked Meadow Grass (Poa trivialis). Root fibrous; perennial. This grass is valuable on account of its quick growth, productiveness, and nutritive qualities. Grows in perfection on moist, rich soils, and is also well adapted to ground shaded by these Company of the soils. ground shaded by trees. Grows early in the Spring, and continues green until late in the Fall. As it delights in shelter, its produce is always much greater when sown with other grasses. Cattle, sheep, and horses show a great partiality for it, and the pasture is generally eaten barest where this grass predominates. Does not thrive


Red Top.

Perennial Rye Grass.

well on dry soils. (Per bushel, 14 lbs.)

Perennial Rye (Lolium perenne). A very valuable grass; arrives early at maturity; and produces a good supply of herbage, of which cattle are very fond. It grows freely on almost any soil, and shows a very early Spring growth. Although a perennial grass, the root will not live over three or four years, and unless the plant is allowed to reproduce from self-sown seed it will die out in about that time. This is an objection to its extensive use for permanent pastures, but for hay crops it may be introduced to good advantage along with other grasses and clovers. (Per bushel, 24 lbs.)

Italian Rve (Lolium Italicum). This is one of the most valuable grasses brought into notice during the present century. In nutritive value, earliness and quickness of growth after it has been mown, it by far surpasses the Perennial Rye Grass. It is, therefore,



is of no use in permanent pastures. The soils best adapted to Italian Rye seem to be those that are moist, fertile, and tenacious, or of a medium consistency, and on such soils it is said to be one of the best grasses known to be cut green, affording repeated luxuriant and nutritive crops. (Per bushel, 18 lbs.)

Fowl Meadow (False Red Top, Duck Grass, Swamp Wire Grass), (Poa serotina). Root slightly creeping; flowers in July and August. This perennial native grass is found on low-lands in many places, though it seldom takes full possession of the soil unless seed is sown. It has been largely introduced into New England, and is particularly adapted to moist, rich soils, such as the borders of rivers, ponds, etc., owing to the fact that an occasional overflow will not injure its growth. It may be mown at any time from June to October, as it never becomes so coarse and hard but the stalk is sweet and tender and eaten without waste. It

Meadow Fescue. Crested Dog's-Tail. makes an excellent grass for oxen, cows, and sheep, but is thought too fine for horses. It is easily made into hay which is of a nutritive character. (Per bushel, 10 lbs.)

Meadow Foxtail (Alopecuris pratensis). Root fibrous; perennial; flowers in May. This is one of the best grasses for permanent pastures, and should always form a fair proportion of the mixtures for that purpose, because of its extremely rapid growth and great nutritive qualities. Thrives best on a rich, strong soil. As the Meadow Foxtail shoots up its flowering stalk much earlier than Timothy, it can be easily distinguished from the latter, which, at first sight, it greatly resembles. It endures the cropping of cattle and sheep probably better than any other variety of grass, making it, as stated above, well-nigh indispensable in all first-class permanent pastures. The nutritive qualities of Meadow Foxtail are most abundant at time of flowering. (Per bushel, 8 lbs.)

Crested Dog's-Tail (Cynosurus cristatus.). Roots fibrous and tufted; perennial. This is a most

valuable permanent pasture grass. It is very tender and nutritious at time of flowering. If, however, it is left until the seed ripens, cattle will not eat it on account of its wiry stems. For parks this grass is well suited, because of its fine, close growth, and pleasant green color. It should form a portion of all mixtures

for lawrs. (Per bushel, 28 lbs.)


Meadow Fescue (Festuca pratensis). Root creeping; perennial; flowers in July; one of the most valuable of the Fescue grasses. This grass is well adapted for permanent pastures, and is also sometimes used for alternate husbandry. It grows rapidly in rich and rather moist soils, and makes an excellent pastured by a strike of the should be always sown mixed with ture grass, its long tender leaves being much relished by cattle. It should be always sown mixed with other grasses. (Per bushel, 15 lbs.)

Sheep's Fescue (Festuca ovina). Somewhat creeping; perennial; flowers in June and July; especially desirable on light, dry, sandy soils. It is much liked by sheep, and should always enter into the compositions of mixtures for lands on which they are to be pastured. Its compact and fine growth make it suitable for lawn mixtures. (Per bushel, 12 lbs.)

Tall Fescue (Festuca elatior). Root fibrous, somewhat creeping; perennial; flowers in June and July. In appearance this species resembles the Festuca pratensis, but is larger and of stronger growth. It thrives well on moist soils, and yields abundant crops. Cattle and stock eat it greedily. It should form a portion



Sweet Vernal.



Italian Rye Grass.



Meadow Foxtail.



Hard Fescue (Festuca duriuscula). This is one of the best grasses of the Fescue family. It is regarded by some as a variety of the Red Fescue, though taller, and the panicle more open. It is found in all the finest permanent pastures of the country, and is much valued for its dwarf habit. It resists the Summer timest permanent pastures of the country, and is much valued for its dwarf habit. drought, and develops remarkable verdure during Winter. It should form a part of every mixture for lawn or pleasure grounds, and for permanent pasture and alternate husbandry. (Per bushel, 14 lbs.)

Red or Creeping Fescue (Festuca rubra). This grass is found growing on light, dry, sandy soils, and from its creeping habit will be found of great value on sandy seacoast lands. It is a grass of better quality than some of the uncultivated species, but is not usually cultivated in this country as an agricultural product, except on elevated sheep

pastures. (Per bushel, 13 lbs.)

Red Clover.

Sweet Vernal (Antho.ranthum odoratum). Root fibrous; perennial; flowers in May. This grass is valuable on account of its early growth and its hardy and permanent nature, which, added to the fact that it throws up its flower-stalks till the end of Autumn, upholds its claim to a place in all compositions where permanency is an object. It is very fragrant, and imparts a pleasant odor to the hay. Will grow in almost any kind of soil, but prefers those which are rich and moist. It is greatly relished by sheep, and is found growing naturally on upland pastures. As a component of "lawn mixtures" it is most valuable, and is largely used for this purpose. The seeds of this grass are scarce and most difficult to be had TRUE. An inferior variety of Anthoxanthum being sometimes offered at a low price by unscrupulous dealers, care ought to be exercised in buying. Our seed is guaranteed to be the true Perennial Sweet Vernal. (Per bushel, 11 lbs.)

Yellow Oat Grass (Avena Flavescens). This grass deserves to form a portion of all mixtures for permanent purposes, and is well suited for lawns, croquet and bowling greens. It thrives best on light, dry soils, and is particularly adapted to exposed and Sheep's Fescue, elevated situations, where it is found growing naturally. Cattle eat it readily, and it is much relished by sheep. The seed of this grass, like that of the Sweet Vernal, is scarce and most difficult to be had true. The seed we offer is guaranteed to be the true Yellow Oat Grass. (Per bushel, 11 lbs.)

Tall Meadow Oat Grass (Arrhenatherum avenaceum). A fibrous-rooted perennial; flowers in July; of luxuriant growth, and valuable in permanent pasture mixtures, on account of its early and late growth. It succeeds best on deep sandy lands, and is suitable for sowing in orchards or other shady places. (Per bushel, 15 lbs).

Wood Meadow Grass (Poa nemoralis). This grass, as its name implies, is found naturally in woods, and is well adapted for growing under trees. It is especially desirable, from its fine habit of growth, for sowing on shady lawns and under trees on pleasure grounds. Root fibrous, flowers in June and July. (Per bushel, 14 lbs.)



See also page 39.



German or Golden Millet (Panicum Miliaceum var.). An improved variety, medium early, growing three to five feet high. The heads are closely condensed, though the spikes are very numerous. The seeds are contained in rough, bristly sheaths, and are round, golden vellow, and beautiful in appearance. (Per bushel, 50 lbs.

From close observation during the past few years, the fact has been established beyond doubt that seed of the German or Golden Millet grown in southern latitudes will produce a much larger yield of hay than from



seed grown in northern or western sections of the country, and for that reason is far better for farmers to We have a good stock of southern grown seed, and, knowing its value, confidently recommend it. Bear in mind that to the farmer, southern grown seed is worth double that of northern or western grown, as that seed is degenerated and hybridized with other millets.

Hungarian Grass (Panicum Germanicum). This is a species of millet, growing less rank, with smaller stalks, often yielding two or three tons of hay per acre. It is very popular and valuable with those who are clearing timber lands. Like the common millet, it is an annual, and requires to be sown every season, but will produce a larger return than almost any other crop. (Per bushel, 48 lbs.)

CLOVERS.

There are no plants so valuable for fertilizers as the Clover. They have the faculty of absorbing nitrogen from the air, and also of rendering available much of the inert plant food of the soil. Their long, powerful tap roots penetrate to a great depth, loosen the soil, admit air, and by their decay add immensely to the fertility of the soil. (Per bushel, 60 lbs.)

Medium Red (*Trifolium pratense*). This is the common Red Clover in general cultivation, and too well known to need a general description. It is by far the most important of all varieties for the practical purposes of agriculture. When sown alone produces hay of splendid quality, and with Timothy or other grasses forms a desirable pasture. (Per bushel, 60 lbs.)

Mammoth or Pea Vine (Trifolium pratense var.). Grows five or six feet high; its stalks are so

coarse and large that stock by its judicious use lands can be reclaimed, as it will clover will fail. (Per bushel,

Alsike or Swedish (Trifomost hardy of clovers, and is resists cold and extreme moist soil yields an enormous a nutritive quality. Can be It is well suited to low lands rous roots spread over a large to resist the heaviest rains, sweet and fragrant, and much large amount of honey from

Lucerne or Alfalfa (Mediiety succeeds well it is probof all clovers. It is not, howthe eastern or nothern States,
and southern. It requires a
established, but when once
a profitable crop for a number
mous amount of green fodder,
mencing to blossom. Alit does not exhaust the soil,
it. In States to which it is
be obtained in one season.

White Clover (Trifolium Clover to the farmer is well in nearly every natural passoils. Being a deep-rooted



will eat only the leaves, but which have been exhausted grow where the common 60 lbs.)

lium hybridum). This is the fast gaining popularity. It drought and wet, and on rich amount of hay or pasture of cut several times in a season. liable to wash, as its long, fibarea and hold the soil so as The heads are globular, very liked by bees, who obtain a them. (Per bushel, 60 lbs.)

cago sativa). Where this varably one of the most valuable ever, particularly adapted to but flourishes in all western fine mellow soil to get it firmly thoroughly fixed will produce of years. It yields an enorand should be cut when comthough a prodigious yielder, but on the contrary improves adapted, four or five crops can (Per bushel 60 lbs.)

repens). The value of this known, and it is to be found ture. It is adapted to all plant, it withstands drought

on dry, sandy sections. It should form a part of all mixtures for permanent pastures, and is also valuable for alternate husbandry, when these crops are sown down for more than one year. (Per bushel, 60 lbs.)

Crimson Clover (*Trifolium incarnatum*). Is also known as Scarlet Clover and Carnation Clover. It is of rapid growth, and of great value where only one crop is desired, sown either alone or with Italian rye grass. It is an immense yielder, and can be fed green or made into hay. It may be sown in the fall for an early summer crop, or in the spring for cutting in July. (Per bushel, 60 lbs.)

MIXTURES FOR PERMANENT PASTURES.

"One thing is certain: that good pasture land is the foundation of the riches of a farm." - SINCLAIR.

The oft-repeated complaints of wornout and exhausted pastures, made to us by some of our best New England farmers, have long impressed us with the fact that there must be something radically wrong with the manner in which our pastures are formed and cared for. Some remedy for this state of matters is imperatively necessary, and it seems to us that one most important line of improvement would be the sowing

of a larger number of species of grasses in the laying out of these pastures.

As we have already expressed as our opinion, farmers, as a rule, in preparing their mixtures of grasses to be used in the laying down of permanent pastures, confine themselves to too few varieties, thus failing to arrive at the most profitable results. The chief properties which give value to a grass are nutritive powers, produce, early growth, and reproductiveness (that is, the property of growing rapidly after being cropped). If one species of grass could be discovered that possessed all these qualities in a superior degree to every other, there would be no necessity beyond that of botanical science for us to acquire the knowledge which enables us to distinguish the different species of grasses, the soils and subsoils best adapted to their growth, natural habits, and comparative value; but the results of all experiments have proven that a combination of all the merits and properties which give value to a grass is not to be found in any single species, or in fact in any two or three. In sowing a mixture or a number of different varieties we are but following nature, who can be always depended upon as the best teacher. This can be easily demonstrated by the careful examination of any old, rich, permanent pasture, on which will invariably be found fifteen or twenty species of grass or forage plants growing in great profusion. Where, however, it is left to nature to supply the necessary plants to make a rich and succulent pasturage, a great deal of valuable time is, of necessity, lost, or seven or eight years will elapse before the field will naturally assume the character of a rich and profitable pasture, while by artificial means the same result can be brought about in one-fourth the time.

In compiling any table of grasses and clovers to be used for permanent pasture purposes there are several important features to be taken into consideration. First, the proportion of plants which would be produced from the amount of each kind of seed sown should be determined, so that the undue predominance of any particular variety may be avoided. We have given this point special consideration in preparing our mixtures. A selection of grasses should be made that blossom at alternate months of the year, as it is a well-known fact that there is no month from April to September inclusive, in which some of the val-

uable grasses do not attain their full perfection.

By using a mixture comprising these species, it will be at once apparent that a rich and luxuriant growth will be secured throughout the entire season, which result cannot possibly be obtained if the stereotyped mixture usually recommended composes the sward. It would be almost impossible for us to give a series of tables which would comprehend all the variations of soils, altitudes and climates. We think, however, that those we have compiled will be found sufficiently comprehensive to meet all the contingen-

cies that arise in ordinary farming.

These mixtures, which we recommend only after careful study and consultation with the best authorities, are of little or no value unless the seeds composing them are absolutely pure and true to name. We, therefore, especially request those who desire to obtain the best results from their mixtures for alternate husbandry, mowing lands, and permanent pastures, to avoid the probability of disappointment which would naturally attend the placing of orders with parties who have never given any degree of attention to this most important subject, and buy from us direct (or authorized agents), who are the first in this country to make a specialty of this branch of the seed business. We doubt if a full stock of all the grasess which form the components of our mixture could be found anywhere in the United States outside of our own establishment, and know they cannot be obtained in the same quantities and of equal quality.

In conclusion, we would say, that although pastures be formed in the best manner as recommended by us, with a combination of MANY different species of grasses, yet a judicious mode of treatment afterwards is as necessary to continue their value. By proper stocking and top-dressing, very indifferent pastures may be brought to a state of great fertility; but, on the contrary, the richest pastures by neglect of proper stocking, top-dressing, or by the too frequent repetition of hay crops, will become so unprofitable as to require many years to bring them again to their original value. This fact every practical farmer is well aware of, and after the proper mode of sowing and stocking has been determined on, a suitable top-dressing should be found. Under the head of Fertilizers, in another part of this Catalogue, will be found a reliable top-dressing, which we can strongly recommend as being specially adapted for pastures of this character.

BRECK'S SPECIAL MIXTURES FOR PERMANENT PASTURES.

Table showing the proper quantities to Sow on an Acre of Light, Medium or Heavy Soils, for Permanent Pasture.

Timothy	2 lbs. 4 " 8 "	3 lbs. 4 " 6 "	4 lbs. 6 "	3 lbs.
Tall Fescue	2 " 4 " 2 " 1 " 2 " 2 " 4 " 1 " 2 " 2 " 30 lbs.	2 " 1 " 2 " 4 " 2 " 3 " 1 " 1 " 1 " 4 " 1 " 3 " 41 lbs.	4 " 1 ½" 2 " 4 " 3 " 3 " 1 " 1 " 1 " 1 " 1 " 1 " 1 " 1 " 1 " 1	3 " 6 " 2 " 1 " 5 " 4 " 4 " 4 0 lbs.

ALTERNATE HUSBANDRY. MIXTURES FOR MOWING AND GRAZING LANDS.

As the pioneers of grass mixtures in this country, we naturally have great pleasure in learning from day to day and season to season that our remarks under the heading, "Mixtures for Permanent Pastures," are fast becoming universally admitted facts; and we predict, with confidence, that the time is not far distant when the practice of sowing only one or two varieties of grass seeds with the hope of obtaining the best results from it will pass, and the better and more profitable one of following nature's plan be adopted.

Many of our statements regarding Permanent Pasture Mixtures are equally pertinent when applied to Alternate Husbandry. It does not require much thought to convince any practical agriculturist that there is no basis to a system that employs the same quantity and kinds of grass seeds on all occasions, without regard to soil, duration of lay, or the condition in which the crop is to be used. All mixtures for Alternate Husbandry should include, say for one or two years' lay, only annual and biennial or other sorts that attain full maturity within that period; for two or three years' lay a greater quantity of seed is required, which should embrace a larger proportion of permanent sorts, so that the places of the dead annual kinds may be filled by the varieties that are of slower growth.

If a mixture, principally for mowing, is intended to lay more than three or four years, especial care is necessary in selecting and adjusting the several varieties of grasses in proper proportion. A three or four years' lay sown with grasses that are only of annual or biennial duration must be either very thin or





foul at the end of the period for which it was laid down—the spaces vacated by the annual and biennial grasses being in all likelihood occupied by objectionable weeds, when, if a proper selection of those species capable of lasting the whole of the desired period were sown, the lay would remain full of plants, free from weeds, and, consequently, much more profitable during the whole time the land is in grass.

The practice of mowing grass for hay when the plants are in blossom is acknowledged to be a good one, in that it is not so exhausting to the soil, and a more succulent hay, freer from dust, is obtained; it has, however, from the fact that all natural reseeding is prevented, a tendency to weaken the plants and reduce their number; hence when we see an old field of grass that was originally sown with Timothy, Redtop, and Clover, and which has been mowed, perhaps, twice annually, we can readily account for either the enormous number of weeds or vacant places that are sure to be noticeable. Our system of mixture practically overcomes this difficulty by the continued growth and stooling out of some of the varieties included that do not attain full maturity under four to six years. Such mixtures, although in the first place more expensive than the ordinary orthodox seeding, are in the end more profitable; we have seen aftermaths from permanent mowing mixtures that more than equaled first crops of Timothy.

In making up the following tables the utmost care has been exercised, and we have no hesitation in recommending them to our patrons.

BRECK'S SPECIAL MIXTURES FOR MOWING AND GRAZING LANDS

BRECK'S SPE	CIAL	MIXI	URES	FOR	MOV	VINU	AND	UKAZ	ING L	ANDS	· .		
	1 or 2 3	Years' M	owing.		2 or 3 Years' Mowing or Grazing.			4 Years' Mowing or Grazing.			Permanent Mowing with occasional Grazing.		
	No. 5 Light Soils.	No. 6 Medium Soils.	No. 7 Heavy Soils.		No. 9 Medium Soils.			No. 12 Medium Soils.			No. 15 Medium Soils.		
	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	lbs.	
Italian Rye Grass Perennial Rye Grass	6	6	6 5	4 5	4 5	4 6	3 5 8	3 6	3 7	3 6	3 6	3 7	
Orchard Grass	4	3	3	6	5 2	5 2	2	6	6	9 2	7 3	7 3	
Hard Fescue							$\frac{2}{3}$	<u>-</u>	<u>-</u>	2 2 3	3 3	3	
Wood Meadow	_	=		_	_		- I	2	3	I	I 2	I 2	
Meadow Fescue Sweet vernal	I 1/2	1/2	1/2	I ½ ½	2 1/2		2 I	3 I	4	2 I	4 I	4	
Timothy	7	8	9 8 —	4	5	5	$\frac{3}{4}$	<u>4</u> <u>5</u>	4 - 5	2 - 2	3 2	$\frac{3}{3}$	
Alsike Clover	I	I	I ½	2 2	2 I ½	2 I ½	2	I 2	I 2	2 2	1 2	I 2	
	33	35	38	35	38	40	38	41	44	40	43	45_	

NOTE.

It will be noticed that the different tables are all based on the quantity required to sow one acre, so in ordering, our patrons will please state the number of acres for which the seed is desired. We shall, unless we are especially instructed to the contrary, put up each variety of seed in separate packages, packing the entire quantity necessary for one acre in a case. We recommend our friends to always buy their mixtures put up as above, and to refuse to receive them in any other shape. The advantage of buying the seed before it is mixed is very apparent, as it insures the purchaser obtaining the exact varieties and quantities which should compose the mixture he has ordered. This protection cannot be enjoyed where the seed is mixed before it is sent out.

PRICES FOR JOSEPH BRECK & SONS' SPECIAL MIXTURES FOR PERMANENT PASTURES AND MOWING AND GRAZING LANDS.

When ordering, simply give number and kind of mixture selected and the number of acres for which seed is desired; for example: "Send me No. 2 Mixture for Permanent Pastures for three acres."

PERMANENT PASTURES.

For Light Soils.	For Medium Soils.	For Heavy Soils.	For Shady Places.
No. 1.	No. 2.	No. 3.	No. 4.
Price Per Acre.	Price per Acre.	Price per Acre.	Price Per Acre.
\$10.00.	\$10,00.	\$9.50.	\$9.50.

ALTERNATE HUSBANDRY.

For 1 or	2 Years'	Mowing.	For 2 or 3	Years' M Grazing.		For 3 or	4 Years' Mo Grazing.	owing or		nt Mowing wo	
No. 5. Light Soils.	No. 6. Medium Soils.	No. 7. Heavy Soils.	No. 8. Light Soils.	No. 9 Medium Soils.		No. 11. Light Soils.	No. 12. Medium Soils.	No. 13. Heavy Soils.	No. 14. Light Soils.	No. 15. Medium Soils.	No. 16. Heavy Soils.
Frice per Acre. \$5.00.	Price per Acre. \$5.00.	Price per Acre. \$6.00.	Price per Acre. \$6.00.	Price per Acre. \$8.50.	Price per Acre. \$8.50.	Price per Acre. \$8.00.	Price per Acre. \$9.50.	Price per Acre. \$10.00.	Price per Acre. \$10.00.	Price per Acre. \$11.00.	Price per Acre. \$11.50.

Special prices for quantities for ten acres and upwards.

While it is true that the mixtures which we have recommended are SEEMINGLY much more expensive than what is commonly used, it should be borne in mind that a vastly increased value is given to the pasture not only for one year, but if the land is properly cared for it will remain in good condition for fifteen or twenty years without further sowing, and produce double the amount of fodder, while the ORDINARY sowing has to be repeated every three or four years; thus, in the end, costing more than four times as much as what would be paid originally for the proper mixture.

CAUTION.—Appreciating the fact that unscrupulous parties will probably offer mixtures for permanent pastures, mowing lands, and alternate husbandry, purporting to be the same as ours, we shall, as a matter of protection to both our patrons and ourselves, stencil or print on each case, and also on package containing each variety of seed, our name and address, and request our patrons before purchasing from any other source than ourselves direct, that they examine the case containing same, and if not stenciled as described they may know that IT IS NOT our mixture, and therefore not in any way entitled to our endorsement.

PRICES OF AGRICULTURAL GRASSES AND CLOVERS.

Subject to Market changes.

Special Quotations on Application.

H	KIND.	Price per lb.	Price per bush.	KIND.		Price per bush.
R. I. Bent Red Top Chaff Seed Red Top Fancy Clear Meadow Foxtail Sweet Vernal [true] Yellow Oat Grass Crested Dogstail Orchard Grass Hard Fescue Tall Fescue Sheep's Fescue Red Fescue Meadow Fescue Italian Rye Grass Perennial Rye Grass		.10 .14 .30 .40 .70 .30 .15 .15 .35 .15 .20 .25	.80 5.00 2.25 4.25 6.75 8.00 2.00 2.00 5.50 1.80 2.50 3.50 1.80	Timothy Phleum prateuse Wood Meadow Poa nemoralis Blue Grass (fancy) Poa pratensis Fowl Meadow Poa serotina Rough Stalked Meadow Poa trivialis Tall Meadow Oat Arrhenatherum avenceur Hungarian Millet Grass Setaria germanica Common Millet Panicum Miliaceum Golden Millet Panicum Miliaceum van Red Clover Trifolium prateuse Mammoth Red Clover Trifolium prateuse var. White Clover Alsike Clover Lucerne, or Alfalfa Crimson Clover Trifolium incarnatum	\$0.05 .40 .13 .25 .40 .30 .03	\$1.90 7.00 1.75 2.25 8.00 5.25 1 10 1.10

"SATISFACTION."

"The Lawn Grass Seed furnished by you on my orders of May and June, 1896, has given such satisfaction and our lawn has been so much admired that I am commissioned by the Granby Amateur Athletic Association, of which I am Vice President, to negotiate with you for sufficient seed to thoroughly sow an area of 140,000 square feet, which will be used when finished as a cricket and lacrosse ground."

The above is an extract from a letter sent us Oct. 4, 1897, by H. L. GULLINE, Granby, P. Q., Canada.

BRECK'S LAWN GRASS SEED.



By the courtesy of Luther Adams, Esq., of Newton, Mass., we produce here a partial view of his beautiful grounds. The fine lawns on Mr. Adams' estate are the product of BRECK'S LAWN GRASS SEEDS, and are but a fair representation of thousands of lawns raised from the same UNEQUALLED MIXTURE.

We have given much thought and made many experiments in order to ascertain just what is the best mixture for permanent lawns, and the grasses which are best suited to this climate. By the proper blending of the varieties which constitute Breck's Lawn Grass, we have obtained a mixture that from early spring to late fall will give to lawns made with it that rich, deep green so often admired upon the lawns and parks of England, but so seldom seen in this country.

One quart will sow 300 sq. feet. Price, per qt., \$0.25. One peck will sow 2,400 sq. feet. Price, per pk., \$1.25. One half peck will sow 1,200 sq. ft. " † peck, -75. One bushel will sow 10,000 sq. ft. Price, per bush., 4.00. Four bushels will sow one acre.

We can supply other mixtures of so-called Lawn Grass Seed at competitive prices, but we recommend our own as being superior in every respect to all others. When desired we make special mixtures of Grasses to suit different soils and conditions.

BRECK'S "SHADY SPOT" LAWN GRASS.

This is a mixture of grasses that are naturally adapted for growing under trees and in places where the sun does not find ready entrance. If sown on such locations, in place of the ordinary Lawn Seed, bare and unsightly spots will be prevented. Per quart, 25 cents; peck, \$1.25; bushel, \$4.00.

BRECK'S BANK AND TERRACE GRASS MIXTURE.

A mixture of deep-rooting grasses specially prepared for embankments and situations where it is impractical to get a successful catch of the less spreading rooted sorts. It produces a rich velvety turf throughout the season. No coarse growing undesirable varieties are used in this mixture. Per quart, 25 cents; peck, \$1.25; bushel, \$4.00.

GOLF LINKS GRASS MIXTURE.

Since the game of Golf became so popular in this country, we have had frequent demands for mixtures of grass seeds, suitable both for the Courses and Putting Greens, and adapted to low, damp, as well as the thinner dry soils on the elevations.

It will be readily understood that no one mixture would be suitable for the different conditions. We have, therefore, prepared three mixtures.

No. 1. For Putting Greens. Sow at the rate of eighty pounds to the acre. Per lb., 15 cents. No. 2. For light and dry soils. Sow at the rate of fifty pounds to the acre. Per lb., 12 cents. No. 3. For low and damp grounds. Sow at the rate of fifty pounds to the acre. Per lb., 8 cents. We will be glad to make special mixtures for other conditions of soil, etc.

Do not use stable manure on your lawn. See page 59 for particulars of Breck's Odorless Lawn Dressing



Books on Rural Topics.


ALL BOOKS DELIVERED FREE AT NET PRICES QUOTED.


DICTIONARY OF GARDENING.

Edited by George Nicholson, of the Royal Botanic Gardens, Kew.

Four Volum		, Beautifully Bound, -	Price, \$20.00 J. Breck & Sons
	THE GARDI	en.	Net Cash Prices
Play and Profit in my Garden Gardening for Profit		n	. \$1.35 . 1.80 . 1.80 . 1.80 . 1.35 . 1.35
Hand Book of Plants	Dr. Wad W. W. B Allen Barnes & 	Parvson	
The Spraying of Plants			90
most recent and pra	ctical on the subjects	covered, and we recommend several subjects.	l l
Horticulturist's Rule Book	\$.68 Plan	Breeding	\$.90
The Nursery Book		Survival of the Unlike Notes on Apple Culture	
The Pruning Book	.90 Field	Notes on Apple Culture	00
Fuller's Practical Forestry	. S. Fuller	• • • • •	1.35
	FRUIT.		
Barry's Fruit Garden	Barry W. C. Si Fuller	rong	
Fruits and Fruit Trees of America Small Fruit Culturist	Downing Fuller Ouinn		· · 4.50
Pear Culture	White		
Clandelly Culture	THE FAR	M	
Allen's New American Farm Book		L. Allen	2.25
How to Grow Celery Anywhere French's Farm Drainage Silos and Ensilage How the Farm Pays	Schuur Judge Fr Miles	ench	
Ten Acres Enough			
Dairyman's Manual	Stewart Flint Waringt		I.80
Chemistry of the Farm	POULTR		
Art of Incubation	Van Crei		90
Practical Poultry Keeper	Wright		2.00
	MISCELLANE	ous.	
Principles of Agriculture	E. B. Vo	orhees, A. M	90
Injurious Insects of the Farm and Garden	Treat		1.80
Quinhy's New Rea Keeper	Rural Topics furnishe	ed at publisher's price.	1.35

TRELLISES.





EXTRA WIDE VERANDA TRELLIS.

6½x 2¼ ft.			\$1.25	\$14.50
8½ x 2½ "			1.75	20.00
10½ x 2⅓ "		• .	2.50	27.00
12½ x 3 "			3.00	36.00

ARCH TO	P IVY.					VER	ANDA	Т	REL	LIS		
		Each.	Per doz.									ch. doz.
28 x 14 in., black walnut bas	e	\$1.00	\$10.00	2	ft						\$0.30	\$3.00
BOW TRE	LLIS.			3				•	٠.		.40	4.00
No. 1, 30 x 10 in	, .	\$0.20	\$2.00	4			e		•	•	.50	5.00
" 2, 30 x 14 "		.30	3.50	5 X I 1/2							.70	8.00
" 3, 36 x 12 "		.40	4.00	6 x 1½	"						.80	9.50
" 3½, 42 x 14 "		·45	4.50 5.00	7 x 1 ½							-95	11.50
" 5, 60 x 18 "		.60	6.50	8 x 1 ½	"						1.10	13.00
, " 6, 72 x 20 "		.75	8.00	9 x 1 2/3	• •						1.25	15.00
CROSS TR	ELLIS.			10 x 1 2/3							1.50	18.00
24 x 15½ in		\$0.30	\$3.00	II X 2							1.75	21.00
42 x 24		.40	4.50	12 x 2							2.00	24.00

	STICKS,	14	UU.	NU	Or	Эř	UM	KE	, Pa	inted	Gr	een	l.	
5 filong X 5/8 in. d	ia.				— ,							Per	100	\$5.00
4 ft. x 9/16 in.	,		_											
3/2 ft. x 9/16 in.	n													
3fe. x 1/2 in.	,,													
21/2 ft. x 7/16 in.	μ													
2 ft. x 3/8 in.												6.6	6.6	1.50
11/2 ft. x 5/16 in	=1											6.6	6.6	1.00
6 feet, extra heavy;	square only .													

GARDEN REQUISITES, ETC. FLOWER-POTS, SAUCERS and SEED-PANS.

Special offer No. 3 only applies to goods on this page. Inside Measurement, width and depth equal. Packing charged extra.

		VER	POTS.		SAUCERS.						FERN PANS.								
					Price	Price					Price	Price						Pots.	Saucers.
Si	ze.				per doz.	per 100.	Size.			pe	er doz.	per 100.	5	Size.			P	er doz.	Per doz.
3	in.				\$0.15	\$1.15	3 in.				\$0.15	\$1.15	4	x 17	in.			\$0.40	\$0.25
	6.6				.25	1.75	4 ''				.20	1.45	43/					.50	.30
5	66				.45	3.20	5 ''				.25	1.85	51/2	x 2 1/2	/ "" £			.60	.40
5	"				.65	4.80	6 ''			•	.30	2.40	61/4	x 21/	2			.75	-45
	6.6				1.10	8.00	7 ''	•		•	.45	3.20	7	$\times 2^{5}$	/ " B			.85	.50
8	6.6				1.50	11.25	8 "			•	.65	4.75	8	$\times 3^{\frac{1}{2}}$				I.25	.75
9	6.6				2.15	16.00	9 ''				.85	6.40	9	x 3 1/2				1.50	1.00
OI	6.6				2.90	21.50	10 "	•		•	I.Io	8.00	IO	x 4	"	٠		1.70	1.25
12	66				5.40	40.00	12 "	*.		•	1.60	12.00							
.13	"				8.00	60.00	13 "	•	•	T	2.15	16.00							
14	6.6				ch, .90		. 14 "		•	Each									
15	"			,	1.20		15		•	"	.25								
18	"	•	•	6	2.40		18 "	•	•		.40								

		ROUN	ID	SEED	PANS.			S	QUA	RE	SEED	PANS.	
S	ize.			Each.	Per doz.	Per 100.	Size.				Each.	Per doz.	Per 100.
6	in.			\$0.06	\$0.65	\$4.80	6x6				\$0.25	\$2.70	\$22.50
8	"			.Io	1.10	7.25	8x8				.30	3.25	24.00
10	"			.20	1.95	14.50	IOXIO				·35	3.60	28.00
12	"			.25	2.70	20.00	I2XI2X	21/2			.40	4.40	32.00
14	"			-45	5.40	40.00	I2XI2X	4		•	.50	5.40	40.00

NEPONSET	PAPER	POTS.	(Prices	Net.)
----------	-------	-------	---------	-------

Size,		Doz.	100.	1000.	Si	ze.			Doz.	100.	1000+
21/4 inches		\$0.05	\$0.25	\$2.20	4	inches			.IO	.80	6.90
21/2 "		.07	.30	2.40	5	"			.15	1.20	10.35
3 "		.o8	·45	3.90				•	.25	1.65	14.55
31/2 "		.00	.60	5.15	1						

Not less than one thousand at thousand rate.

FANCY HANGING POTS.

We carry a full line of these go ds and can furnish them in sizes varying from 6 to 12 inches in diameter, and at prices ranging from 20 to 75 cents each, according to size and pattern.

BRASS JACK CHAINS.

For Hanging Pots. No. 118, 3 strand, each, 20 cents. No. 119, 4 strand, each, 20 cents.

PATENT EXTENSION HANGER.

For Fots and Bird Cages. Brass, each, 20 cents.

CEDAR PLANT TUBS.

For growing Agaves, Century, and other large plants. Made of the best red cedar; painted green; iron handles. No. I. Dia. 28 x 22 Deep, Each, \$5.75 No. 5. Dia. 20 x 16 Deep, Each, \$3.00 " 18½ x 15 2 . " 26 x 20 2.50 5.00 " 24 x 18½ " 66 66 16½ x 14 2,20 3 . 4.50 " 22 X I7 15½ x 13 2,00 4.00 OAK PLANT TUBS.


		Na	tura	al wood	finish	1.	These	a 1	re stroi	ng, light, and thoroughly serviceable							
12	inches	diameter,	ΙI	inches	high				\$1.00	18	inches	diameter,	15	inches	high		\$1.75
		"															
16	"	6.6	13	"	"				1.50	24	6.6	"	20	" "	6.6		2.50
	1						7		JC T	AT	RELS						

•					LABEL					
Price per 100	\$2.00	1.30	3 1.70	5 1.70	6 I.00	.90	8 1.30	13	·75	1.00

INDELIBLE INK.

WOOD POT LABELS.

	Per 100	Plain. Pa		Plain. Painted Per 100 Per 1000
4 inch Pot Labels	\$0.15	\$0.60	\$0.75	3½ inch Tree Label (iron wired) \$0.15 \$1.00 \$1.25
4/2	.15	U	.75	3½ " " (copper wired) .20 1.50 1.75
5	.15	.70	.85	8 "Garden Label
3½ " Tree Label (pierced)	.15	.85	I.00	12 "
3/2 Tree Haber (pierced)	.15	.60	.80	



RUSTIC WORK.

Strongly made from Natural Roots and Knots,

	Strongry	maue	11.0111	Natura	I KOOLS	and Knots.	•
Hanging Baske	ets			8 in.			II in. 12 in
Each .						\$1.00	\$1.10 \$1.20
Window Boxes	5				. 18 :	in. 24 in	1. 30 in. long.
Each .					. \$1.	20 \$1.50	\$2.00
Hexagon Stand	is. Heig	ht 26 a	and 31	inches.			
Diameter,						16 in.	20 in. 24 in.
Each .						\$2.75	\$3.50 \$4.75
Oblong Stands	 Heig 	ht .				24 in.	28 in. 31 in.
	Leng	gth .				18 in.	24 in. 28 in.
							\$4.00 \$6.00
Arm Chair. N	o. 3. Ea	ch .					\$6.50
Rustic Settee.	Length	of seat				21/2 ft.	3½ ft. 1½ ft.
	Each					\$5.50	\$7.50 \$10.00
Any special size							

CARNATION SUPPORT.

It is cheap, indestructible, is adjustable to different heights, is quickly placed in position; strings are unnecessary.

No. I is the standard size; it enters the soil 5 in., its height is 20 in. above foot-piece, and has 3 rings each 6 in. in diameter. Price, \$2.50 per 100.


Wire. These stands are most desirable, either for house use, or for conservatories. They are elegantly made, painted a beautiful green, mounted on porcelain castors, and finished with gold bronze, making them very attractive and ornamental.

No. 1. Oblong Stand, 24 in. high, 30 in. long, 9½ in. wide. \$2.50.

No. 2. Square Stand, with 2 shelves, 33 in. high, 18 in. deep, 33 in. long. \$3.25.
No. 3. Is like No. 2, but has

3 shelves, 36 in. high, 24. deep, 33 in. long. \$4.00.

No. 4. Semicircle stand, 36 in. high, 26. in deep. \$4.75.



Folding Wire. Similar in appearance and size to the rigid wire stands; when not in use, the parts can be folded closely together for storing away. 2 shelves, \$2.25; 3 shelves, \$4.00.

Wood. Made of ash and varnished, half-circular shape. 3 shelves, 3 ft. 2 in. in height, each \$1.∞; 4 shelves, 3 ft. 8 in. in height, each \$1.50.

SAUCER TRUCKS for LARGE POTS and TUBS.



These are made of Indurated Waterproof Fibre Ware, mounted on castors. They are a great convenience for using with the larger size pots and tubs. Being perfectly waterproof, they are especially suitable for use in parlors, halls, etc.

No.	Ι,	22 in	. diameter,	5	castors,	each	\$1.50	No. 4,	17 in.	diameter, 4	castors,	each	\$0.75
No.	2,	20 ''	6.6	. 4	6.6	6.6	1.25	No. 5,	13 "	" 3	6.6	6.6	.65
No.	3,	18 ''	6.6	"	"	6.6	1.00						

SAUCERS WITHOUT CASTORS.

Made from Indurated Fibre Ware, prevents moisture passing through to injure table, floor or carpet.

6 in. . . . each, 0.08, per doz., 0.80 | 10 in. . . . each, .13 per doz., 1.12

8 " " .10, " .90 | 12 " " .15 " 1.25

Special Offer No. 3 only applies to articles on this page.

FLORIST'S VASES.

Special Offer No. 3 only applies to articles on

this page. Made of Indurated Fibre Ware, light, neat

and	clean.						
No.	Diam.		Depth.			Each.	Doz.
	8 in.	13 i	n. (inside	e) .	٠	\$0.50	\$4.80
I	5½ "	10			٠	.40	4.20
2	41/2 "	9			٠	.35	3.60
3	4 ''	6			•	.30	3.00
4	3 ''	41/2			٠	.25	2.40

LADY'S FAVORITE SPRINKLER.

This is the most practical sprinkler yet offered to use on house plants, cut flowers or for the laundry. Each, 75 cts.

TOMATO SUPPORTS.



WIRE TOMATO SUPPORTS.

Per doz., \$1.25.

"TWO HOOP" WOOD TOMATO SUPPORT.

IAN. 19 8 DIES

Strong, light, practical, quickly set in position and can be stored from season to season in a small space. Per doz., \$1.00.

"TIE JOINT" TOMATO SUPPORT.

These supports are made of four upright and eight cross pieces of wood that are easily set and retained in position. They are durable, and can be stored away READY FOR USE like so many canes when not in use. Per doz., \$1.75.

"TOUGH ON FLIES."

This article has been thoroughly tested in New England and is in every particular as represented.



Harmless and effective. One application instantly and positively relieves horses and cattle from all annoyance from Green Heads, the dreaded Texas Heel Fly as well as from other flies, gnats and insects of every description for at least twenty four hours. It improves the coat of the animal and abolishes the use of fly nets. It prevents thrush and other hoof diseases. It is soothing and healing if applied to sores, and stands unrivalled as a disinfectant. Applied to cows, its wonderful effect in securing for them perfect rest and a chance to feed in peace quickly manifests itself in their improved

appearance and by the increased quantity of milk given. It is the greatest compound of this progressive age. Recommended by thousands using it. One gallon lasts four head of horses or cattle an entire season. Price of "Tough-on-Flies": Quart cans, 50 cts., 1/2 gallon cans, \$1.00, gallon cans, \$1.50, and five gallon cans, \$1.40 per gallon.

ANTI-FLY.

A harmless, but effective preparation of drugs and chemicals to relieve horses and cattle from the annoyance of flies and other insects. It contains no tar, nor does it spoil the appearance of the animal's coat. Price, per qt., 50 cts.; ½ gal., \$1.00; per gal., \$1.50; 5 gal. cans, per gal., \$1.40.

INSECTICIDE DISTRIBUTORS.



Liquid Spraying Bellows.

Bellows, Woodason's for Liquid and Powder. Though a little higher in price than other makes, these are really the cheapest bellows on the market, because they are well made of the best materials; consequently do better work and last longer. Large double cone, each, \$3.00; small single cone, each, \$1.00; liquid spraying, large, each, \$2.00; small, \$1.25.

Houchin's Bellows. Cheap and useful for applying insecticides

in powder form. Nos. 11, 75 cts.; 14, \$1.00; 19, \$1.25.

Dusters, Tin. These have finely perforated bottoms for applying Paris Green, Slug Shot, etc. 20 cts. each. Gun, Excelsior Powder. For applying insect powders, etc. 15 cts. each.

Cyclone Powder. 15 cts. each. Blizzard Powder. 10 cts. each. Powder Puff, Scollay's Insect. This is a large, strong rubber bulb, with long metal neck and distributor set at an angle that enables the operator to apply either powder or liquid

over or under the leaves. \$1.00 ea. See Special Offers on third page of cover.





SPRAYING CALENDAR.

This calendar, in a concise way, gives our friends the benefit of the many experiments made by the Agricultural Colleges of the country for a number of years. It is believed they can be followed without danger to the crops and much profit to the grower.

The number of applications given in each case has particular reference to localities in which fungous and insect enemies are most abundant. If the crops are not affected at the time advised, the spraying is unnecessary. Know the enemy and the remedy, and apply them at the proper season, keeping in mind the fact that good judgment and prompt and persistent action is more necessary to success than any definite rules.

The applications to which an asterisk * is prefixed are of most importance.

The	applications to which	an asterisk * is prefixe	ed are of most import	ance.
PLANT.	First Application.	Second Application.	Third Application.	Fourth Application.
Apple. Scab, codlin moth, bud moth.	When buds are swelling, copper sulphate solution.	*Just before blossoms open, Bordeaux. For bud moth, Arsenites when leaf buds open.	*When blossoms have fallen, Bordeaux and Arsenites.	8-12 days later, Bordeaux and Arsenites.
Cabbage. Worms, aphis.	*When worms or aphis are first seen, Kerosene emulsion.	7-10 days later, if not heading, renew emulsion.	*7-10 days later, if heading, hot water 130° F.	Repeat third in 10-14 days if necessary.
Carnation. Rust and other fungous diseases, red spider.	*When rust is first no- ticed, Bordeaux. Kero- sene emulsion when red spider is first seen	*For rust repeat first in 10-14/days. For red spi- der repeat in 3-4 days.	Repeat second, using the Ammoniacal carbon- ate of copper if plants are in bloom.	Repeat second as before if necessary.
Cherry. Rot, aphis, slug.	As buds are breaking, Bordeaux; when aphis appears, Kerosene emul- sion.	When fruit has set, Bordeaux. If slugs ap- pear, dust leaves with air- slaked lime. Hellebore.	10-14 days, if rot appears, Bordeaux.	10-14 days later, Ammoniacal copper carbonate.
Currant. Mildew, worms.	*At first sign of worms, Arsenites.	*10 days later, Hellebore. If leaves mildew, Bor- deaux.	If worms persist, Hellebore.	
Gooseberry. Mildew, worms.	*When leaves expand, Bordeaux. For worms, as above.	*10-14 days later, Bordeaux. For worms, as above.	*10-14 days later, Ammoniacal copper carbon ate. For worms, as above.	*10-14 days later repeat third.
**Trape. Fungous diseases, flea beetle.	In spring when buds swell, copper sulphate solution. *Paris green for flea beetle.	*When leaves are 1-1½ inches in diameter, Bordeaux. Paris Green for larvæ of flea beetle.	*When flowers have fallen, Bordeaux. Paris Green as before.	*10-14 days later, Bordeaux.
Nursery Stock. Fungous diseases.	*When first leaves appear, Bordeaux.	*10-14 days, repeat first.	10-14 days, repeat first.	10-14 days, repeat first.
Peach Nectarine Apricot. Rot, Mildew.	*Before buds swell, cop- per sulphate solution.	Before flowers open, Bordeaux.	*When fruit has set, Bordeaux.	*When fruit is nearly grown, ammoniacal cop- per carbonate.
Pear. Leaf blight, scab, psylla, codlin moth.	As buds are swelling, copper sulphate solution.	*Just before blossoms open, Bordeaux. Kero- sene emulsion when leaves open for psylla.	*When blossoms have fallen, Bordeaux and Ar- senites. Kerosene emul- sion if necessary.	*8.12 days later, repeat third.
Plum. Fungous diseases, cur- culio.	*During first warm days of early spring, Bordeaux for black knot. When leaves are off in the fall, Kerosene emulsion for plum scale.	*When buds are swell- ing, Bordeaux for black knot and other fungous diseases. During mid- winter, kerosene emul- sion for plum scale.	*When blossoms have fallen, Bordeaux. Begin to jar trees for curculio. Before buds start, Kero- sene emulsion for pluin scale.	*10-14 days later, Bordeaux. Jar trees for curculioevery 2-4 days. For San Jose scale, Kerosene emulsion when young appear spring and summer.
Potato. Scab, blight, beetles.	*Soak seed for scab in corrosive sublimate solu- tion, 2 oz. to 16 gals. of water, for 90 minutes.	*When beetles first appear, Arsenites.	*When vines are two- thirds grown, Bordeaux. Arsenites for beetles if necessary.	10-15 days later, repeat third.
Raspherry. Blackberry. Dewberry. Anthracnose, rust.	Before buds break, cop- per sulphate solution. Cut out badly diseased canes.	During summer, if rust appears on leaves, Bordeaux.	Repeat second if necessary.	*Orange or red rust is treated best by destroying entirely the affected plants.
Rose. Mildew, black spot, red spider, aphis.	For mildew. *Keep heating pipes painted with equal parts lime and sulphur mixed with water to form a thin paste.	For black spot. *Spray plants once a week with Ammoniacal copper carbonate, using fine spray.	For red spider. *Spray plants twice a week with kerosene emulsion. Apply to under side of foliage.	For aphis. *Spray affected parts with Kerosene emulsion when necessary.
Strawberry. Rust	*As first fruits are setting, Bordeaux.	As first fruits are ripen- ing, Ammoniacal copper carbonate.	*When last fruits are harvested, Bordeaux.	Repeat third if foliage rusts.
Tomato. Rot blight.	At first appearance of blight or rot, under glass or out of doors, Bordeaux.	Repeat first if diseases are not checked.	Repeat first when necessary.	

For Aphides or Plant Lice use Kerosene Emulsion on all Plants.

See Special Offers on third page of cover.

INSECTICIDES AND FUNGICIDES.

For Spraying Pumps and Appliances see Hardware Catalogue. Special Offer No. 3 only applies to articles on this page.

Arsenate of Lead. For spraying trees, etc. Does not burn the foliage. Per lb., 20 cts.

Bisulphide. For use in destroying lice on melons, cucumbers, and other plants. A light, tight cover of cloth or paper is put over the hill, and under it a teaspoonful of Bisulphide in a small vessel. In an hour every louse under the cover will be dead. Per pint, 30 cts.

Breck's Liquid Anti-Ants. A preparation that destroys or

drives away ants from lawns, trees, etc. ½ pt., 30 cts.;

pt., 50 cts.

Breck's Anti-Ant Powder. A preparation in powder form that contains the same qualities as the preceding, and can be used indoors as effectively as on small plants, flower beds, Per box, 30 and 50 cts.

Breck's Dalmation Insect Powder. ("Bubach.") Manutactured especially for us from clean, dried flowers. It is put up in air-tight packages and keeps its strength indefinitely. It is invaluable to the housekeeper for the destruction of flies, fleas, roaches,

and other noxious insects. Packed in four sizes, 10, 15, 25 and 40 cts. Breck's Bordeaux Mixture. Sufficient to make 50 gals., \$1.00; for 20 gals., 50 cts.

Bordeaux Mixture, Lenox Brand. A liquid form, only requires water added to make it ready for use.

I gallon makes 50 of proper strength for applying. Per gal., \$1.00; per qt., 50 cts.

Bug Death. A new, said to be non-poisonous, preparation that is an effectual substitute for Paris Green, although a little more expensive to use. I lb. package, 15 cts.; 5 lbs., 50 cts.; 12½ lbs., \$1.00,

Bug Exterminator. "The Puritan." For water-bugs, roaches, and ants. Per tin, 50 cts.

Carbolic Purifying Powder. For removing unhealthy odors. Small pkg., 25 cts.; 6 lb. pkg., \$1.00, Canker Worm Exterminator. (Morrill's Tree Ink.) A sure protection to trees from the rayages of grub and canker worms. Directions with each can.

2-1b. Cans						\$0.30	20-lb. Cans				\$2.00
3-1b. "						.45	28-1b. ''				2.80
5-1b. "						.60	125-lb. Kegs, per lb.			1 1	.09
10-lb. "	٠		•	•	٠	1.10	460-lb. Barrels, "	•	•		.07,

Caterpillar. Lime. (Ermisch's Raupenleim.) This is a German preparation. Recommended by the Royal Ministry of Agriculture, and also by several U. S. Agricultural Experiment Stations as being superior to any yet offered to prevent the ravages of grubs, cankerworms, etc. It is applied in the same way as Tree Ink, and is more lasting and effective. 5-lb. cans, \$1.00; 10-lb. cans, \$1.75; 25-lb. cans, \$4.00; 50-lb. keg, \$6.75, 100-lb. keg, \$12.75; in barrels of about 250 lbs., per lb., 11 cts.

This article is higher in price than other preparations for the purpose but the long effectiveness

of a single application compared with that of others makes it really the cheapest.

Dip, McDougall's Sheep. An effective, non-poisonous preparation for killing vermin on sheep, cattle, and domestic animals. Per lb., 50 cts.; qt., 75 cts.; ½ gal., \$1.50; 1 gal., \$2.50.

Dip, Leggatt's Sheep. An American article for the same purpose as the preceding. Per qt., 75 cts.;

½ gal., \$1.50; 1 gal., \$2.50.

Disinfecting Powder. Searle's. A powerful deodorizer in powder form. Per can, 25 cts.

Eciffo. A sure cure and prevention of water bugs, cockroaches, etc. Per tin, 50 cts.

Fir Tree Oil. Soluble. An invaluable preparation for destroying all insects and parasites that infest fruit trees, plants and animals, whether on the foliage or at the roots of the plants. Per qt., \$1.25;

pt., 75 cts.: ½ pt., 50 cts.

Fir Tree Oil Soap. This article contains no poison, yet is quite effective in destroying red spider, mealy bug, aphis, etc. It can also be used in the garden against potato bugs, cabbage worms, currant worms, black fly, etc. ½ lb. tin, 25 cts.; 2-lb tins, 75 cts.

Fostite. A light powder that can be evenly applied with a bellows; destroys mildew, black rot, and rust.

Per 5-lb. pkg., 50 cts.

Fruit and Flower Soap. An effective, general insecticide. Pkg., 25 cts.

To prevent mildew on grap bles. rotting of tomatoes, potato

A POWDERED BORDEAUX MIXTURE

To prevent mildew on grapes and other fruits and vegetables, rotting of tomatoes, potatoes, and all diseases of a fungous character, apple scab and mildew, pear leaf blight, plum fruit rot, cherry, gooseberry, strawberry and celery blight, I-lb. boxes, 15 cts. each; 5-lb. boxes, 75 cts. each.

Grape Dust. Destroys mildew on grape vines. Can also be used in the garden for mould, mildew, or

rust mites. 5-lb. pkg., 35 cts.

Hellebore. Breck's Pure Powdered. We furnish a guaranteed pure article; ground from fresh roots. It is easily applied either in liquid or powder form and destroys currant worms, rose slugs, etc. Each package has special directions for its effective use. Packed in three sizes, air-tight packages, 10, 15,

Kill-M-Right. A soap that is specially prepared to be applied with the "Stott" sprayers. It destroys

red spider, mealy bug, aphis, etc. 5-lb. tins, \$1.75; 10-lb. tins, \$3.25: 20-lb. tins, \$6.00.

Kerosene Emulsion. Breck's. For plant lice, scale, cabbage worm, etc. (See Spraying Calendar.) Per qt., 25 cts.; gal., 50 cts.; 5 gal., \$1.25.

Kerosene Emulsion. A paste preparation of this invaluable insecticide. Destroys plant lice and sucking insects of all kinds. 1-lb. can makes 10 gals. spray, 15 cts.; 5-lb. can, 50 gals. spray, 60 cts.; 25-lb. can,

250 gals. spray, \$2.50.

Little's Antipest. A safe and sure preparation for the destruction of all insect pests, equally suitable for greenhouse, garden and orchard. Per pt., 60 cts.; qt., \$1.00; gal., \$2.50. London Purple. For spraying fruit trees, potatoes, etc. 1 lb., 25 cts.

Special Offer No. 3 only applies to articles on this page.

Lemon Oll Insecticide. Per qt., \$1.00; per gal., \$3.00.
Nikoteen. Packed in pint bottles; each bottle contains all the Nikoteen obtained from two hundred pounds Tobacco Stems. A cheap, clean, and safe insecticide. Pint bottle, \$1.50. Paris Green, Breck's Guaranteed Pure. 4 lb., 10 cts.; 1/2 lb., 15 cts.; 1 lb., 30 cts.

Fis Green and Fungiroid. Per pkg., 40 cents.

Powell's Guicide Powder. For potato blight, potato rot, grapevine flea beetle, potato bugs, pear and cherry slugs, codling moths, curculio and strawberry crown borers. Can be used either dry or in solu-

tion. 25-lb. boxes, .06 per lb., \$1.50 per box.

Powell's Copperdine. A paste poisonous to human and animal life, a combined fungicide and insecticide. A substitute for Bordeaux mixture; requires no preparation except the addition of water. 1-lb. can makes 16 gals. of spray, 25 cts.; 5-lb. cans, 80 gals. spray, \$1.00; 25-lb. cans, 400 gals. spray, \$4.50. Powell's Quassaine. In paste form. 1-lb. cans make 25 gals. of spray, 25 cts.; 5-lb. cans, 125 gals. spray,

\$1.25; 25-lb. cans, 625 gals. spray, \$4.50.

Powell's Bordeaux Mixture. Ready for use by simply adding water. I lb., 5 gals. spray, 25 cts.; 5 lbs., 25 gals. spray, 60 cts.; 10 lbs., 50 gals. spray, \$1.00; 25 lbs., 125 gals. spray, \$2.50.

Slug Shot. Not only acts as an insect destroyer, but it will be found to be an excellent fertilizer. It contains nothing injurious to domestic animals, and does not deteriorate by age. On low-growing plants it should be dusted on with a very fine sifter. On tall shrubs and trees it should be applied with bellows. Price, 5-lb. pkg., 30 cts.; 10-lb. pkg., 50 cts.; in barrels of about 225 lbs., 4 cts. per lb.

Soa., Pinner's Tobacco. Manufactured from the essential oil of tobacco, for the destruction of all

insects, parasites and their eggs. Per lb., 50 cts.; 1/2 lb., 30 cts.

Soap, Whale Oil. For destroying insects on plants, trees, vines, etc., for washing down the bark of trees, grapevines, etc. In boxes, 1-lb., 15 cts.; 2½-lb., 35 cts., in buckets of about 14 lbs., \$1.75.

Soap, Sulpho-Tobacco. Rose's Perfected. Does perfect work on all insects affecting flowers, trees, and animals. In tin boxes, sufficient for 10 gals. of water, 25 cts.

Spanish Pink. A safe and effective article for the destruction of cabbage and web-worms, caterpillars, and other chewing insects that affect cabbage, squash, cucumbers, melons, etc. Non-poisonous. 35 cts.

Sulphate of Copper. (Blue Stone). Per 1b., 8 cts.

Sulphur, Flowers of. Used to prevent and cure mildew on plants. 8 cts. per lb.; \$6.00 per 100 lbs.

Tobacco Extract. Black Squal Brand. Pure, highly concentrated; hydrometer test, after Beaume's scale 40 degrees, temperature 60 degrees Fahrenheit, being of uniform strength, is always effective. It can be applied by vaporizing or spraying. It effectually destroys green fly, red spider, and scale.

Per pt., 25 cts.; per qt., 40 cts.; per gal., \$1.00; 5 gals., \$4.00.

Tobacco Extract. Rose Leaf Brand. A perfectly pure, aqueous extract, highly concentrated and always uniform in strength of nicotine poison. Destroys green fly, mealy bug, red spider, and scale. Pts.,

25 cts.; qts., 45 cts.; I gal., \$1.25; 5 gals., \$5.00.

Tobacco and Sulphur Powder. Prevents and cures mildew. Kills green and black fly and other insects.

10 cts. per 1b.; \$6.00 per 100 lbs.

Tobacco Dust. Very finely pulverized. A valuable insecticide and fertilizer. 5 cts. per 1b.; \$2.00 per 100 lbs. Tobacco Stems. For fumigating. If used as a mulch around sweet peas and other plants they prevent the destructive work of the wire and cut worms. \$1.00 per bbl.; \$2.50 per ba e.

XL-ALL Liquid Insecticide. For syringing, spraying, dipping, or sponging. Destroys all insects, especially effective against mealy bug and red spider. Can be used without injury in graperies, even when

the fruit is in an advanced stage of growth. Pt., 75 cts., qt., \$1.25.

XL-ALL Vaporizing Compound. The safest, cheapest and most effectual fumigating preparation extant.

It destroys mealy bug, thrip, and all kinds of aphis. Price per bottle, No. 1, \$8.25; No. 2, \$4.50;

No. 3, \$2.25; No. 4, \$1.15. The smallest bottle is sufficient to fumigate 5,000 cubic feet. Fumigators, large, \$1.00; medium, 85 cts.

MISCELLANEOUS REQUISITES.

Baskets, Verbena. Wood or wire handles. Standard size per 100, \$2.00; per 1000, \$18.00. Large size: 12 in. long, 7 in. wide, 3 in. deep, per 100, \$3.00; per 1000, \$25.00.

Caps, Hay, Breck's Improved, brown, medicated, complete with ropes and pins, 50 cts. each; \$45.00 per 100.

Color, Improved Butter. Wells, Richardson & Co.'s imparts the "golden tint of June" to butter at all seasons of the year. Bottles sufficient for 500 lbs., 25 cts., 1250 lbs., 50 cts.; 3000 lbs., \$1.00.

Color, Hanson's Butter. A universal favorite, bottles, 25 cts., 50 cts., and \$1.00 each.

Cotton Batting. For packing flowers, etc., per sheet, 6 cts.

GLAZIER'S POINTS, VAN RIPPER'S.

The only durable and reliable points. Made of galvanized steel wire; no rights and lefts. Price, per box of 1000, 60 cts.; by mail, 75 cts. Pincers for driving same, 40 cts.; by mail, 50 cts.

Mats, Archangel. An excellent light covering for frames, hotbeds, etc., 75 cts. each.

Mats, Straw for hotbeds, etc., 6x6, \$1.50 each. Other sizes to order.

Paper, Waxed, for packing flowers, etc., per lb., 30 cts.

Paper, White, for packing flowers, etc., per lb., 10 cts.

Paper, Wrapping. Strong manilla, per lb., 8 cts.

Paper, Tarred, for using with tree ink, in rolls about 50 lbs., per lb., 4 cts.

Protectors, Arlington Plant. Protects from bugs, borers and fowls, also subdues wind, rain and cold, 15 cts., each; doz., \$1.50.

Protecting Cloth for Hot Beds. Used as a substitute for glass for protecting plants in early spring, in pieces of 40 yards, 10 cts. per yard.

Putty Bulbs. A simple and useful device for applying putty to sashes, \$1.00 each. See Special Offers on third page of cover.



Rostea. A strong and cheap material for tying plants, per lb., 30 cts.

Scollay's Rubber, an indispensable article for showering Sprinklers. plants, sprinkling bouquets, dampening clothes, etc., three sizes, 50 cts., 75 cts., and \$1.00 each.

Sashes for Hot Beds. Extra well made from thoroughly seasoned lumber, frame 1½ in., 3x6 ft., \$2.25; 1¾ in., 3x6 ft., \$2.40 each. Unpainted and unglazed sashes, from \$1.15 to \$1.35 each.

Sieves, Wire. For preparing potting soil, sifting loam, gravel, etc., from 16 to 20 inches diameter, 85 cts. to \$1.50 each.

Stakes, Cane. These are light, strong and durable. They vary in length from 6 to 10 ft. Florists use them much, and cut them to any desired length. \$1.00 per 100; \$4.00 per 500.

Stakes, Unpainted Hardwood. These are especially adapted for florists' use. They are neat and strong, 2 ft., per 100, 25 cts., per 1000, \$1.75; 3 ft., per 100, 30 cts., per 1000, \$2.25; 4 ft., per 100, 45 cts., per 1000, \$3.00.

Silkaline. Used by florists for growing Smilax and Asparagus on, also for tying in bouquet work, per reel,

25 cts.

Soil, Prepared Potting, Rotted Fibrous Peat, Leaf Mould, 50 cts. per pk., \$1.00 per bu., \$2.00 per bbl. Sphagnum Moss. \$1.00 per bu., \$2.00 per bbl. Tinfoil. For bouquets. Per lb., 15 cts.

Mastica Machine

Twine. Soft, for tying cut flowers, vines, etc. Per ball, 25 cts.

Twine, Parceling. All sizes. Per ball, 10 to 25 cts.

Tape, Electric. Exceedingly useful for mending Rubber Hose. It is a strong, adhesive ribbon, threequarters of an inch wide, can be wound tightly around a leaking part and thus stop it. Per coil, 25 and 50 cts.

Wire, Bouquet, Nos. 23 and 24. Per stone, \$1.50.

Wax, Grafting. (Trowbridge's.) The best in the market. This brand should not be confounded with the many cheap makes now offered, that are not possessed of an even consistency, and give unsatisfactory results. Put up in 1 lb., 1/2 lb., and 1/4 lb. pkgs., price, 40 cts. 25 cts., and 15 cts., respectively.

Mastica. For Glazing Greenhouses, new or old, Elastic, adhesive, easy to apply. Every florist has experienced difficulty in obtaining putty (whether ordinary or white lead) for glazing that is satisfactory for any length of time. After much study the inventor of "Mastica" decided that the composition must be of different materials from that used heretofore for this purpose, must be elastic and tenacious, and these qualities must be retained to admit of expansion and contraction without cracking. This result has been reached in "Mastica" which, when applied, in a few hours forms a skin or film on the entire mass, hermetically sealing the substance and preventing the evaporating of the liquids, and remains in a soft, pliable, and elastic condition for years. The use of "Mastica" avoids the necessity of repeatedly reglazing the houses, saving much time and expense. With "Mastica" can bed in or use on the outside, with a machine. Broken glass can be easily removed and replaced by new without the breakage of other glass, which usually occurs with hard putty. gallon will cover about 290 running feet (one side). Put up in gallon, \$1.00;

half gallons, 60 cts.; quarter gallons, 35 cts. Machines for applying, \$1.00 each.

Special Offer No. 3 only applies on the above articles.



(Prices subject to change.)

BRECK'S POULTRY AND SWINE MEAL.

This article is the most complete animal food for poultry obtainable. It is concentrated, pure, palatable and effective. It was first offered to the American public in 1893, but it has since that time found its way into the yards of the most progressive poultry men in the country, because it is superior in every respect to all other meals made from meat or animal matter. 100 lb. bag, \$2.25; 50 lb. bag, \$1.50; trial bag (a month's supply for thirty hens) \$1.00

Ground Oyster Shells. 100 lb. bags, 65 cts. per

100 lbs.; in bbls. of 250 lbs., 65 cts. per 100 lbs.

Granite Crystal Cirit. 50 lb. bag, 75 cts.; 100 lb. bag \$1.00. Mica Crystal Grit. 50 lb. bag, 65 cts., 100 lb.,

90 cts.

Cracked Poultry Bone. Per bbl. of about 200 1bs., \$2.50 per 100 lbs.

-Bone Meal for Poultry and Cattle. 50 lb. bag, \$1.50; 100 lb. bag, \$2.50; per bbl. of about 200 lbs., \$2.50 per 100 lbs.

Flour of Bone. 50 lb. bags, \$1.50; 100 lb. bags, \$2.50; per bbl. of about 200 lbs., \$2.50 per \$100 lbs. Ground Beef Scraps. 50 lb. bags, \$1.50; 100 lb. bags, \$2.50.

Fish Meal. (Desiccated Fish.) 50 lb. bag, \$1.25; 100 lb. bag, \$2.00.

Cut Clover Hay. 50 lb. bags, \$1.25; 100 lbs. \$2.00. Wheat. \$1.75 to \$2.00 per 100 lbs., according to Net. quality.

Wheat Screenings. \$1.25 to \$1.75 per 100 lb. bag, according to quality. Net.

Poultry Supplies, except as marked Net are subject to offer No. 1 in N. E. Outs'de of N. E. Offer No. 3 only applies.

POULTRY SUPPLIES. - Continued.

Barley. 90 cts. per bu., net. Buckwheat. 90 cts. per bu., net.

Peas. Small white Canada, \$1.25 per bu. Suntlower. Large Russian, \$2.50 per bu.

Millet. Golden, for chickens, \$1.25 per bu. of 50

lbs, net.

Hemp, Large Russian. Much fed to pigeons and fowls that are being fattened for the table, \$1.75 per bu. of 40 lbs.

Cut Clover. Per 50 lb. bag, \$1.25; 100 lbs., \$2. Net.

Clover Meal. Per 50 lb. bag, \$1.25; 100 lbs., \$2. Net. Breck's Eureka Egg Food. This preparation stands without a rival, as hundreds of those who have used it testify. It aids digestion, prevents and cures many diseases common to fowls, and although the best food known to produce eggs, it does not destroy the fertility of the egg. Sample box by mail on receipt of 25 cents. I lb. box, 25 cents each, if by mail, 40 cents each; 2½ lb. box, 50 cents each; by mail, \$1.00 each; 6 lb. box, \$1.00 each; 10 lb. box, \$1.50 each; 25 lb. kegs, \$3.50 each. These larger sizes can be sent cheaper by express than by mail.

sheridan's Condition Powders. 25 cents and

\$1.00, net.

Leg Bands. All sizes, numbered as wanted, per

doz., 25 cents, per 100, \$1.50, net.

Sorghum or White Maize, for pigeons. Per

bushel, \$1.00, net.

Rust's Egg Producer. I lb. box, 25 cts. each, if by mail, 44 cents; $2\frac{1}{2}$ lb. box, 50 cts. each, if by mail, \$1.00; 6 lb. box, \$1.00; 10 lb. box, \$1.50; 25 lb. kegs, \$3.50. These larger sizes can be sent cheaper

y express than by mail. Rust's Haven's Roup Pills. These pills act directly on the glands and mucous membrane, allaying all tendencies to fever and carrying off all morbid matter from the system. Box of 48 pills,

free by mail, 25 cts.

Rust's Haven's Climax Condition Powder. Small package, 25 cts., if by mail, 50 cts.; 2 lb box, 50 cts., if by mail, 85 cts.; 5 lb. box, equal to 625-cent packages, \$1.co. (This size is too heavy for mailing and can be forwarded cheapest by express.)

Charcoal, Powdered. 6 cts. per 1b., net. Chalk, Powdered 2 cts. per lb. net. Copperas. (Green Stone.) 2 cts. per lb., net.

Carbolic, Cr. stallized. 50 cts. per bottle, bottle included. Net.

Carbolic Acid Solution. 40 cts. per pint bottle, bottle included. Net.

Dalmation Insect Powder. Per lb. 40 cts. If by

mail, 50 cts. Slug Shot. This article is not only a valuable insecticide but also a powerful disinfectant. Per 5 lb.

pkg., 30 cts., net. Death to Lice. 15 oz. box, 25 cts., if by mail, 40 cts., 3 lb. pkg., 50 cts., by mail, \$1.00. 100 oz. pkg., \$1.00, if by mail, \$2.00.

Tobacco Dust. An exceedingly fine powder. Valuable as an insecticide. Per lb., 5 cts., net.

Tobacco Stems. Used to mix with nest material,

fumigating, etc. Per lb., 5 cts.; per bale, \$2.50, net.
Carbolic Purifying Powder. Trial pkg., 25 cts., if by mail, 40 cts., 6 lb. pkg., \$1.00, if by mail, \$2.00. Bellows, Houtchin's Patent. For distributing

insect powder, etc. 3 oz. size, each, 75 cts., 4 oz. size, each, 90 cts., 6 oz. size, each, \$1.00.

Brushes, Whitewash. Tampico centre, bristles

outside. Each, 7 in., 50 cts.; 8 in., 60 cts.; 9 in., 75 cts.

Guns, Insect Powder. 2 oz. size, 15 cts. each.

Fumigators. No. I will thoroughly smoke a house 10x20 ft., each, \$1.40; No. 2 will thoroughly smoke a house 12x40 ft., each, \$2.35; No. 4 will thoroughly smoke a house 20x100 ft., each, \$3.75. HUB DRINKING FOUNTAIN.



This fountain is made of the best galvanized iron, is very strong, easily cleaned, quickly filled, and is equally serviceable for both chickens and adult fowls (see cut). This fountain isvastly superior to all others. Price, each, \$0.75

STONE DRINKING FOUNTAINS.

This fountain is of the best patent stoneware, and is very desirable.

½ gallon each Net Price, \$0:35 .45 6.6 6.6 .55

Marking Punch. Nickel-plated, with steel cutter and spring. Mailed on receipt of 25 cts.

Nest Eggs. China. Per doz., 40 cts., net. Plaster. Land. A valuable absorbent, mixed with the droppings it deodorizes, also enhances their value as a fertilizer. Per bbl., \$1.50; ton, \$8.00, net.

Death to Lice Ointment. Per box, 10 and 25 cts. Chick Manna. 1 lb., 10 cts.; 5 lb., 40 cts. Net. Madoc Gape Cure. Small, 20 cts.; large, 35 cts. Net.

Multum in Parvo Poultry Powder. Small, 20

cts.; large, 35 cts. Net.

Thermometers. Standard, incubator. Each, 75 cts. If Thermometers are wanted by mail, add 10 cts. each.

Caponizing Instruments, with instructions. \$2.50

to \$7.00 per set.

Wire Nests. Strong, neat, clean. Net 35 cts.each.

Medicol Nest Eggs. These are medicated eggs but entirely different from anything that has hitherto been offered. They can be cleaned without injury, are lasting, effective, and appreciated by chickens and adult fowls. No hen should be set without one of these in the nest as a preventative of vermin. One placed in a bird cage keeps it sweet and the bird free from insects. They drive away lice from pot plants, prevents moths from attacking furs or other clothes when packed away, and are also valuable as a disinfectant. 10 cts. each; \$1.00 per doz.

Sulpho-Napthol. This preparation, originated by the late Dr. Cabot, is recommended for a great many purposes. It cleans and heals all sorts of cuts, bruises and sores. It is sure death to all kinds of Bacteria and Insects and is unsurpassed as a disinfectant. For domestic animals, poultry and poultry houses it is the thing. 50 ct. bottle make 10 gals.; \$1.00 can, 50 gals. solution.

Veterinary X-Zalia. A purely vegetable preparation, contains no alcohol or poisonous ingredients. It may be applied to a raw surface or even poured into the eye of an animal without causing pain. It cures Galls, Scratches, and Surface Inflammation of

every description. Fer large bottle, \$1.25.
P. D. Q. Powder. A valuable preparation that not only destroys and prevents insects of all kinds on fowls, but drives away quickly all sorts of insects that pester the housewife. It is useful for a hundred and one purposes and not the least among them is that of disinfectant. Per package, 25 and 75 cts.

Poultry Supplies, except as marked NET are subject to offer No. 1 in N. E. Outside of N. E. offer No. 3 only applies.



FERTILIZERS. BRECK'S FLOWER FOOD

This preparation is perfectly odorless and clean to handle. 1. 's the most concentrated, safest and effective plant food on the market. Soluble in water, and no trouble whatever to prepare for use. It promotes a healthy vigorous growth of wood, leaf and flower. Put up in two sizes—beautiful lithographed boxes.

No. 1, sufficient for 30 plants for one year, 25 cts.; by mail, 40 cts.

No. 2, sufficient for 30 plants for three months, 15 cts.; by mail, 20 cts. Bradley's Lily Brand Flower Food. No. 1, 25 cts.; by mail 50 cts. No. 2, 15 cts.; by mail, 25 cts.

IMPERIAL LIQUID PLANT FOOD.

This preparation is said to contain all the food necessary for a healthy growth. It is recommended to market gardeners of for feeding lettuce and other greenhouse crops, and to florists for general use. It is in a liquid form and will be appreciated



by those who grow plants in the house. Per pt. 25 cts.; qt. 40 cts.

BRECK'S LAWN AND GARDEN DRESSING.

The verdict of all who have used Breck's Lawn and Garden Dressing is that it is the most complete and satisfactory Lawn Dressing ever placed upon the Market. It is manufactured expressly for us and we vouch for its containing all the constituents required to produce a luxuriant growth. We believe beyond a question that ours is the only absolutely odorless Lawn Dressing. It is also so clean that the most fastidious person can apply it without offending the organs of sight and smell. It being quick in action, the effect can be seen immediately after the first rain or the sprinkling of the hose, and going directly to the roots of the grass, stimulates them to greater activity, thereby thickening the sward and producing a firmer growth, which remains rich, green and velvety throughout the season. Its superiority over stable manure can scarcely be estimated, as the latter, in addition to disfiguring the lawn by its unsightly appearance, also gives out an unpleasant odor, and always contains weeds and other undesirable seeds. Great care should be taken to distribute the dressing evenly, and in no greater quantities than recommended on the tag which accompanies each bag, as a too liberal application will injure the sward. It can be applied at any time during the year from April to November, as often as the grass seems to need nourishment. In making new lawns apply at the same time the seed is sown and rake in with the seed. Never apply the dressing while the grass is wet with dew or rain. Any time the grass is perfectly dry will answer, but the best time to apply it is just before a shower. It is equally as suitable for flower beds and all vegetable crops as for the lawn.

FOR LAWNS.	FOR FLOWER BEDS AND THE KITCHEN GA	RDEN.
Trial bag for 1,000 square feet \$0.	.50 25-lb. bags for 600 square feet \$1.	00
" 2,500 " I.	.00 50-lb. " 1,200 " I.	75
" 50-lb. bags for 5,000 sq. ft., I.	.75 100-lb. " 2,500 " 3.	.00
" 100 lb. " ½ acre . 3.	.00 200-lb. " 1/8 acre " 5.	50

BRECK'S MARKET GARDEN MANURE.

Not subject to either of our special offers, but a discount of 5% may be deducted when cash accompanies order. A high grade, properly balanced, chemical fertilizer that is especially recommended to market gardeners and farmers for potatoes and all vegetable crops. 50 lbs., \$1.00; 100 lbs., \$1.70; ton, \$32.00.

PERUVIAN GUANO.

For forcing early vegetables or second garden crops, the brand "No. I Guaranteed," Peruvian Guano, is especially recommended. It is generally used by florists, and nothing is better for house plants than a weak solution applied once or twice a week.

PRICE:	Per	ton			1	Net, F. O. B.	(\$65.00
		100-lb.	bag			Boston.	{				4.00
	"	I-lb.	package		,	Bostom	,				.IO

UNLEACHED HARD-WOOD ASHES.

We can supply direct from one of the most careful collectors in Canada, Unleached Hard-wood Ashes. Price on carlord lots delivered at any point upon aplication.

PRICE:	Per ton, in ba	rrels		1	Special offer No. 3 only	5				\$16.00
	Per barrel			5	applies on Wood Ashes.	J				2.00

SHEEP MANURE.

This is a pure natural manure, and nutritious food for plants. Its effect is immediate. It is the best of all manures for mixing with the soil for green-house plants—one part manure and six parts soil. Price, in bags of 100 lbs. each, \$2.25; per ton, \$40.00. Sheep manure at ton price is net F. O. B. Boston; smaller quantities as quoted are subject to Special Offer No. 3 only.

PLASTER DUST.

For destroying insects upon vines. Per 5-lb box, 15 cts.; 25-lb bag, 50 cts.; barrels of about 150 lbs., \$2.00 per barrel. Net F. O. B. Boston.

STURTEVANT'S GRANULATED TOBACCO AND SULPHUR. LAWN DRESSING AND GARDEN FERTILIZER.

It prevents the ravages of worms on the lawn, and tends to keep plants free from insects. It should be used at the rate of 50 lbs. per 1000 square feet. Price, for 100-lb. bag, \$2.50, per 50-lb. bag, \$1.50, per 25-lb. bag, \$1.00.

JADOO FIBRE AND LIQUID.

Nothing like it for sprouting seeds or making roots and growth in-Jadoo preparations Fibre. Per bag, 31/2 cts. per lb.; 25-lb. box, \$1.25; 10-lb. box, 60 cts.; 5-lb. box, 35 cts. net f. o. b. Boston. Liquid. 5-gallon can, \$5.00; 2-gallon can, \$2.50; pint bottles, 25 cts. each.

MAPES MANURES.

These are the standard Special Crop Fertilizers of the world. They may cost a little more than some other "complete manures," but they give far better results in the field.

We are the sole Boston Agents, also for some other New England sections. Pamphlets giving full

information in regard to the Manures mailed free.

Our Special Offers do not apply to Mapes Manures, but we allow five per cent discount for cash payments. F. O. B. Boston.

Potato Manure. For Irish and sweet potatoes; also for asparagus, early vegetables, tomatoes, sugar beets, fruits, sorghum and sugar cane. Per bag

ton. Fruit and Vine Manure. For insuring fruiting power, particularly in quality of fruit in vineyards (grapes), pears, apples, plums, strawberries and all small fruits. Is slow in effects. Per bag of 200 lbs., \$4.00; three bags and over, \$39.00 per ton.

of 200 lbs., \$3.90; three bags and over, \$38.00 per

Complete Manure (for heavy soils) For use on heavy or clay soil, for wheat, rye, oats, seeding grass, or spring top-dressing of meadows, pastures, etc., any soils where small quantity of potash, but large quantities of ammonia and phosphoric acid are required. It is very safe for use around young plants, nursery work, strawberry vines. Is very forcing. Per bag of 200 lbs., \$4.00; three bags and over, \$39.00 per ton.

Complete Manure (for light soils.) Early Vege= table or truck Manure. for all kinds of soils, light or heavy, use broadcast; special for onions, also on light soils for asparagus, sweet potatoes, melons, tomatoes, wheat and seeding to grass. Per bag of 200 lbs., \$4.20; three bags and over, \$41.00 per ton.

Complete Manure ("A" brand.) For use in hill or drill on all crops, particularly in connection Special for peas, beans, with farm manures. buckwheat and turnips. Per bag of 2co lbs, \$3.50,

three bags and over, \$34.00 per ton.

Complete Manure (for general use.) for stable manure. For use on all crops and all soils with or without stable manure. Use broadcast; use sparingly if put in hills. Special for oats, Hungarian grass, vegetables, melons, tomatoes, and seeding with or without grain. Per bag of 200 lbs., \$3.70; three bags and over, \$36.00 per ton.

Corn Manure. For sweet corn, fodder corn, Hungarian grass, millet, late turnips, late cabbage, and seeding to grass. Per bag of 200 lbs., \$3.50,

three bags and over \$34.00 per ton.

Cauliflower and Cabbage Manure. Ammonia, 5.50 to 6.50 per cent; phosphoric acid, 6 to 8 per cent; actual potash, 8 to 10 per cent. Per bag of 200 lbs., \$3.80; three bags and over, \$37.00 per ton.

Grass and Grain Spring Top Dressing. Ammonia, 5 to 6 per cent; phosphoric acid, 7 to 9 per cent; actual potash, 5 to 7 per cent. Per bag of 200 lbs., \$4.10; three bags and over, \$40.00 per ton.

STOCKBRIDGE MANURES AND BOWKER'S PHOSPHATE.

These goods are so well known in New England that any remark from us regarding them is uncalled for.

Stockbridge Potato Manure, for one acre without stable manure,* 1000 to 1500 lbs. Stockbridge Corn Manure, 600 to 1200 lbs. Stockbridge Grass Manure, Top 66 66 Stockbridge Special Dressing 300 to 600 lbs. Stockbridge Seeding Down Manure, 600 to 800 lbs. Manures. 66 Stockbridge Vegetable Manure, 1000 to 2000 lbs. \$2.00 per 100-lb. bag. 66 66 Stockbridge Fruit Manure, 1000 to 2000 lbs. \$38.00 per ton. Stockbridge Root Manure, 66 600 to 1500 lbs. Stockbridge Asparagus Manure, 1200 to 2000 lbs. 66 Stockbridge Celery Manure, 66 1500 to 2000 lbs.

Bowker's Hill and Drill Phosphate. Per 50-lb. bag, \$1.00; 100-lb. bag, \$1.70; per ton, \$34.00. Bowker's Fresh Ground Fertilizer Bone. Per 50-lb. bag, \$1.00; 100-lb. bag, \$1.70; per ton, \$30.00.

**The prices are NET F. O. B. BOSTON, and not subject to our special offers; but a discount of five

per cent may be deducted when cash accompanies order.

CHEMICALS.

Prices Variable. Subject to Change without Notice. per 100 lbs. Sulphate Ammonia, 25 per cent ammonia, \$3.50 Nitrate Soda, 95 per cent purity, Muriate Potash, 80 to 85 per cent M. Potash, 3.50 2.50 Sulphate Potash, 50 to 55 per cent S. Potash, Kainit, 20 to 25 per cent Sulphate Potash, 66 1.60 1.00 Bone Black, 1.75 Sulphuric Acid, 2.00 Land Plaster. Per 100 lbs., 50 cts.; per ton, \$8.00, NET F. O. B. BOSTON.

Carboys for Sulphuric Acid, \$1.50, returnable. Chemicals, net cash, F. O. B. BOSTON.

BRADLEY'S FERTILIZERS

Are guaranteed to contain more plant food in a better mechanical condition and of higher agricultural value than any other fertilizers in the world, and they are, therefore, as the New England Homestead affirms "the most economical to use."

Do not be misled into purchasing unknown fertilizers of uncertain value, but buy Bradley's Fertilizers which have grown large crops of superior grass, grain, and vegetables, on thousands of farms all over New England for more than thirty years.

Among their leading brands are:

BRADLEY'S SUPERPHOSPHATE

Bradley's Superphosphate, the pioneer of the fertilizer industry in the United States, has been more extensively used than any other brand of fertilizer in the world.

From its unvarying quality and uniform condition it has gained the name that more plainly bespeaks the estimate in which it is held among the farmers than volumes of praise,—"the Old Reliable."

BRADLEY'S POTATO MANURE

For Growing Smooth, Sound Potatoes of the Best Quality Without Barnyard Manure.

Bradley's Potato Manure is in no sense a theoretical or experimental mixture, but is prepared from formulas which repeated *field tests* have proven will produce the largest crops of smooth, sound potatoes.

The universal testimony of leading farmers is convincing that it gives the best of satisfaction, and at a considerable saving in cost over many of the high-priced special "potato manures" whose alleged scientific combination is their principle claim to the farmers' patronage.

BRADLEY'S COMPLETE MANURES

For Potatoes and Vegetables. — For Corn and Grain. — For Top-Dressing Grass and Grain, with 10 per cent. Potash.

These manures are the richest and most concentrated fertilizers sold, as has been abundantly proven by actual results in the field. They are manufactured from the very best plant-food materials obtainable, combined in such form and proportions as long practical experience has proven will yield the largest crops of the best quality.

Send to us for finely Illustrated pamphlets, describing all of their brands, and let us quote you prices on all of these unequalled fertilizers before purchasing elsewhere.

PRICES FOR BRADLEY'S STANDARD FERTILIZERS:

Bradley's Superphosphate	50 lb. ba	g, \$1.00	100 lb. bag	, \$1.70	ton \$32.00
Bradley's Potato Manure	"	1.00		1.70	" 32.00
Bradley's Complete Manure for Potatoes and Vegetables			"	1.90	" 37.00
Bradley's Complete Manure for Corn and Grain			"	1.90	" 37.00
Bradley's Complete Manure for Top Dressing Grass and G			"	1.90	" 37.00
Bradley's Complete Manure with ten per cent. Potash.			"	1.90	" 37.00
Bradley's High Grade Tobacco Manure			"	2.25	" 45.00
Bradley's Seeding-Down Manure			"	1.70	" 32.00
Bradley's Bone Fertilizer			66 66	1.70	11 32.00

These prices are not subject to Special Offers, but we allow a discount of 5 per cent when cash accompanies order.

VALUABLE TABLES.

	UMBER OF PLANTS AND SOW AN ACRE.
Artichoke, I oz. to 500 plants Asparagus, I oz. to 200 plants Barley Beans, Dwarf, I qt. to 150 feet of drill Beans, Pole, I qt. to 200 hills Beet, Garden, I oz. to 100 feet of drill Beet, Mangel, I oz. to 150 feet of drill Broccoli, I oz. to 150 feet of drill Broccoli, I oz. to 3,000 plants Brussels Sprouts, I oz to 3,000 plants	Quantity per acre
Asparagus Loz to 200 plants /2 10.	Hemp
Barley	Kohl Rabi, 1 oz. to 200 feet of drill
Beans, Dwarf, 1 qt. to 150 feet of drill . 11/4	Leek, I oz. to 250 feet of drill 4 " Lettuce, I oz. to 250 feet of drill 3 "
Beans, Pole, I qt. to 200 hills 1/2 "	Lettuce, I oz. to 250 feet of drill 3 "
Beet, Garden, i oz. to 100 feet of drill 10 lbs.	Martynia. 1 oz. to 25 feet of drill
Beet, Mangel, 1 oz. to 150 feet of drill . 6 "	Melon, Musk, 1 oz. to 100 hills 134 "
Broccoli, I oz. to 3,000 plants 5 oz.	" Water, I oz. to 25 hills $1\frac{1}{2}$ "
Broom, Corn	Nasturtium, I oz. to 50 feet of drill 10 bu.
Brussels Sprouts, I oz to 3,000 plants 5 oz.	Oats
Cobbage Loz to 2 000 plants	Orion Seed Log to 200 feet of drill
Carrot I oz to Iso feet of drill	" " for Sets 200 feet of drift 4 to 5
Buckwheat	Onion Sets. Lat. to 20 feet of drill 8 bu.
Celery, I oz. to 10,000 plants 4 "	Parsnip, I oz to 250 feet of drill 5 lbs.
Celery, I oz. to Io,000 plants 4 "Clover, Alsike and White Dutch 6 lb.	Nasturtium, I oz. to 50 feet of drill 10 bu. Oats
" Typorna larga Dad Crimcon & Trafail & "	Peas, Garden, 1 qt. to 150 feet of drill 1½ bu.
"Medium	" Field,
"Medium	Pepper, I oz. to 1,500 plants 4 oz.
Corn, Sweet, 1 qt. to 500 hills 8 qts.	Potatoes,
Crosspher Log to So hills	Pumpkin, I qt. to 300 mills , 4 qts.
Figg Plant 1 oz to 2 000 plants 8 07	Radish, 1 02. to 150 feet of diffi
Endive Toz to 200 feet of drill	Salsify 1 oz. to 60 feet of drill 8 lbs.
Flax, broadcast	Spinach, 1 oz. to 150 feet of drill 10 lbs.
Garlic, bulbs, I lb. to Io feet of drill	Summer Savory, 1 oz. to 500 feet of drill . 2 lbs.
Gourd, 1 oz. to 25 hills 21/4 lbs.	Rye
Grass, Blue, Kentucky 3 bu.	"Winter, I oz. to 10 hills 3 "
"Blue, English 2	Tomato, I oz. to 3,000 plants 3 oz. Tobacco, I oz. to 5,000 plants 2 '' Turnip, I oz. to 250 feet of drill 1½ lbs.
"Hungarian and Millet	Tobacco, I oz. to 5,000 plants
Mixed Lawn 3 to 5	Yet abox
Fow! Meadow and Wood Meadow 2 bu	Vetches
"Timothy	Wheat
Corn, Sweet, I qt. to 500 hills	THE ACRE AT GIVEN DISTANCES.
Dis. apart. No. plants. Dis. apart.	No. plants. Dis. apart. No. plants.
$\frac{1}{2}$ foot 174,240 4 feet by 2 feet	5,444 Io feet 435
1 " 43,560 4 " 3 "	3,629 11 " 360
1½ · · · · · · 19,300 4 · · · 4 · · · · · · · · · · · · · ·	2,722 12 '' 302 1,742 15 ''
2 leet 10,090 5 5	1,742 15
	T 210 18 " 121
2 feet by I foot	1,210 18 "
3 feet by I foot 14,520 7 "	1,210 18 '' 134 889 20 '' 108
3 feet by I foot 14,520 7 "	. 1,210 18 ''
3 feet by I foot	. 1,210 . 889 . 680 . 573 . 30 "
3 feet by I foot	1,210 18 "
Fowl Meadow and Wood Meadow . 3 bu. Timothy	1,210 18 18 19 19 19 19 19 19
3 feet by I foot	1,210
3 feet by I foot	1,210
3 feet by I foot	1,210
3 feet by I foot	1,210
3 feet by I foot	1,210 18 134 108
3 feet by I foot	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56"
Barley	Plastering Hair
Barley	Plastering Hair
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat 58" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime "220"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat "60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 280" Lime, "220" Hay, well settled, per cubic foot 4½"
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat 60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 220" Hay, well settled, per cubic foot 4½" Corn, on Cob, in bin, 22" "Shelled." 45" Wheat, 48" Oats, "" 48" Potatoes, "" 95" Sand, Dry, "" 95" Clay, Compact, "" 135" Marble, "" 169"
Barley	Plastering Hair Rape Rape Rape Rye Red Top Seed, Chaff Seed Red Top Fancy, Clean Seed Salt, Coarse Michigan Sweet Potatoes Timothy Seed Turnips Wheat Beef and Pork, per bbl., net Flour, per bbl., net Flour, per bbl., net Flour, per bbl. Lime, Salt, per bbl. Lime, Salt, per bbl. Lime, Salt, per cubic foot Corn, on Cob, in bin, Shelled Wheat Salt, per bbl. Corn, on Cob, in bin, Shelled She
Barley	Plastering Hair "8" Rape "50" Rye "56" Red Top Seed, Chaff Seed "10" Red Top Fancy, Clean Seed "40" Salt, Coarse "50" "Michigan "56" Sweet Potatoes "56" Timothy Seed "45" Turnips "58" Wheat 60" Beef and Pork, per bbl., net 200" Flour, per bbl., net 196" White Fish and Trout, per bbl., net 200" Salt, per bbl. 220" Hay, well settled, per cubic foot 4½" Corn, on Cob, in bin, 22" "Shelled." 45" Wheat, 48" Oats, "" 48" Potatoes, "" 95" Sand, Dry, "" 95" Clay, Compact, "" 135" Marble, "" 169"

DEPARTMENT OF LANDSCAPE GARDENING ESTATE DEVELOPMENT.

We have, in connection with our comprehensive business, a Department of Landscape Gardening and Engineering, under the charge of a competent party whom we recommend to our patrons.

We undertake to advise as to the laying out of gardens, the general improvement of landed property, and the development of building estates; to provide plans and estimates, and, for a fixed sum, to carry out all the work incidental to the making of a small suburban garden, as well as to the designing and executing of the most extended estate improvement. We make no charge for plans, but they remain our property unless the work is carried out by us. The client, however, is expected to undertake transportation and other charges incident to the examination of the grounds in order to obtain a thorough understanding of their capabilities. To facilitate business, please address,

JOSEPH BRECK & SONS, Corporation,

"Department of Landscape Gardening."


47-54 No. Market St., Boston, Mass.,

For General List of Flower Seeds see Pages 63 to 97.

1899

BRECK'S SPECIALTIES AND NOVELTIES

FLOWER SEEDS, ETC.



Abutilons, New Fancy California.

ABUTILONS, New Fancy California. The flowers of these are of all sizes and forms, some so full as to be almost double. The colors are pure white, lemon yellow, rose, scarlet, crimson, as well

as yellow and red shades, beautifully veined. Pkt., 10 cts.
ASPARAGUS Sprengeri. A most desirable species, especially useful as a house pot plant and for growing in hanging baskets. The foliage makes a growth of over three feet, is of dark green color, most useful for cutting, as it retains its freshness for weeks. Pkt., 20 cts; plants, 25 cts. each.

ANTIRRHINUM. We are oftering finer strains of this much

improved, old-fashioned favorite than are obtainable elsewhere.

Our seed is from an unequalled private collection. Majus Grandiflorum. The plants are of very robust growth. The

flowers are nearly double the size of the ordinary kinds, while the colors are very vivid and striking. Splendid mixture, all colors, pkt., 10 cts. The following are new varieties of this season: Cupreatum. Carmine red and coppery orange, with yellow lip.

Kermesinum. Fiery crimson.

Brilliant. Orange, carmine and yellow, with white throat. Pkt., 20 cts. each.

Dwarf. This class is of neat growth and covered with flower spikes; if sown in March or April and planted out when strong

enough, they make a fine display throughout the summer and fall. Height 11/2 feet. Crimson, scarlet, striped,

yellow, white, carmine and white, any color. Pkt., 10 cts; mixed pkt., 10 cts.

Tom Thumb. These are of dwarf, compact growth, and come very true in color from seed. Height, 6 to 12 inches. Crimson, rose, white, yellow striped, orange and scarlet, any color. Pkt., 10 cts; mixed pkt., 10 cts.

Yellow Queen. An acquisition; the plants grow 15 inches high and produce, true from seed, an abundance of large, beautifully formed flowers of a bright yellow color. Pkt., 10 cts.

AMARANTHUS Hybridus. "Brilliant." A vigorous growing hybrid of A. tricolor. The plant attains a height of about five feet, is not of branching habit, and is covered from the ground to tip with beautiful, variegated, red and green leaves. The flower is carmine rose tipted yellow. Pkt. 20 cts.


red and green leaves. The flower is carmine-rose, tinted yellow. Pkt., 20 cts.

ADENOPHORA Potanini. A splendid new hardy perennial, allied to the Campanula. Its slender but elegant flower spikes are two to three feet in length, and during the months of July and August are covered with beautiful, bell-shaped flowers of a light blue color. Pkt., 20 cts.




Adenophora Potanni.

Hohenzollern. Compared with the original Comet Aster, this new variety is twice the size, and, owing to the peculiar formation of the flowers, its very size softens its general appearance and makes it in every respect more desirable. The graceful, re-curved petals of the Comet type are retained. The flowers are frequently seven inches in diameter, of the purest white, and surpass many of the Japanese Chrysanthemums in beauty. The plant is of vigorous habit and produces an abundance of flowers on stems almost two feet in length. Pkt., 15 cts.



Giant Comet, "Sulphur Yellow." This new and desirable color is of the very best type of the Giant Comet strain, cousequently is sure to meet with a welcome. Pkt., 15 cts.



Dwarf Comet Perfection Aster.

Dwarf Comet Perfection. This new class is likely to become a general favorite for many reasons. Its dwarf habit of growth—about two-thirds of a foot in height—makes it specially valuable for bedding. Its early blooming quality — it may be had in flower by July, — the large size, fine formation and pure white color of the flowers are features that recommend it. It will prove of especial service for pot culture. Pkt., 15 cts.



Aster, Dwarf Mignon.

Dwarf Mignon. Another Aster of dwarf habit that will enhance the value of the class. It grows about ten inches high, branches just above the ground, and produces in profusion the same lovely, semi-globular flowers for which the Tall Mignon Aster is so much prized. For beds, borders, pot cultivation or cutting it cannot fail to prove of immense value. The colors are Crimson and

White. Each, pkt., 15 cts.; mixed pkt., 15 cts.
panese Branching. The plants are of branching habit; the Japanese Branching. flowers have twisted petals like the Comet Aster or Japanese Chrysanthemum. They bloom somewhat later than the German sorts. Colors, White, Crimson, Pink, Purple. Mixed pkt.,

Dwarf Queen. "Vermilion." A new, brilliant and unique color. A valuable addition to our bedding asters. Pkt., 10 cts.

Triumph. "Deep Violet." A welcome addition to the finest of all dwarf asters. The flowers are of true Pæony-form, very double, and of a satiny, deep violet. Pkt., 15 cts.

Dwarf Chrysanthemum Perfection. "Pure White." A new color

in this favorite class. Flowers very large, very double, and of faultless form. Pkt., 15 cts. Queen of the Market. "Scarlet."

A magnificent color of the earliest flowering aster. 1'kt., 15 cts.

Marguerite Single Flowered China. These single flowered asters have already become general favorites, both for garden decoration and for cutting. This new color—pale mauve—is perfectly distinct from anything hitherto offered, and is of great beauty. Pkt., 15 cts.

For general list of Asters see pages 67-70.

AJUGA Metallica Crispa. A very dwarf, hardy perennial, growing about four inches high, and producing rather large, curiously-curled leaves of a dark green color with a metallic hue. The small, erect flower spikes are well furnished with tiny bright blue flowers. Of great value for edging or carpet bedding. Pkt., 25 cts.

ASTILBE Chinensis. A new vigorous growing spiraea from China. Its flower stalks attain a height of from five to six feet. The plume-like flowers are creamy white, shaded with rose. A perfectly hardy perennial.

Pkt., 15 cts.

BALSAM. "Prince Bismarck." The brilliant salmon-tose of this sort represents an entitely new color in Camellia Flowered Balsams. The plants are free bloomers. The flowers are the perfection of form and



Bidens Atrosanguinea Superba

a departure from the type.

BIDENS Atrosanguinea Superba. A tuberous rooted, tender perennial of dwarf growth, that flowers from June until frost. Height, one foot. Daisy-like flowers are borne singly on stems well above the foliage. The color is blackish purple. The petals of the flowers are irregular in size and frequently crested and curled. Pkt, 15 cts.


BEGONIA Hybrida. "Butterfly." Remarkable new strain of the tuberousrooted, large, single-flower-

ed Begonias.
The flowers
are marbled or
spotted white
on bright scarlet or brilliant
carmine. It
comes quite

true from seed. Pkt., 25 cts.
Grandiflora Erecta Cristata.
Tuberous-Rooted. Our illustration shows the style of this flower and how much it is
The seed we offer will produce

thirty to forty per cent. of the true variety; the balance, however, are

however, are be a u t i f u l, large flowered Begonias, much varied in color.
Pkt., 50 cts.




Begonia, "Butterfly."

Breck's International Prize. Tuberous-Rooted. Single. Without any exception this is the finest strain of tuberous-rooted Begonias offered. The flowers are of the finest and most varied colors and largest size. Pkt., 25 cts.

—Double. From the same source as the single flowered; unequalled. Pkt., 25 cts.

CANNA Variegata. New variegated leaved Canna, reproducing itself true from seed. Leaves, light green, lined and blotched with red and yellow and edged with light red. A novel and beautiful plant for decorative and bedding purposes. Pkt., 25 cts.



Early Blooming Cannas.

COSMOS. This is now a fashionable flower, and with good reason, for the strains offered vie with the rose in variety and brightness of colors, besides its cost is low and cultivation easy. The only difficulty in growing it in New England has been its late blooming habit. These plants seem to be very much at home in California, where they bloom in from five to six weeks from time of planting. To induce early blooming grow the plants in small pots or shallow boxes, allowing them to become pot bound before they are planted outside. Sow the seed in March, as soon as possible, transplant into two-inch pots, and again into four-inch pots which should be well filled with roots before the plants are set out in the garden. Do not either over feed or over water as semi-starvation will produce more satis-



Canna Variegata,

COSMOS .- Continued.



Early Blooming Cosmos.

factory and earlier bloom than the usual kindness. We list all the best varieties produced to date, including the Λext Early Blooming sort, which, although somewhat smaller flowered than the choice California strains produces beautifully colored flowers and blooms freely from July until frost.

New Early Blooming. While many people will continue to grow the large and exceedingly beautiful flowered sorts, although to do so successfully means a little trouble, yet this strain, because of its early flowering will find favor with many. The seed we offer was grewn in Massachusetts and is the result of patient selection for a number of years. The flowers are of fair size and many lovely shades. Pkt., 10 cts.

Early Blooming, White. Same strain as the preceding. Pkt., 10 cts.

Giants. Red, pink, white. The flowers are of perfect form and immense size. Separate colors or mixed. Pkt., 5 cts. Camelliaflora. Red, pink and white. Separate or mixed,

Camelliaflora. Red, pink and white. Separate or mixed, splendid varieties with very large overlapping petals somewhat like single Camellias, but larger. Pkt., 5 cts.

Tints of Dawn. New and distinct varieties. The flowers have a white ground, finely flaked or flushed with delicate pink; they are variously formed and very beautiful. Pkt., 5 cts.

Fringed. White and pink. Separate or mixed. Most exquisite and perfect flowers, with peta's overlapping or pleated. Pkt., 5 cts.

New Marguerite. Distinct and beautiful; the petals are deeply and irregularly laciniated and fringed. Pkt, 5 cts.

New Early Blooming California. Much earlier than the old

sorts. These embrace a great variety of forms and shades of color. Mixed. Pkt., 5 cts.
Golden Yellow. Perfectly distinct in habit; the plants being

of branching growth and furnished from the bottom up with finely cut, glossy, green foliage. Pkt., 5 cts.

CANDYTUFT. "Litttle Prince." (Iberis coronaria princeps.) Charming dwarf variety of the Candytust" Empress." It forms candelabrashaped pyramids, six inches in height, with four to five spiral spikes of large, pure white flowers, borne well above the dark green foliage. It will prove of great value for beds or borders. Pkt., 15 cts. "Rose Cardinal." A very striking and rich color. Quite distinct

"Rose Cardinal." A very striking and rich color. Quite distinct deep rosy cardinal. It differs very much from the carmine, and will be found a grand addition to this well known popular flower. Pkt.,

CENTAUREA, Imperialis. Mixed Colors. New large flowering hybrids of the sweet scented Centaureas, the result of crossing C. Margarite with C. Moschata. They inherit the vigorous growth of the latter, and form large, branching bushes three to four feet in height, covered with long-stemmed, noble flowers, of the exact form and of the same fragrance as those of the popular C. Margarite but of almost double the size. Unfavorable or wet weather does not affect

weather does not affect these flowers as it does the other Centaureas. The plants bloom profusely from July until frost. The colors embrace all shades of white, lilac, rose and purple. Pkt., 20 cts.

Americana Alba. Pure white flowered variety



Candytuft, Little Prince.

of the American corn flower. The flowers are very large—five to six inches across, and look like finely cut tissue paper. Pkt., 20 cts. CHRYSANTHEMUM. Carinatum. "Chameleon." An exceedingly effective, large flowered, annual variety. The markings are four in number, in quite distinct colors, light bronze with purple zone, clear yellow and crimson, alternating and changing as blooms mature, presenting a striking appearance during entire period of flower. Pkt., 15 cts.

COLEUS. Large Leaved Dwarf. An entirely new class of coleus that is especially adapted for carpet bedding. The plants attain a height of six to eight inches and produce their leaves in great profusion. The seedlings need no cutting back, simply pinch out the small flower stems and you have a perfect carpet of living leaves. The colors are blackish red to red, marbled and spotted. They come perfectly true from seed. Pkt., 20 cts.



New Large Leaved Coleus.



Cyclamen. Bush Hill Pioneer.

of strong and delicate shades and colors. The seed is saved especially for our trade from a private German collection. Pkt. 50, cts.
"Papilio." The flowers of this new type have highly fimbriated and curled petals. The seed we offer is mixed, and represents about five colors, white to dark red. A very beautiful class and a distinct break from previous forms.

CYCLAMEN. Giganteum, Breck's Imperial. This strain is unsurpassed in vigor of habit, size of flower and variety

The foliage is handsomely mottled. Pkt., \$1.00. Bush Hill Pioneer. Flowers white, of considerable substance, with a strikingly distinct crest or feather of the same color upon the face of each petal. This, the first variety of its kind, is undoubtedly destined to be the forerunner of an entirely new strain of Cyclamen, the feather adding enormously to the substance and lasting properties of the flower, besides opening up the possibilities of endless variety by the introduction of a colored feather on the white ground or a white feather on the colored ground.

Pkt., 50 cts. Large Flowered Double. An entirely new variety from Persia. The flowers are of beautiful form, and the richness of their colors yield to none of the older single sorts. They are without doubt of first merit and will increase the loveliness of the entire family by contrast. Pkt. 50 cts.

LPHINIUM. Caucasicum. A new hardy perennial Larkspur with slender flower spikes more than three feet DELPHINIUM. Caucasicum. in height. The colors of the flowers range from pale blue to intense ultra marine blue. Pkt. 15 cts.

DIANTHUS. Heddewigii Albus. A fragrant clove scented variety. Flower of a lustrous white and even edged, useful for cutting. Pkt. 10 cts.


GAILLARDIA. Grandiflora Compacta. A new compact growing perennial variety. The blooms, borne on perfectly upright stalks, have the same range of colors and markings as the tall growing sorts, and in addition are more profusely in bloom from early in June until frost. Pkt. 15 cts.

GERARDIA. Hybrida. A perennial that will bloom the Erst year. The plants attain a height of less than two feet, forming pyramidal bushes, well furnished with Pentstemon-like flowers, of colors from pink to deep violet. Pkt. 15 cts.


GLOXINIA. Hybrida. "Coquette." The essential feature of this novelty, which distinguishes it from all existing varieties. is that the mostly three colored flowers show a



"Cyclamen Papilio."



dish color. Pkt., 20 cts. See Special Offers on third page of cover.



Myosotis Stricta Alba.

SWEET PEAS. - Lathyrus Odoratus.

Here are Sweet Peas on tiptoe for a flight With wings of gentle flush o'er delicate white, And taper fingers catching at all things, To bind them all about with tiny rings .- Keats.

(See pages 91, 92 for complete list.)

We were the first Seedsmen in America to popularize these gems of beauty and fragrance, and we still maintain our position with the largest stock of the best strains of the kinds that give satisfaction to planters. There are now so many sorts offered the public that in some cases it is quite difficult to make a selection and be sure of having only the best. To overcome this trouble we have materially shortened our list, and while we retain as complete a variety of colors and blendings as formerly, our patrons have only half as many names to select from. With the exception of some of the 1899 novelties, all are American grown, and are superior in all respects to imported strains.

NOVELTIES FOR 1899,

Sadie Burpee. Of extremely dainty form and pure, pearly whiteness. It is the prettiest shaped flower yet produced, being of the fashionable hooded form. The plant is a strong grower, free flowering, and produces its flowers on long, stout stems. The seed is both black and white. Pkt., 20 cts.

Prince of Wales. Award of Merit. Royal Horticultural Society, 1897. A bright, rose-self of intense color and fine, bold form, also of great substance, bearing three and frequently four flowers, well placed, on long, stout stems; a most desirable addition, being extremely free flowering and quite unique in color; has received much admiration during the past summer. Pkt., 20 cts.

Lady Mary Currie. Award of merit, Royal Horticultural Society, 1897. First-class certificates at Trentham, Leicester, Wolverhampton and Edinburgh, 1897. A deep orange pink, delicately shaded rosy lilac, a most charming flower of exquisite brilliancy; it has been much admired wherever shown, and is likely to become one of the greatest favorites. Pkt,

Chancellor. First-class certificates, Scottish Horticultural Association, Edinburgh, Wolverhampton and Trentham, 1897. Standards, bright orange, wings bright orange pink, just a shade lighter than the standards; it is really a self-colored flower of intense glowing color, grand form, good substance, large size, usually three-flowered, well placed on long, stout stems. Pkt., 10 cts.

Colonist. First-class certificates, Wolverhampton and Leicester, 1897. This is a lovely flower, of fine form and substance, usually three-flowered, nicely arranged on long, stout stems; the growth is extremely vigorous, very free flowering, the rows being literally covered with bloom of the most beautiful soft lilac, overlaid with the brightest rose. Pkt., 10 cts.

Duchess of Sutherland. A pearl white, oelicately suffused with light pink, bright and charming, of fine form and good substance; the flowers being well placed on the stem make it a decided and desirable acquisition.

Duke of Sutherland. First-class certificate, Edinburgh, 1897. Deep claret, with a deeper flush of maroon on the back of the standard, the wings are of a bright indigo blue throughout; with age, the whole flower becomes of the same rich and bright indigo blue as the wings, a very effective color and quite distinct. Pkt., 10 cts.

Black Knight. This is one of the finest flowers, the color being absolutely a deep maroon-self, clear and shining, the standard bearing a bright metallic polish, flowers well expanded, also well placed on the long, stout

stem; the plants are of vigorous growth, and very free flowering. Pkt., 10 cts.

Earliest of All. This sort is identical in color with the Extra Early Blanche Ferry, but it is of dwarfer growth and comes into bloom ten days earlier. For this characteristic it will be much appreciated by both private growers and florists. Pkt., 10 cts; oz., 40 cts.

Modesty. This is the most delicate pink in existence. Although of such a delicate blush it is really a self-color,

and sufficiently pink not to conflict with any of the whites. Pkt., 10 cts.

Stella Morse. The blossom opens with quite a suggestion of yellow which becomes a little lighter as the flower grows older. About the third day it is a delicate primrose with a delicate rosy-pink on the edge. Pkt., 10 cts.

Navy Blue. Entirely distinct from anything yet offered. General color dark blue; standards brilliant royal purple; wings pure violet, the whole flower elegantly veined in sharp relief. Pkt., 20 cts.

THREE NEW CUPIDS.

Beauty. Standards delicate rose, lightening to nearly white at the edges, and slightly striped wiih carmine The wings are suffused rosy carmine, deepening at the edges. Pkt., 20 cts.

Alice Eckford. Standards creamy white, shaded flesh pink. Wings silvery white, with a pink flush. Pkt., 20 cts. Primrose. The flowers are of a rich, creamy tint identical with that of the tall Primrose. Pkt., 20 cts.

OUR OWN INTRODUCTIONS.

Breck's Harvard. This beautiful, deep crimson variety, introduced by us three years ago, has become a great favorite throughout the country. Per lb., 75 cts.; oz., 10 cts.; pkt., 5 cts.

Blushing Bride. The beautiful rose and white flowered variety, grown so largely by Boston florists. Per lb.,

15 cts.; oz., 10 cts.; pkt., 5 cts.

Fisher's Snowflake. A new white, that received the first EIRST CLASS CERTIFICATE OF MERIT awarded by the Massachusetts Horticultural Society to a Sweet Pea. We control the entire stock and offer it only in sealed packages. Per lb., \$1.00; oz., 15 cts.; pkt., 5 cts.

Breck's Boston Mixture. Lb., 75 cts.; oz., 10 cts. Breck's Choice Mixture. Lb., 60 cts.; oz., 10 cts. Eckford's Mixture. Lb., 60 cts.; oz., 10 cts.

For general list of Sweet Peas see pages 91, 92. See Special Offers on third page of cover.



MIGNONETTE. Compacta argentea. Recommended as being much superior to anything hitherto offered as a White Mignonette. It is of bushy, compact growth and produces about sixty or seventy per cent of fine, large, silvery white flower spikes Pkt., 20 cts.

ASTURTIUMS. We call especial attention to our strains of Tar and Dwarf. They are really beautiful, scarce named varieties. have them grown for us by the most successful cultivator of this popular flower in the world. We assort the varieties ourselves, and can thus assure customers of their obtaining, not only the most vigorous strain in existence, but the greatest number of shades and delicate colors. The mixture includes white, pink, rose, scarlet, crimson, brick, claret, garnet, orange, primrose, yellow, etc. Tall Mixed, pkt., 5 cts.; oz., 15 cts.; Dwarf Mixed, pkt., 5 cts.; oz., 20 cts. Tropæolum Lobbianum Mixed, pkt., 10 cts.; oz., 40 cts. For complete list of varieties, see pages 87, 92, 93.

Lobbs. Yellow. A new variety of Tropæolum Lobbianum with pure golden yellow flowers without any spots. Pkt.,

15 cts.

PHYSALIS FRANCH-ETI. We are indebted to Japan for this addition to our ornamental plants. It grows about two feet high, is of erect habit,

and covered with beautiful foliage, which shows off its brilliant seedpods to great advantage. The seed-pods are the striking feature of the plant; they are almost globular in form (see cut) over two inches in diameter, of a shining orange-red tint and enclose a cherry-like fruit of the same color. This is edible and especially recommended as a preserve. The intense color of the seed-pod makes the plant valuable for decorative purposes. Pkt., 10 cts.

SALPIGLOSSIS. Emperor. A showy new variety, with one strong main stem, thickly covered with blossoms as large as those of the grandiflora section, and prettily veined with rich yellow. The new colors for 1899 are deep scarlet, purplish brown and golden, yellow, rose.

Mixed, 25 cts.; separate colors, 25 cts.

Physalis Francheti. SALVIA Splendens, "Ingenieur Clavenad." A series of distinct new varieties of the early flowering scarlet Sage, gained by artificial hybridizing. The plants are of compact growth and very early and free blooming. The colors contained in the mixture offered are creamy white; creamy white, red striped; violet, white striped and purplish violet. Pkt., 25 cts.

Helianthus Orion.

SUNFLOWER. Helianthus Cucumerifolius Orion. Effective new variety of the "Stella" type. The petals of this novelty are twisted like those of the Cactus Dahlias. The color and form are excellent, and the plants flower freely.

Pkt., 15 cts. tella. This new annual Sunflower attains a height of three to Stella. four feet and differs from the miniature sunflower by its larger and better formed flowers of the purest golden-yellow, with a black disc. The individual flowers, three inches across, are all borne on long stems and rise well above the small green foliage. Pkt., 10 cts.

New Double-Flowered Annual. This plant in many respects resembles the well-known double-flowered perennial sunflower. It is of compact, pyramidal growth, attains a height of six feet and is entirely covered from the end of July until frost with beautiful double, golden-yellow flowers. Pkt., 10 cts.

TAGETES. Patula, Double "Liliput." Sulphur-yellow double

Liliput French Marigold. Beautiful and very effective for beds and borders. Pkt. 15 cts.

VIOLA CORNUTA. "Papillio." New bedding Pansy, having large loose petaled flowers. The color is an exceedingly lovely violet lilac, with small dark eye at the base of the petals. VERBENA. Hybrida Grandiflora Alba. This is the first of

the Mammoth Verbenas that produces itself true from seed. The flower trusses are large and of the purest white. Pkt. 20 cts.

ZINNIA. Elegans. "Double Miniature." An interesting departure in this favorite class. The plant grows less than six inches high, and shows in habit, foliage and bloom a perfection not usually found amongst Zinnias. The small pointed leaves stand closely together and immediately above them are formed the almost sessile flowers which do not show any stiffness. The colors, offered in mixture, are white, scarlet, crimson, purple, dark rose, and yellow. Pkt., 15 cts.

We Double It

We will take pleasure in duplicating all FIRST PREMIUMS offered in 1899 by any Horticultural or Agricul ural Society in the United States, that may be secured with the product of Flower Seeds or Bulbs purchased of us. WE WILL PAY the amount on presentation of the certificate of the society's award, accompanied by particula s of cultivation, and a statement that the seeds from which the prize winners were grown, were BRECK'S SEEDS. (This offer is copyrighted.)



Our purpose in making this unique offer is threefold:

lst. We aim to awaken a greater interest in Horticultural and Agricultural Societies, and to increase the competition at their Exhibitions for the premiums offered.

2nd. We hope that the enhanced value of these First Prizes—will result in the production of better specimens exhibited, through the planting of high grade seeds and more intense cultivation; and that by demonstrating possibilities, stimulate a purpose on the part of growers to attain the highest standard of perfection.

3rd. We believe that the Seeds and Bulbs offered by us are the best strains in the world, and we wish to encourage those who are not acquainted with our goods to ascertain it by experience.

If you are successful in obtaining any First Prizes with the product of Breck's Seeds or Bulbs, in accordance with the offer we make above, send us the society's certificates of such prizes (which certificates will be returned to you), together

with particulars of cultivation, and we will send you a sum equal to that awarded by the society. The same specimens must not be entered in more than one class or show, and if awarded specific prizes they cannot also be included in collections. We do not duplicate prizes offered for arrangement of exhibit, or for mixed exhibits.

Persons who intend competing for prizes must secure the necessary seeds or bulbs direct from us.

The Immense Number of First Prizes AWARDED TO THE PRODUCT OF Breck's Flower Seeds SEASON OF 1898 IS

Proof of Their Superiority.

The interest attaching to our offer "We Double It," was fully maintained, and as a consequence we have been asked to duplicate a great many First Prizes. From such a large list as we have it is somewhat difficult to make a selection that will be fairly representative, the following however, will give a general idea.

The largest sum paid to one person, season of 1898, under our offer to duplicate prizes gained with the product by Breck's Flower Seeds was \$35.75, to Wm. Bain, No. Chatham, N. Y. His awards included Aste s, Cockscomb, Chrysanthemums, Phlox, Dahlias, Verbenas, Sweet Peas, Tuberous Begonias, Antirrhinums, Marigolds, Balsams, etc.

The smallest sum, was \$1.50, to C. T. Buell, Mechanicsville, Ill., being a duplicate of First Prize for Sweet Peas. John Grape, Waukesha, secured the First Prize for Sweet Peas, offered by the Wisconsin State Board of Agriculture. Also for Pansies and Double Petunias. Our old friend, C. W. Eno, New York, was first with Dianthus, Nasturtiums, Ten Week Stocks and Petunias. The Worcester County Horticultural Society's First Prizes were awarded to the product of Breck's Seeds for Asters, Nasturtiums, Phlox, Zinnias, Scabiosa, Fringed Petunia, and Sweet Peas.

The Massachusetts Horticultural Society's Sweet Pea Award for 30 vases distinct varieties was secured by H. B. Watts, Leicester, Mass., with the product of seeds bought of us. The Superiority of our strain of Antirrhinums was also attested by Alexander Adam of Longwood, securing the Massachusetts Horticultural Society's Prize for this old but now very popular favorite.

We congratulate all our 1898 Prize Winners.

We wish them and others equal success for 1899, with the seeds that Produce Prize Crops.

JOSEPH BRECK & SONS,

(CORPORATION,)

47 to 54 North Market St.,
BOSTON,
MASS.

We prefer that Remittances be made to us (when possible) by

EXPRESS MONEY ORDERS

They are absolutely safe, and can be obtained at any office of the

AMERICAN EXPRESS COMPANY.

RATES FOR ORDERS PAYABLE IN ANY PART OF THE WORLD:

\$5.00 10.00	5 cents	\$30.00	cents.	\$60.0020 75.0025	cents.
20.001	0 "	50.0018	66	100.0030	6.6
		Over \$100 00 at ah	ove rate	ac .	

Where this Company has no office, or if more convenient, remittances may be made by Bank Draft, Post Office Order, or Registered Letter.

Orders so received will be considered as accompanied by Cash, and entitled to the benefits to be derived from our Special Offer.

JOSEPH BRECK & SONS (CORPORATION.)

READ OTHER SIDE.

HOW TO ORDER GOODS. (Nov., 1894.)

ANY DESCRIPTION OF GOODS SOLD BY US MAY BE ORDERED THROUGH THE

American Express Co.'s Purchasing Department,

At places where that Company has agencies. Where the price of goods does not exceed \$5.00 they will advance amount of bill and forward goods to you by first express, to be paid for upon delivery; thereby saving you the trouble of remitting the money in advance. No charge is made by the Express Company for their service other than a small fee for advancing the money, and the usual rates for carrying the goods.

For full information and supply of Order Blanks, apply to that Company's local Agent in your place.
Fill out the Order Blanks to read, Purchase of

EVERYTHING FOR GARDEN, FARM AND LAWN.

JOSEPH BRECK & SONS, (Corporation,)

49-54 No. Market Street, - - BOSTON, MASS.


The "BAY STATE" Wheel Harrow. WITH RIDING ATTACHMENT.

THE ONLY HARROW in the market having a Riding or Wheel attachment whereby the harrow is practically independent of the wheel attachment, and when the levers are thrown forward and teeth raised, or when teeth have entered the ground, the frame rests upon the axle and supports attached to it.


OVERCOMES the objections that exist in other Spring Tooth Harrows, and will work in trash, stones and soils where other Harrows fail.

Send for descriptive circulars, mailed

Made with 16 teeth, larger sizes to order.



Manufacturer's price, 16 Tooth Harrow complete \$25.00. Our net price \$20.00.



The "ACME" Pulverizing Harrow AN OLD FAVORITE AT A REASONABLE PRICE.

For durability, ease of handling to take from field to field, and satisfactory work, the 'Acme' is the best Harrow for the money we have ever seen. It is unquestionably the best sod Harrow, and lighter of draft than any Disc Harrow.

We do not know how anybody can farm without the 'Acme,' especially as it now costs but little more than the ordinary spike tooth harrow. Catalogue mailed on application.

No. 17. Two Horse (see cut) 6 ft, 6 in, cut. Our net price each \$15.00. Not included in our Special Offers.

Genuine Oliver Chilled Plows.

GENUINE Oliver Plows AND **GENUINE**

Oliver Repairs

ARE THE

BEST IN THE WORLD.



DESCRIPTION.	Capacity.	Weight.	Plain.	With Wheel.	With Wheel and lointer or Cutter.
No. A. Light Onc-Horse	" 5 x 10 " 5 x 11 "	50 lbs. 65 " 70 " 80 " 110 " 1125 " 130 "	\$4.00 5.50 6.50 7.00 7.50 8.00 8.50 8.50	\$1.75 6.25 7.25 8.00 8.50 9.00 9.50 9.50	\$6.25 7.75 8.75 10.00 10.50 11.00 11.50


Oliver Hillside or Swivel Plows.

DESCRIPTION.	Capacity.	Weight	Plain.	Complete W. & J.
No. 52. Light One-Horse	Furrows, 6 x 11	100 lbs. 160 "	\$10.00 12.00 11.00	\$15.co 14.co

Beware of imitation plows and extras, claiming to be the genuine Oliver or equally good. The genuine plows and repairs, direct from the factory, are for sale in New England only by us and our authorized agents. All others are spurious, and cannot be relied upon to fit well or do good work.


"Planet Jr." Implements for 1899.

HORSE TOOLS





Planet Jr. No. 8 Horse Hoe.



Planet Jr. 12 Tooth Harrow.

No. 8 Horse Hoe and Cultivator, complete		\$8.00	Twelve-Tooth Harrow, without pulverizer .	\$6.6
No. 7 "		7.50	" " or	
No. 6 " " "		7.25	wheel	5.40
No. 5 " " "		6.75	No. 4 Plain Cultivator, with wheel	4.50
No. 5 " " "			No. 4 " without wheel	3.75
without wheel		6.00	Double Celery Hiller	11.00
No. 9 Horse Hoe and Cultivator, complete		7.00	Single Celery Hiller ,	9.50
No. 9 '' without wheel	1.	6.25	Universal Cultivator (cuts 5 feet 3 inches).	35.00
Nine-Tooth Horse Hoe Attachment ,		5.00	Spring Tooth Universal Cultivator, two	
Irish Potato Digger		16.00		31.00
Sweet Potato Digger		16.00	Pivot Wheel Cultivator, complete, two horse	40.00
Sweet Potato Horse Hoe, complete .		7.50	Two Row Pivot Wheel Cultivator, two horse	50.00
Twelve-Tooth Harrow, complete		8.00	Beet Cultivator, two horse	50.00

"PLANET JR." SEED SOWERS.




No. 3 Hill Dropping Drill.

New and Valuable Improvements for 1899



No. 5 Seed Drill. Rows or Hill.



No. 4 Seed Drill, Complete.





No. 2 Seed Drill	\$6.50
No. 1 Combined Drill, Cultivator, Rake and	
	9.00
Fertilizer and Pea Drill	
Fertilizer and Seed Drill Combined	16.00
No. 5 Market Gardener's Hill Dropping Seed	
Drill	12.00

	No. 4 Hill Dropping Seed Drill	Cu1	tiva	tor,	
	Rake and Plow				\$10.00
	No. 4 Hill Dropping Seed Drill,	(pla	ain	as a	
	drill only)				7.00
	No. 3 Hill Dropping Seed Drill				
ı					

Our Special Offer No. 1 (see third page of cover) applies to all Planet Jr. Goods,


"Planet Jr." Wheel Hoes.





Planet Jr. No. 12 Double Wheel Hoe.

No.	11.	Double	Wheel	Hoe,		\$8.00
No.	12.	"	"	"	less rakes, etc.	6.00
No.	13.	6.6	"	6.6	plain (hoes only)	4.00
No.	15.	Single	"	"	complete	6.00
No.	16.	i.	"	6.6	less sweeps and	
	rake	s .				5.00
No.	17.	Single	Wheel 1	Hoe,	less rakes and hoes	4.00




Planet Jr. No. 16 Single Wheel H e.

Ñ	o. 18.	Single	Wheel 1	Hoe, 1	oes only	7.	\$3.co
Si	ngle V	Vheel H					4.50
	"		' plair	n (1890	style)		2.75
No	o. IO.	Double	Wheel	Hoe,	comple	te.	6.00
No	o. 10.	4.6	"	"	plain		3.50
Fi	re Fly	Single	Wheel :	Hoe			3.75
Fi	re Fly	Single	Wheel.	Hoe			



Planet Jr. Grass Edger, \$5.00.



Fire Fly Hand Plow, \$2.00.

"PLANET JR." EXTRAS. Not included in our special offer

11	4 inc	h Ste	els.					\$.	08	15-inch Furrower		\$1.25
I 3	4	6.6							.09	20 " with wings		1.75
21	4	"							10	10 " without wings .		.80
3		"							II	Wings, each		.50
4		"						,	12	Ridging Steels, each		I.IO
7	inch	Shov	el Ste	e1.					.25	Roller		1.50
8	"		6.6						.30	Reversed Rake		.80
Bo.	lts .								I ½	Pulverizer		. 2.CO
			p and					,	.30	" for Harrow, special .		1.75
[0	"		- 66						35	Marking Attachment		2.50
12		"	"						.40	Nine-Tooth Horse Hoe Attachment		5.co
15		"			6				45	Vine Lifter Attachment		1.40
6			Steel	s, e	ach				.50	Lever Runner Attachment		1.60
6	"	Hoe	"						.40	Lever Wheel for No. 8 Horse Hoe .		1.90
	"	"							.50	. 6		1.40
IO		"	Furre	owe	r				.8o	Wheel for No. 5 Horse Hoe		.80

Large Descriptive Catalogue of "Planet Jr." Goods Mailed on Application.

Our Special Offer No. I (see third page of cover) applies to all Planet Jr. Goods,

GENUINE PHILADELPHIA LAWN MOWERS FOR 1898.




The style T machines have wheels 7 inches in diameter. The wiper is made from wrought iron, having the spiral knives bolted on. By this device the knives can be easily detached and replaced at a trifling cost, if necessary. Having a four-blade cylinder, the machine does fine work. While these improvements add considerably to the cost, the price is no higher than that of other machines.

	PRICE L	IST. J	Jos. Breck & Sons						
Width.	Weight.	Mfrs. Prices.	Net Cash Price						
12 inch	30 lbs.	\$16.00	\$6.00						
14 ''	32 ''	17.00	6.50						
16 ''	34 ''	19.00	7.50						
18 ''	36 ''	21.00	8.50						
20 ''	38 ''	23.00	9.50						

The style K Mower, with its Io-inch wheels and five-bladed cylinder is the lightest running and smoothest cutting mower ever used on a lawn. It will cut as high grass as any machine made, and, like the other Philadelphia mowers, it combines all that is desirable in the way of quality, simplicity, durability and ease of operation.

PRICE LIST.

Width.	Weight.	Mfrs. Price.	J. B. & S. Net Cash Price.
14 in.	45 lbs.	\$20.00	\$8.00
16 ''	48 ''	22.00	9.00
18 ''	50 ''	24.00	10.00
20 ''	54''	26.00	11.00





Lawn
Mowers
of all
Kinds
Properly
Repaired.
Send Machines to
us early and
avoid the
rush.

In addition to the machines shown in this catalogue we carry in stock all the other mowers made by the Philadelphia Lawn Mower Co., and can furnish same at the lowest cash prices.

Manufacturers' Jos. Breck & Sons' Prices. Net Cash Prices Prices. 25-in. Pony (or two-man) Lawn Mowers, \$ 35.00 \$ 50.00 75.00 52.50 Adapted to lawns where there are many trees. 30-in. Horse Lawn Mower, with draft rod, 100.00 65.00 30-in. seat and shafts, 120.00 80.00 " 6.6 35-in. draft rod. 80.00 120.00 6.6 " seat and shafts, 6.6 6.6 35-in. 140.00 95.00 Recommended for the majority of lawns. 36-in. Horse Lawn Mower, with seat and shafts, 160.00 125.00 For large parks, public grounds and golf links.

Special prices on large quantities or for export.

Lawn Swings, Chairs and Settees.

"Made in the home of the deer and the moose, Of the silver birch and the mountain spruce."







These Awnings are perfectly automatic and furnish a delightful and healthful exercise for persons of all ages, as the smallest child can operate them with absolute ease and safety. As a promoter of health, strength and vitality, this swing has no equal, as with it either gentle or vigorous exercise

may be taken at will.

The Chairs and Settees illustrated are entirely new in design, and are the only folding ones made, having wide arm rests. They are strong, attractively finished, very comfortable, and for the Piazza or Lawn have no equal.

Price List.

						_									
No. 2.	Lawn Swings					t. hig	gh,	weight	75	1bs.,				each,	\$ 5.50
No. 3.				Park,		"			190				•		15.00
No. 5.	Double Swin	g for f	our	perso	ns										9.00
Awning	for No. 2 Lav	vn Swi	ng	· .											6.00
	Chairs,		,											6.6	1.25
	Settees, .													6.6	2.50

GARDEN AND LAWN HOSE.



The Best, Most Reliable and consequently the Cheapest Hose Sold.

Price List. Prices Include Couplings.	Manufac-	Jos. Breck & Sons'							
RUBBER HOSE.		Net Cash Prices.							
Superior 3/4-inch, 3-ply, for extra heavy pressure	÷,_	*							
per foot	\$0.30	\$0.20							
Boston 3/-inch, 3-ply, for heavy pressure, per fo	ot .30	.17							
Boston, ½-inch, 3-ply "heavy "	.25	.15							
Extra, \(\frac{3}{4}\)-inch, \(\frac{3}{2}\)-ply " ordinary "	•30	.14							
Extra, ½-inch, 3-ply " ordinary " "	.25	.12							
BLUE LINE COTTON HOSE.									
Cotton, 3/4-inch, for all pressures, per foot .	.30	.12							
Cotton. ½-inch, " "	.25	.11							
1 (1-1	a abaum	f Candan							

Please remember that we offer no cheap grade of Garden Hose, every foot is warranted, and is sure to give satisfaction.

Hose Nozzles or Pipes.

Boss Spray Hose Pipe,

Fairy Spray Pipe,

each, 40 cts.; including postage, 50 cts. each. Throws straight or flat fan shaped spray.

New Boston Spray Nozzie, each 40 cts.; including postage 50 cts. each.

Throws straight stream and two distinct forms of sprays.

Neptune Hose Nozzle, each, 35 cts.; including postage, 40 cts. each.


Made of hard rubber with soft rubber tip for florists use.

each, 50 cts., including postage, 60 cts. each.

Hose Menders.

All the Popular Kinds carried in stock at Reasonable Prices.

Lawn Sprinklers.



each, 50c.



Garden Hose Reels.

"Hub," carries 100 ft. ¾-inch hose, each, 2.00 "Victor," "50 " " " " 1.00 "Lawn," "300 " " " "9.00 Our Reels are made from selected stock, nicely painted and finished.



Common Sense Sprayers

Invaluable for spraying all kinds of insecticides in a liquid or dry powder form, and for spraying cattle with kerosene.

They are especially adapted to the use of Poultrymen and Florists and can be used by all to advantage around the house and place. The copper sprayer is not affected by acids, and is practically indestructible.

NOTICE!

Our stock of Farm, Garden, Lawn, and Greenhouse requisites is very large. As our space does not permit mention of the great variety, will send our Catalogue of 314 pages, on request, to all who send us orders from this book, and to others on receipt of 15 cents to cover transportation.



Rice's Calf Weaner.

For preventing calves and cows sucking themselves or each other. The only weaner made giving perfect freedom to the animal.

No. 1, for calves, each, \$0.30 No. 2, 1 to 2 years, '' .50 No. 3, For full grown, .75

By mail, No. 1, 35c.; No. 2, 56c.; No. 3, 85c.

"Miller Junior" Sprinkling Cart.

These carts are intended for sprinkling lawns and private grounds or country places, and for truck gardens and flower gardens, cemeteries, yards and drives. They are very handy sprinklers around railroad shops and mills and lumber yards, and all places where a one-horse sprinkling cart of moderate capacity is useful. They will sprinkle wide or narrow. They can be used for laying dust or for watering grass as the wide tires prevent any injury to the sod. The valves work separately from the driver's seat so that either side can be used. A hose-threaded brass bib faucet is placed in the rear of the barrel, to which a regular three-quarter inch garden hose can be attached for watering plants and filling barrels.

Not included in our special offers.

Sprinkling cart as shown. Our net price, \$90.00.

BRECK'S "SPECIAL" FARM OR RAILROAD CART




N.B. Farm Wagons, Contractors' Carts, Sleds, etc. furnished promptly from stock or made to order. Send for illustrated price list. Correspondence solicited.

Farm or Railroad Cart, Shifting sides for same Mfrs. price each, \$60.00 '' set, 6.00

Our net price, each, \$50.00 set, 5.00

OAK TANNED LEATHER HARNESS, STRICTLY HAND MADE



We offer an excellent line of harness, made expressly for us in large quantities at very low prices, quality being considered. These are not the cheap machine sewed harness that generally give out during the first rain storm they are used in, but a plain, well finished, strong, hand sewed article, that we guarantee to be exactly as represented. Any style of harness built to order promptly and at a reasonable price.

BRECK'S EXTRA DOUBLE TEAM HARNESS.

Special Cart Harness, complete, less collar, each	١.		Mfrs. price, \$32.00	Our net pric	e, \$25.00
Extra Double Team Harness, less collars .			65.00		50.00
Double Farm Harness, complete, less collars			" 50.00	6.6	40.00
Single Driving Harness			" 28.00	4.6	23.00
Single Express Harness			" 38.00	6.6	30.00
Collars, extra quality, all sizes, each			" 3.50	6.6	3.00
Sweat Pads, all sizes, each			" .50	4.4	.40
Hame Straps, common, 20 inch, each			" .40	4.6	.25
" extra, 11/2 x 24 inch, each			" .50	6.6	.30
" " " 1½ x 30 " "			.60	h 6	·35

In addition to the foregoing we carry in stock a complete assortment of Trace, Whiffltree, Stake, Back, Breast and Tailboard Chains, Back and Belly Bands, Hames, Halters, Tie Ropes, Stake Irons, Wire Cushions, 3 Bow Tops, Umbrellas, etc., at lowest market prices.

W. E. WHITMAN, Manager.

Factory at Auburn, Maine

THE WHITMAN AGRICULTURAL WORKS.

MANUFACTURERS OF

Horse Powers, Threshing Machines, Sawing Machines, Wheelbarrows,

Trucks, Cider Mills, Hay Cutters, and General Agricultural Machinery, Implements, Farm Carts and Wagons. Address all communications to

JOSEPH BRECK & SONS, (Corp.), N. E. Agents, BOSTON, MASS.

Other Varieties can be furnished at Lowest Prices.



CAHOON'S BROADCAST SEED SOWER.

The acknowledged superiority of these machines over all others has already placed them in the front rank of labor saving agricultural implements. A saving of four-fifths of the labor and one third of the seed is effected by their use, and a person entirely unused to sowing by hand can use this machine with perfect success. Sows from 4 to 8 acres per hour at a common walking gait, throwing out wheat about forty feet wide.

Our net price, each,

NEVER SLIP WIRE STRETCHER.

Our net price, 75c. each.

\$4.00



If you cut or injure the galvanizing on a wire it lets in rust. Consequently the wire is weakened and breaks at this point. The Never Slip stretcher has an iron jaw, but no teeth. When it gets a hold it never lets go, but hangs on with a deathlike grip to all kinds of wire.





SMALL'S CALF FEEDER.

This article was designed and has been perfected by the inventor for feeding milk to young calves in a natural way before they are old enough to eat and drink otherwise. Our net price, each . \$2.50 Extra nipples by mail 25c. each, five for \$1.00.

OF THE CORN FIELD KING CORN PLANTER.



Plants all kinds of corn, beans, peas, beets and other seeds of similar size. Also fertilizer in hills or drills as desired. Send for circular.

Mfrs. price, \$25.00. Our net price, \$22.50.

THE AMERICAN HAND CORN PLANTER

This planter is better known, has reached a larger sale, has proved more popular, and has given better satisfaction than any other hand planter ever manufactured. Operates with one hand as fast as one can walk, and an operator can plant in one day, from eight to ten acres. Works in all kinds and conditions of soil, and is the only one which insures an accurate and re-

Our net price, each, \$2.00.

liable seeding.

White Mountain Ice Cream Freezer.

Our net prices.										
2-qt. \$1.74	10 qt. \$5.89									
3 " 2.14	12 " 7.00									
4 '' 2.64	15 " 8.50									
6 " 3.24	20 " 11.50									
8 " 4.39	25 " 14.00									



WHITMAN ADJUST-ABLE WEEDER.

This weeder differs materially from all others, it having a lever adjustment that by simply turning a handle nut, the teeth can be instantly adjusted from a vertical position to any inclination desired, if necessary, without stopping the horse.

Mfrs. price, \$10.00 each. Our net price, \$8.00 each.

For complete catalogue of Agricultural Hardware, Implements and Machines, Woodenware, etc., and how to obtain it, see page xiv.





It is somewhat difficult to convey detailed particulars as to how success may be had in the planting and maturing of flowers. The skilled gardener who has every appliance necessary, often fails in his efforts; while the little girl who has no knowledge of the art, but loves flowers, will frequently surprise not only herself but the older folks, who are not so much interested, with the results obtained by her labor and love. "The Norwegians have a pretty and significant word, 'Opelske,' which they use in speaking of the care of flowers. It means literally 'loving up,' or cherishing them into health and vigor."

The following practical information, in connection with the special cultural notes, that, when necessary, are set in the right-hand column against the variety, will be of service in making for success.

Hardy Annuals (hA.).—This class requires no artificial aid, but grow and flower freely in the open air, mature their seeds and die in the same year. Before sowing the seeds in the open border, the soil should be thoroughly enriched with fertilizer, or stable manure, dug and raked until firm, level and smooth. If possible, the location should be free from shade, although some sorts do well where they do not have the sun for more than half the day.

Seed should be sown in spring as soon as the ground is dry enough to work freely. After the seed is sown shake over it fine soil sufficient to cover, lighter or heavier, according to its size; a good rule is, say, to cover, to twice the depth of the diameter of the seed. Very fine seed, such as *Portulacas*, require no covering at all, but should be merely pressed into the soil with a piece of board, or the palm of the hand. A second sowing ought always to be made in from two to four weeks after the first, in order to provide for a succession, as well as to insure against failure.

When it is desired to sow hardy Annuals and carry them along indoors until they can be planted out for early effect, there is nothing better than shallow boxes, two or three inches deep, filled with sandy loam. Take especial care until the plants are up and during their early stages of growth to give plenty of air and moisture, and yet not too much water or they will "damp off." When they are well out of the seed leaf they should be planted in rows in other shallow boxes; or in two-inch pots, setting from three to six plants around the edges. If they begin to crowd one another before the weather is suitable for setting out a second transplanting, more thinly or into larger pots, may be necessary. When first set out in the garden, or during very dry weather, until well established, they should be watered frequently. Keep down all weeds, and loosen the ground occasionally so that the plants may receive the full benefit of rains and dews, which will not be the case if the ground is allowed to become hard or crusted.

Half-Hardy Annuals (hhA.)—These, in the latitude of Boston, should not be sown out-doors until about the middle of May. A good rule, followed by a successful gardener, is to sow these, and even some of the tender Annuals, at the same time he makes his sowings of cucumbers and melons. With half-hardy Annuals, however, it is generally best to sow them under the same conditions as advised for hardy Annuals in-doors.

Tender Annuals (tA.).—To get strong plants and an early bloom, sow the seed in shallow boxes or pots in March, and place them in a warm greenhouse, or plunge in a moderate hot bed, shade from the strong sun and water only with a very fine rose. A very light, sandy soil and good drainage are essentials. Be particular that the finer seeds are not covered over deep, but have the soil pressed closely about them. Water frequently, especially if the greenhouse or hot bed is very warm. When the plants are out of the seed leaf, transplant into shallow boxes or small pots. When sufficiently strong and the weather is suitable, set out in the flower beds, but not before the end of May.

Hardy Biennials (hB.) and Perennials (hP.).—These require the same conditions as hardy Annuals. Those marked with a dagger (†) if sown early, in boxes, as directed for hardy and half-hardy Annuals, will bloom the first year. All, however, may be sown in the open border in August or September; in which case it is a good plan at the commencement of frost to give them a light covering of straw, leaves or

dry litter. When the frost is out of the ground in spring remove the covering, loosen the soil around the plants, and when large enough transplant them to where they are permanently to remain.

Half-Hardy Biennials (hhB.) and Half-Hardy Perennials (hhP.).—These may be sown in the open border as directed for hardy Annuals, but, when practical, it is generally better to start them in-doors, as recommended for half hardy Annuals.

Tender Biennials (tB.) and Tender Perennials (tP.) .- Accord these the same treatment as recommended for tender Annuals.

Those to whom a greenhouse or hot bed is not available will meet with good success by placing the boxes or pots in the open sunlight in the windows of the dwelling house, and keep the temperature from 65 to 75 degrees during the day and 10 degrees less at night. If the soil was in proper condition at planting time, a slight sprinkling once a week will be sufficient until the plants begin to grow nicely.

Greenhouse Seeds.—Some of these may be sown at almost any season of the year. Leaf mould, or peat, with some fine sand added, is the most suitable soil, and the shallow pots or boxes before recommended can be used. The smaller seeds of greenhouse plants are somewhat difficult to germinate unless extra care be taken with them; they require to be slightly watered occasionally, and sheltered from the hot sun until large enough to transplant. Press the soil firmly down into the pot or box and make perfectly level, so that no unequal settlement takes place through watering. The seeds should be sown thinly and covered very lightly with finely sifted spaghnum moss. A pane of glass placed over the pot or box until the little plants get well started is of decided benefit, but care should be taken to air occasionally, when excessive moisture is shown by water globules on the under side of the glass. When the young plants have two leaves they should be transplanted into a similar soil, in other pots or boxes. To do this do not pull them out one by one, but, if in a pot, remove the entire contents and break up gently; if in a box, loosen by running a trowel around the side and take out a mass at a time, thus preserving the little roots which are so essential to their future welfare. After transplanting, keep in a shady part of the greenhouse and water sparingly until established, when they may be removed to the light.

It is well to know that Poppies delight in a rich, sandy loam, that Eschscholtzias will do best in a poor soil; or of Pansies, give them abundance of old manure, the richest earth you can find, plenty of water and partial shade; that you need not be anxious if it is not convenient to carry water for Nasturtiums in a dry time, for their habitat is dry Chili, and they will thrive in a dryer soil and atmosphere than almost any other plant; or that Zinnias like a heavy, cool clay; Sweet Peas a deep, rich soil and plenty of water, while such gross feeders as Roses, Sunflowers, Hollyhocks, Dahlias and Asters cannot be planted in too rich a situation; yet,

"To raise your flowers, various arts combine, Study these well, and fancy's flight decline; If you would have a vivid, vigorous breed, Of every kind, examine well the seed; earn to what elements your plants belong; What is their constitution, weak or strong

Be their physician, careful of their lives, And see that every species daily thrives; These love much air, these on much earth rely; These, without constant warmth, decay and die; Supply the wants of each, and they will pay For all your care through each succeeding day."

EXPLANATORY.

Our General List of Flower Seeds, it will be found, is divided into the following groups, viz.: Annuals, Perennials and Biennials; Climbers; Greenhouse Plants; Everlastings; Ornamental Grasses, etc. The botanical and common names are arranged in alphabetical order, and a very complete index will be found in front of book. The dash (-) designates the repetition of the name above it as applying to the variety to which the dash is prefixed; the first column, following the name, denotes hardiness and duration; the second column, height in feet; the third column, color, or predominating colors; the fourth and fifth columns show the price per ounce and packet respectively; the sixth column gives brief descriptions or special notes on culture. To this arrangement and the following abbreviations we have given the most careful attention, and we trust that their simplicity will not only find favor with our customers, but prove valuable to them as a handy reference.

KEY TO ABBREVIATIONS.

hA designates Hardy Annuals-Lasting but one year. Half Hardy Annuals—Lasting but one year.
Tender Annuals—Lasting but one year.
Hardy Biennials—Lasting two years. hhA tA hB hhB

Half Hardy Biennials-Require protection during winter. Hardy Perennials—Lasting three or more years.
Half Hardy Perennials—Require protection during winter. 4.6

hhP


Tender Perennials—Lasting three or more years, but require greenhouse protection during winter. Biennials or Perennials that, if sown early, will bloom the first year. Trailing Habit; and Var., Various. tP

66

Trailing Habit, and
The abbreviations of colors areblk.—black. br.—brown. tri.—tricolor. var.—variegated. scar.—scarlet. spot.—striped. crim.-crimson. sul.—sulphur. lav.—lavender. pur.-purple. ver .- vermilion. car .- carmine.


In some instances when the flower is of two colors, these are indicated by the initial letters only,—for example, b&w-blue and white; s&y-scarlet and yellow; w&p-white and pink.

For Flower Seed Novelties, see colored pages.



NAME.	Hard, and Dur.	H'g't Feet.	Color of Flower	Pri pe Oz.	er	DESCRIPTION.
Abobra (see Climbers) Abronia, arenaria	hhA	trai	yel. rose pur.	.50	5 5 5	Sweet scented, verbena like trailers. Do best in light soil. Sow in open ground in May.
Acacia, see Seeds for Greenhouse Acanthus mollis	hP	3	white		5	Ornamental foliage, valuable for dec-
Achillea ptarmica, flore pleno The Pearl		I I ½			10	orative purposes. Flowers freely throughout summer and autumn. Excellent for cutting.
Achimenes, see Seeds for Greenhouse Aconitum napellus (Monks Hood) pyrenaicum mixed	"	3,	blue yel. mix'd	1.00	5 5 5	Popular plants, adapted to shady situations.
Adenophera liliifolia	"	3	l. blue		10	Free flowering, fragrant border plant.
Adonis autumnalis	hA hP	I 1/2	scar. yel. rose	.25 .25 .50	5	(A desirable border plant, free flowering.
African Rose, see Hibiscus Agathea cœlestis (Blue Marguerite) Ageratum, Ada Bowman	tP †tP		blue 1. blue	1.00 1.00		Small daisy-like flowers.
Blue Perfection	hhA	I 	white rose lav. white	·75 ·50 ·40	5 5 5	Seed may be sown indoors early in the season, or outdoors in a light rich soil when the ground warms.
—dwarf blue—dwarf white—grandiflorum roseum		3/4 I	blue white rose	.60 .60 .75	5 5 10	The plants bloom the whole sum- mer and are valuable for edging, bedding, borders, also for cutting. Seed sown in August will produce
—Little Dorrit, blue	"		white yel.	I . CO	5 5	plants for winter flowering.
Agrostemma Cœli-Rosa (Rose of Heaven)	hA "+hP	I 47 I ½	rose white	.40		All easily grown, free flowering attractive plants. The perennial
—rosa (Rose Campion) Flos Jovis (Jove's Flower) mixed	"	2	rose mix'd	·50 ·60 ·40	5 5	sorts do well in dry situations.
Agrostis, see Ornamental Grasses Allium Neapolitanum See Spe	hp cial O		white n thire	l pag	se o	f cover.

(Corporation).								
	Hard	LI'~'+	Color	Pr	ice			
NAME.	and	H'g't Feet.	of	pe	er	DESCRIPTION.		
	Dur.		Flower	Oz.	Pkt.			
					i			
Alonsoa albiflora	hhA	11/2	white	.60	5	Sow in hot had and mlant and after		
grandiflora	"	66 ~	scar.	.60		Sow in hot-bed and plant out after		
linifolia	6.6	66	66	.60		middle of May. Being continuous		
myrtifolia	6.6	21/2	6.6	.60	5	bloomers they are desirable for		
Warscewiczii	"	2	"	.60	5	bedding.		
Althæa rosea, see Hollyhock		_			3			
Aloysia citriodora (Lemon Verbena),				1				
see Seeds for Greenhouse						(The flowers are of great brilliancy.		
Alstræmeria mixed hybrids	tP	2	mirr'd	T 50	10	They succeed in any soil and are		
	"		mix'd	_		adapted for cutting.		
pulchella			y. & r.		IO	adapted for cutting.		
Alyssum maritimum (Sweet Alyssum)	hA	72	wiffte	. 30	5	Sow thickly, where wanted to flower,		
—compactum	"	/3	white	.30		early in the spring. Plants for		
—Little Gem	"	"	"	.50		winter flowering are readily had		
—procumbens				.60	-	from seed sown in August.		
saxatile compactum (Gold Dust)	hP	I	yel.	.40	5			
						Very striking plants on account of		
Amaranthus Abyssinicus	hhA	3,	d. red		5	their beautiful varied colored foli-		
bicolor ruber	4.6		red	.50	5	age or peculiar mode of bloom.		
caudatus (Love Lies Bleeding)	"	66	"	.20		The leaves are always largest when		
cruentus (Prince's Feather)	"	"	crim.	.20		the plants are grown on rich soil,		
Henderi	"	66	cr.&y.	.75	5	but rather poor soil enhances the		
melancholicus ruber	"	2	reď	.40		coloring. The seed can be sown		
Princess of Wales	"	66	cr.&y.	.75		in the house, or in a hot-bed and		
salicifolius (Fountain Plant)	"	21/2	red	. 70		transplanted to place where wanted		
tricolor giganteus	"		mix'd	.50		for effect. If sown out doors the		
-splendens (Joseph's Coat)	"	3	sc.&y.	.25		soil should be very fine and the		
finest mixed	66		mix'd	.23	5	spot protected until the plants are		
collection 12 choicest sorts5oc.		vai.	IIII a		3	well started.		
confection 12 choicest soits						well started.		
Ammohium see Everlestings								
Ammobium, see Everlastings								
Ampelopsis, see Climbers						. 0		
Anagallis (Pimpernelle)	1. 1. A	. 1/	: 2.1	6-		Constant bloomers, suitable for beds,		
grandiflora superba	hhA	/2	mix'd	.60	5	{ rockwork, etc. Plant in sunny		
4 41	11.70		1.1			situations.		
Anchusa augustifolia	†hP	2	blue	.60) Flowers somewhat like Forget-me-		
Barrelieri	"	"	d.blue			ont. Very ornamental and of long		
capensis			pur.	.60	5) duration when cut.		
Andropogen, see Ornamental Grasses								
Anemone (Wind Flower)			. , , 1					
coronaria	hP	I	mix'd	.80				
—St. Brigid, Poppy-flowered	"	61	"		IO	Spring and autumn flowering plants		
Japonica rosea	"	21/2	rose	2.00	IO	that require a rich, deep soil. The		
—alba, Honorine Jobert	"	66	white	2.00	20	Japanese sorts flower in the fall		
Pennsylvanica	"	I 1/2	6.6	I.00	IO	and are especially beautiful.		
sylvestris (Snowdrop Wind Flower)	6.6	I	"		5	j -		
Angelonia grandiflora	thhP	46	pur.		IO	(A beautiful winter pot plant. Long		
—alba		66	white		20	spikes of cup shaped flowers. Very		
						fragrant.		
Animated Oats, see Ornamental Grasses								
Antirrhinum (Snap Dragon)		•		1				
grandiflorum majus	†hP	2	mix'd	.50	5			
-nanum, six colors: crimson, scarlet,						If sown in March or April and set		
striped, yellow, white and carmine	1					out when strong enough, these		
——separate	†hP	1 1/2		.70	IO	plants make a display that is		
- mixed	6.6	"	"	.50		unequalled for duration and bril-		
-Tom Thumb, six colors: crimson,						liancy. The tall sorts are fine in		
rose, white, yellow, striped, orange						borders. The dwarf make splendid		
and scarlet			1			beds. They prefer a light, warm		
— —separate	†hP	I	1	.70	010	but well enriched soil. Seed sown		
——mixed		6.	mix'd			outdoors in May will produce satis-		
—Niobe		46	p.&w.		10	factory results. Our Strains of		
-Oueen of the North		44	white		010	these are superior to all others in		
—Royal Standard	66	66	SC.&W		10	size and brilliancy of flowers.		
- Yellow Queen	4.6		yel.			Size and or titlancy of flowers.		
		2	yel.			Free flowering plants that do well in		
Anthemis (Chamomile) Arabica		16	yer.	.30	5			
tinctoria		66			-	any situation.		
Aquilegia (Columbine) alba fl. pl		"	white		5			
Californica hybrida			y.∨					
Canadensis		I	or'ge			This plant, found in nearly every		
caryophylloides		I 1/2				State in the Union does well in		
chrysantha		3	yel.	2.00	10) State in the Onion does were in		
		00						



NAME.	Hard and Dur.	H'g't Feet.	Color of Flower	Price per Oz. F	- 1	DESCRIPTION.
Aquilegia—Continued. cœrulea hybridaglandulosa major Jætschaui. olympica	hP	3 2	b.& y. b.&w. y. & r. blue	3.00 1	5	almost any situation, but prefers a moist sunny place. It flowers early in spring. Seed may be sown in the open ground. It is also readily
—fl. pl. Skinneri Stuarti double mixed single mixed collection 12 choice varieties .500	66 66 66 66	I 1/2	b.& w. s. & y. b.& w. mix'd	.75 I	5 10 5	propagated by division of the root. The flowers are very peculiar and striking in form, of many bright colors and all are fragrant.
Aralia Siboldi	hhP	3 I ½	white	1	5	Handsome palm-like shrub. White spring flower, trailing habit. (Seed should be started in heat. Very
Arctotis breviscapa	. 6	44	or'ge		5	showy bedding plant for dry situations.
Argemone grandiflora (Prickly Poppy)	hA	2	white	.40	5	Large glaucous foliage and poppy- like flowers.
Aristolochia, see Climbers Armeria (Thrift or Sea Pink) formosa maritima splendens	hP "	1/2 I	d. cr. d.rose		5 5	Fine for edgings or borders. The bright, tufted flowers are produced all summer.
Arnebia cornuta.	hhA	44	y.&m.]	10	{ Fine for cutting. Flowers freely all summer. Seed should be started in heat.
Arundo, see Ornamental Grasses Asclepias tuberosa (Milkweed) Asparagus, see Seeds for Greenhouse	hP	I ½	or'ge		5	A showy plant for the border.
Asperula azurea setosaodorata (Woodruff)	hP	I 1/2	blue white		5	Sweet scented, long bloomers, suitable for cutting.
Asphodelus albusluteus		2 4	wht.		5 5	Showy border plants with long spikes of flower. They do well in any soil.
	d by n	iany s	eedsme	en. T	he:	by us are equal to any BUT THAT THEY y are raised especially for our trade by

Asters. We not only claim that the strains of Asters offered by us are equal to any BUT THAT THEY ARE VASTLY SUPERIOR to those sold by many seedsmen. They are raised especially for our trade by the leading specialists of Europe and America. We pay much higher prices for them than are asked for the ordinary qualities on the market. The demand for Breck's Asters from the leading commercial and private growers all over the United States, however, warrants the labor and expense incurred, and is a sufficient recommendation of their superiority. We welcome a comparison of the product of Breck's seeds with that of the most highly lauded. Our prices speak for themselves.

Cultivation. — Those who wish Asters in flower throughout the season should make the first sowing about the middle of February and every two weeks thereafter until the middle of June. Sow in fine soil, and cover lightly in shallow boxes which should be set in the greenhouse or a sunny window. Keep moderately moist until the plants are well up, then transplant, either into other shallow boxes three inches apart, or into small pots. When the weather is settled and fairly warm set the plants out in the open ground, one foot apart each way, where they are intended to flower, and keep watered until they are established. Keep the soil open by frequent hoeings, and when the plants are two-thirds grown mulch with well rotted manure. A loose, but strong loan is best suited for asters.

The Aster Family is very large, embracing over 200 species. The most desirable are the Branching, Comet, Jewel, Pæony-Flowered, Rose-Flowered, Victoria and Washington.

		(0011	ORALIO		
	Hard.	H'g't	Color	Price	
NAME.	and	Feet.	of	per	DESCRIPTION.
	Dur.		Flower	Oz. Pkt	
Aster Breck's International Prize	hhA	varied	miv'd	4.50 10	
Betteridge's Quilled, mixed	66	2			
	6.6	66	mix u	2.00 5	sents all the best classes and
—collection, 12 distinct colors 40	66			1 1	colors of large flowering Asters.
—collection, 6 " "25					Those who can devote only a
Boltze's Dwarf Bouquet, mixed	6.6	3/4	mix'd	2.00 10	limited space to their cultivation
—collection, 6 distinct colors30	"	4.6			will be delighted with this selec-
Boston Florists', dark blue	6.6	. 2	d.blue	2.25 10	tion which embraces the cream of
—light blue	4.6	66		2.25 10	the most desirable races to date.
	"	66		2.25 10	the most desirable races to date.
-bright rose	6.6	66			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
—peach blossom	6.6	- 66		2.25 10	A beautiful and much grown sort of
—scarlet	"			2.25 10	the Victoria type.
—white		"		2.25 10	
—mixture	"	66	mix'd	2.00 10	Y.
—collection, 6 distinct colors50	4.4	66		1	
Branching, pure white	"	3	white	2.50 10	5
—shell pink	"	3	nink	2.50 10	
—lavender	"	66		2.50 10	
	66	"	lav.	2.50 10	
—purple	6.6	66		2.50 10	anese Chrysanthemum in their
-crimson	6.6	66	crim.	2.50 10	graceful form and wavy petals.
—Semple's, mixed			mıx'd	2.25 10	
—Vick's, mixed	6.6	66	6.6	2.25 10	
Chrysanthemum Flowered Dwarf,)
finest mixed	6.6	3/4	"	2.25 10	
-collection 12 distinct colors60	6.6	"			
—collection, 6 " " … 35	6.6	6.6			Very fine for bouquets. The colors
Chrysanthemum Flowered Tall,					are splendid.
	66	2	"	0 00 10	
finest mixed	6.6	14	66	2.00 10	
—collection, 6 distinct colors35	6.6	66			
Comet, Giant, The Bride			white	2.75 10	
—light blue		44		2.75 10	
—lilac	"	6.6	lilac	2.75 10	
—crimson	"	"		3.00 10	
—peach blossom	"	66		3.50 10	A much-improved form of the Comet
—rose	6.6	66		3.00 10	Aster. The large, chrysanthemum-
-sulphur yellow	6.6	66	1701	4.00 10	like flowers are borne on long
	6.6	6.6			stems, in the greatest profusion.
—rose and white	"	"	r. & W.	3.00 10	, = == 8-==cont protection.
—finest mixed	66	66	mix a	2.50 10	
—collection, 10 distinct colors60	66	"			
—collection, 6 " _ "40					J
Cocardeau or Crown, Improved) Fine double flowers, with white
—Finest mixed	+ 6	I ½	"	2.00 5	centres, surrounded with brilliant
—collection, 6 distinct colors35	6.6	6.			colors.
Dobbies' Globe Quilled, mixed	6.6	2	6.6	1.00 10)
—collection, 6 distinct colors50	6.6	44			Closely-built, double flowers.
Dwarf German, mixed	6.6	I ½	6.6	1.25 5	A favorite, old variety.
Dwarf Pæony Flowered Perfection		-/2		1 - 2,5	in lavorite, old variety.
	66	т	d store	2 00 10	
—dark purple	"	I "		3.00 10	
—blackish violet	6-6	66		3.00 10	Plants of fine, dwarf habit. Flowers
—scarlet				3.00 10	
—white	6.6	44	white	3.00 10	large, very double, incurved, and
—finest mixed	"	66	mix'd	2.50 10	of great beauty.
-collection 12 distinct colors 60	6.6				
—collection, 6 " "40	6.6	I			
Dwarf Pyramidal Bouquet,					Very profuse bloomer, adapted for
-mixed	6.6	3/4	"	1.25 10	
	6.6	I			growing in lines or clumps.
Dwarf Silver Ball	66			2.00 10	A very free flowering sort.
Giant Emperor, mixed	66	1 1/2	mix a	3.00 10	Flowers of immense size and delicate
—collection, 12 distinct colors65	6.6	"			colors.
—collection, 6 " " … 35	66	46)
Golden King		,	yel.	10	A decided acquisition in color.
Goliath, mixed	"		mix'd	2.00 10	Of very strong growth. Flowers
—collection, 6 distinct colors30	6.6	4.6			extremely double.
Grace or Schiller, mixed	6.6	I 1/2	"	1.25 10	
—collection, 8 distinct colors30	6.6	6.6			Especially suitable for bouquets.
Harlequin, mixed	6.6	66	66	3.00 10	The flowers are very oddly spotted
zza.requin, mized i i i i i i i i i i i i i i i i i i i				3.00 10	and striped.
Imbrigated Cogardon mixed	4.6	66	66	2 50 10	The flowers are small, but borne in
Imbricated Cocardeau, mixed				2.50 10	
Imbrigated Dames and	"		to d	2 #6	the greatest profusion.
Imbricated Pompon, red		I		2.50 10	Small, exquisitely formed, double
— white				3.00 10	flowers, borne in great profusion,
— mixed	"		mix'd	2.00 10	suitable for cutting.
— collection, 6 distinct colors 35		66)
Sac Spa	oiel O	ffana -	n thin	d name	of cover




NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Price per	DESCRIPTION.
	Dui.		I lower	Oz. Pkt.	
Aster.—Continued.	,				
Jewel or Ball, apple blossom	hhA	2	pink	2.75 10	
-crimson	6.6	66	crim.	2.75 10	
-deep rose	6.6	66		2.75 10	
—purple	6.6	6.6		2.75 10	One of the best. The plants are of
-rose and white	"	6.6		2.75 10	fine habit and free bloomers. The
-azure blue	6.6	6.6		4.00 IO	flowers are perfectly round in form,
-red violet	"	"			and incurved like a chrysanthe-
	6.6	66		4.00 10	mum.
—pure white		66		4.00 10	
-mixed	66		mix d	2.50 10	
—collection, 6 distinct colors50		66)
Lady in White, pink	6.6	66	pink	3.00 10	The plants are of very branching
—rose	6.6	"	rose	3.00 10	
—white	6.6	6.6	white	2.50 10	habit. The flowers are of semi-
—mixed	6.6	6.6	mix'd	2.00 10	globular form.
La Superbe, rose	6.6	16		3.00 10	5
—azure blue and white	6.6	66		3.00 10	
—white	6.6	66			> Beautiful pæony-like flowers.
	6.6	66		3.00 10	
mixed				3.00 10	
Liliput, mixed	٠,	I	mix'd	1.50 10	Most floriferous. Flowers small and
				1 1	very double.
Mignon, crimson	6.6	I 1/2	crim.	4.00 10	
—rose	6.6	4.6		4.00 10	Not surpassed by any for cutting.
—white	6.6	6.6		4.00 10	The flowers are of fine form, attrac-
-scarlet	6.6	6.6		4.00 10	tive alike in the garden and bou-
—rosa-alba	6.6	4.6		4.00 IO	quets.
—mixed	4.6	4.4			quets.
	6.6	6.6		3.50 10	(A farm of the Wistonia with nainted
Needle Victoria or Hedgehog, mixed				3.00 10	A form of the Victoria with pointed
ar mi vii. ! 1	6.6				petals.
Non Plus Ultra, mixed		I	6.6	3.00 10	Plants of upright habit of growth.
—collection, 6 distinct colors40	6.6	6 6			flowers large and double.
Ostrich Feather	6.6	6.6	white	4.00 10	
Pæony Flowered Globe, crimson	6.6	I 1/2	crim.	2.50 10	
—light blue	4.6	66	1. blue	2.50 10	
—snow white	6.6	"		2.50 10	An early flowering variety.
—mixed	+ 6	6.6		2.00 IO	
-collection, 6 distinct colors30	6.6	. 6		2.0010	
Pæony Flowered Perfection, Truf-					3
faut's. Improved,					
—blood red	4.6	0	J word		
	4.4	2		3.00 10	1 4 1 6 - 1 6 701 1 1
—brilliant rose		44		3.00 10	A general favorite. The plants are
—brilliant scarlet	6.			3.00 10	of branching, pyramidal form and
-dark blue		6.6		3.00 10	very floriferous. Our stock of this
—delicate rose	4.4	6.6	l. rose	3.00 10	seed is a great improvement on
-crimson	4.4	6.6		3.00 10	what is generally offered; the
-carmine rose	6.6		pink	3.00 10	flowers are larger, fuller, of better
—light blue	6.6	6.6	1. blue	3.00 10	form, and the petals more incurved,
—snow white	6.6	6.6		3.00 10	like a chrysanthemum.
—mixed	6.6	4.6	miv'd	2.50 10	o only state and and
—collection, 12 distinct colors60	6.6	6.4		2.30 10	
-collection, 6 " "30		4.6	1		
Prince of Wales, light blue	4.6		1 1-1	2 00 70	3
	66	1 1/2		3.00 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-rose				3.00 10	A remarkably free-flowering and
-white			white	3.00 10	brilliant colored class.
—mixed			mıx'd	.2.50.10	1)
See Sne	cial O	ffors (n thir	d nage	of cover

NAME.	Hard.	H'g't	Color	Price	DESCRIPTION.
	Dur.	Feet	Flower	Oz. Pkt.	
Actor Continued					
Aster. Continued. Pearl, red	hhA	1	red	4.00 10	One of the really good sorts. The
_rose	"	6.6		4.00 10	plants are of vigorous habit and
—white	6.6	6.6	white	4.00 10	fine bush form. The flowers are of
—mixed	6.6	"	mix'd	3.50 10	globular form, double and finely
					imbricated.
Queen of the Earlies (Queen of the Market).					
-crimson	66	1 1/2	crim	2.00 IO	Very early, blooming about four
—light blue	6.6	1/2		2.00 10	weeks before the other sorts. Val-
—rose	6.6	"		2.00 10	uable for an early display in the garden, and for cutting.
—white	66	"		2.00 10	garden, and for cutting.
—mixed		"		1.75 10	Distinct and protty recombling the
Ray, bright rose	66	6.6		3.0010	Distinct and pretty, resembling the straight-rayed Japanese chrysan-
—mixed	66	"	mix'd	2.75 10	themums.
Rose Flowered, blue	6.6	2		3.00 10	
—scarlet	. "	"		3.00 10	A magnificent class, with splendid.
—white	"	"		3.00 10	> large double flowers of brilliant
- mixed	66	"	mix d	2.75 10	colors.
Snowball or Princess, dark blue	44	I ½	d.blue	3.00 10	
—dark crimson	"	-/2		3.0010	Beautifully imbrigated flowers of
—rose	"	"	rose	3.00 10	Beautifully imbricated flowers of faultless form.
—white	"	"		3.00 10	laditiess form.
—mixed	"			2.75 10	
Triumph, deep scarlet	"	3/4	s.& w	5.00 10	Very beautifully formed, and per-
—white	"	6.6		4.00 10	haps most desirable of the dwarf varieties.
_mixed	"	6.6	mix'd	4.00 10	varieties.
Victoria, Improved.	6.6	-/		k l	
—azure blue - dark blue	"	1 1/2		4.00 10	
—scarlet	"	4.4		4.00 10	
—crimson	6.6	6.6		4.00 10	
—light rose	"	6.6		4.00 10	
—carmine rose	"	"		4.00 10	Of vigorous habit, pyramidal form,
—rose and white	"	"		4.00 10	flowers very large, beautifully
—peach blossom—purple violet		4.6		4.00 10	imbricated and freely produced.
—white	6.6	6.6		4.00 10	There is nothing superior.
—white, tinted rose	4.6	4.6	p.rose	4.00 10	
—sulphur yellow	"	4.6		4.00 10	
—coppery rose	"	66	bronz.	4.00 10	
-mixed			mix a	3.50 10	
—collection, 6 " "40		66			J.
Victoria, Dwarf, light blue	6.6	3/4	l. blue	4.00 10	
—rose	"	"		4.00 10	Resembles the above, but of much
—snow white				4.00 IO 3.50 IO	dwarfer habit.
Washington, mixed		2	iiiix d	3.00 10	The largest flowering sort in exist-
-collection, 6 distinct colors40				3.41.11	ence. Valuable for exhibition
) purposes.
Single Playmond Manguagita mined	6.6	6.6			Abundance of flowers, variety of
Single Flowered Marguerite, mixed.				1.00 10	color, and suitableness for cutting will make this popular.
Perennial (Michaelmas Daisy).)
—alpinus speciosus		I	pur.	1.00 15	These are easily raised from seed and
—bessarabicus	66	2		I.00 IO	make attractive, autumn flowering,
—gymnocephalus—inixed	64	raried	rose	15	border plants.
MIXCU		varien	mix (I	2.00 5	
Aubrietia, Bougainvillei	hP	trail.	pur.	1.25 10	(A spring - flowering, Alyssum - like
Leichtlinii (rosy carmine)	6.4	6.6	car.	10	plant, fine for rockwork, etc.
Avena, see Ornamental Grasses.					
Baby's Breath; see Gypsophila Paniculata.					
Bachelor's Button, see Centaurea Cy-					
anus.					
Balloon Vine, see Climbers.			1	1 8	




					00
NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Price per Oz. Pkt.	DESCRIPTION.
Balsam (Impatiens), double white double red	66	2	red white	1.50 5 1.50 5 3.50 10 1.25 5	Magnificent summer and autumn flowering annuals. A rich sandy loam is most suitable for them. They must be kept well watered.
- collection, 6 distinct colors	• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		I.00 5 I.00 5	If transplanted several times the plants have a tendency to dwarf and produce more double flowers. Seed may be started early in heat
dwarf double, mixed	hA	1 1/4 2 3	yel.	1.00 5 1.00 5 .40 5	or outdoors in May.
Beet, Brazilian, golden veined —scarlet veined Begonia, see Seeds for Greenhouse. Bellis perennis (Double Daisy)	66	I 1/2		.20 5	These form no tubers, but are grown for their ornamental foliage.
alba fl. pl. rubra fl. pl. Longfellow double mixed	†hP		red pink	4.00 IO 5.00 IO 4.00 IO 3.50 IO	A favorite dwarf plant for beds, flowers early in spring. Seed may be sown in heat or in open ground in May.
Bidens atrosanguineagrandifloraBignonia, see Climbers.	hhP hA hP	2 " 6	d. red yel.	5 5	Flowers resemble the Calliopsis. Ornamental foliage plant, may be
Boston Ivy, see (Ampelopsis) Climbers. Brachycome (Swan River Daisy)— iberifolia	hhA	I	blue	.60 5	grown singly or in clumps.
alba Briza, see Ornamental Grasses. Brizopyrum, see Ornamental Grasses. Bromus, see Ornamental Grasses.			white	.60 5	
Browallia Czerwiakowski elata		1 1/2	white	.75 5 .75 5 .75 5 1.00 5	A fine annual for either house or garden cultivation. Valuable for bouquets.
Byronopsis, see Climbers. Buphthalmun (Ox-Eye)— salicifolium Cacalia (Tassel Flower) aurea. coccinea Calandrinia grandiflora	6.6	2 1 ½ 	yel. scar. pur.	·75 5 ·50 5 ·50 5 ·60 5	Easily grown and very ornamental. Profuse flowering plants of easy culture; bloom all summer. Fine for dry or sandy situations.
speciosa alba umbellata Calceolaria, see Seeds for Greenhouse.	hA		white crim.	.50 5	The seed should not be sown until warm, settled weather.

-	1			1	_	
NAME.	Hard.	H'g't	Color	Price Per		DESCRIPTION.
ATTAILAGE	Dur.	Feet.	Flower	Oz. Pki	t.	Dipoenti 11011
	i	1	1		1	
Calendula (Marigold), La Proust	hA	I 1/2	buff	.25 5	1	C1
meteor	66	I	strip.	.25 5		Showy free flowering plants that dowell in all situations. They bloom
Prince of Orange		"	or'nge			until late in autumn and are valu-
plurialis (Cape Marigold)	"	66	white	.25 5		able alike for the garden and indoor
sulphurea			yel.	.25 5		winter blooming.
superba, yellow, dark eye				25 5	1	· ·
Callirhoe lineariloba	hP	"	d. car.	.75 5	1	Linum-like flowers. Continue in
pedata nana compacta	hA		d.rose		1 /	bloom all summer.
Calampelis, see Climbers.	1	}			1	
Campanula (Canterbury Bell)—					1	
carpatica	hP	"	blue	.50 5		M1 111 4 1 0 7
—alba			white	.50 5		These are well-known favorites. Seed
Japonica		2	blue	.75 10		may be sown in the open ground in
macrostyla mirabilis		66	1. blue	2.00 5		April or May. The annual and biennial sorts will bloom the first
persicifolia grandiflora	"	}	"	5		year; the perennials early the year
——alba	6.6	.3	white			following. They all like a good
pyramidalis compacta alba	"	6.6	"	10		following. They all like a good rich soil. All of them are exceed-
speculum (Venus Looking Glass)			mix'd	.50 5		ingly beautiful and attractive, es-
medium double mixed	†hB	21/2		.75 5		pecially when the different colors
—single, mixed	66		66	.50 5		are planted together.
-calycanthema (or cupped) mixed	66	66	"	1.00 5		
—Dean's hybrids, double and single.				5	1	
Candytuft (Iberis) Breck's Improved White Spiral	hA	T1/	white	50 5		
carmine	"	I I	car.	.50 5		
crimson, Dunnett's		"	crim.	.30 5		Very effective for beds, borders, etc.,
Empress	6.6	"	white	.50 5		and useful for pot culture during
Giant Hyacinth-Flowered	6.6	"	"	.75 5		winter. It is grown extensively by
odorata	"	"	"	.25 5		florists for cutting. The seed may
Rocket	"	66	"	.25 5		be sown any time, either in the
Rose Cardinal	"	"	rose	.75 5		house or open ground.
umbellata	66	"	pur. mix'd	.25 5		
dwarf hybrid		3/4	111X U	.25 5		
Perennial Candytuft, see Iberis.		/4		.75 5		
, - , - , - , - , - , - , - , - , - , -						To grow from seed, cut through the
Canna, dark-leaved varieties	hhP	5,	"	.40 5		hard outer covering, soak for ten
green-leaved varieties	66	1	66	.25 5		hours and plant the seed half an
Crozy's Large Flowered, mixed collection, twelve Crozy's varieties .75		3	66	.50 10		inch deep. A warm moist temperature is necessary.
						Ornamental habit. Suitable for backs
Cannabis gigantea (Giant Hemp)	hhA	8	}	.50 5	1	of borders, etc.
Cardiospermum, see Climbers					`	· ·
Carduus benedictus (Blessed Thistle).	hA	2	yel.	.50 5		Easily grown and very pretty.
Castor Oil Plant, see Ricinus					1	
Carnation, see Dianthus Caryophyllus					1	
—dwarf chamois	hhA	3/	fawn	3.00 5		The cristata sorts have become very
—copper-color		3/4	br'nze	3.00 5		popular for bedding; their beau-
—dark crimson	"		crim.	3.00 5		tifully formed, highly colored
—Empress	"		pur.	3.00 5		flowers being very attractive and
—Glasgow prize	"	6.6	crim.	3.00 5		effective. The plumosa class is
—golden yellow		"	yel.	3.00 5		splendid in both foliage and flower,
—Queen		"	rose	3.00 5		very suitable for vases, borders,
—scarlet			scar.	3.00 5		etc. The "Ostrich Feather" pro-
-violet	1	66	V101.	3.00 5		duce large plumes, beautifully curved and curled.
—mixed	66		miv'd	4.00 5 1.50 5		curved and curred.
collection, 12 dwarf sorts60	66	"	IIIA U	50 5		Seed should be sown in a hotbed in
plumosa, crimson	66	2	crim.	.75 5		March or April, and transplanted
—golden yellow	6.6	"	yel.	.75 5		to pots when large enough The
—Thompson's Superb	6.6	"	crim.	.75 5	Ш	size of the combs of the cristata are
—Ostrich Feather, crimson	"	3,	"	1.00 5		greatly increased by several trans-
——orange	"		or'ge			plantings before the combs form.
—mixed	.,	vari'd	mix'd	.75 5	1	
candidissimaper ½ oz., \$1.00	hhP	I	pur.	10	1	These useful plants are grown en-
Clementeiper ¼ oz., 75c.		2	yel.	10		tirely for their finely cut, almost
gymnocarpa			yel.	.80 10	- 2 - 1	snow-white foliage. They are fine
500 500	,		-		× .	




	Hard.	H'g't	Color	Price	
NAME.	and Dur.	Feet.	cf Flower	per Oz. Pkt.	DESCRIPTION.
Centaurea.—Continued. cyanus (Bachelor's Button or Corn Flower). —Emperor William. —brown. —red. —pink. —Victoria. —lilac. —purple. —white. —double mixed. odorata, Chameleon. —Margaret. moschata (Sweet Sultan). sauveolens (Yellow Sweet Sultan).	hA	I	blue br. red pink blue lilac pur. white mix'd varied	·25 5 ·25 5 ·25 5 ·25 5	for ribbon borders, edges of beds, etc. These are well-known favorites. The habit of the strain we offer is a much improved one, while the range of colors and shades is also greatly enhanced. They make a splendid display in the garden and are valuable for cutting. A new class, with large finely formed and deliciously fragrant flowers. Graceful plants that bear a profusion of sweet scented flowers in many colors.
Centranthus, mixed	thP	1/2	mix'd white	.25 5	Clusters of long tube like flowers. Dwarf silver-leaved plant, valuable for edging.
chamæpeuce— cassabonæ (Fish Bone Thistle) diacantha Chelone barbata Torreyi hybrida Chinese Plnk, see Dianthus Chinensis. Chloris, see Ornamental Grasses. Chloropsis, see Ornamental Grasses.	hP "" †hhP	I 1/2	yel. scar. mix'd	1.00 5 ·75 5 ·50 5 ·50 5	Thistle-like plants, with ornamental foliage. Pentstemon-like flowers. Brilliant colors.
Chrysurus, see Ornamental Grasses. Chrysanthemum coronarium. — yellow — sulphur. — imbricatum. — mixed tricolor double, Golden-leaved. — Dunnett's Double Golden. — Eclipse. — Burridgeanum. — Purple Crown. — scarlet. — white. — yellow. — double mixed. fringed hybrids. inodorum, double.	hA		white yel. "" yel. br.&y. v. & r. sc.&y. scar. white yel. mix'd " white	.40 5 .40 5 .40 5 .40 5 .50 5 .75 5 .50 5 .50 5 .50 5 .50 5 .50 5 .50 5	All the annual chrysanthemums are very effective and showy plants for beds and borders. They are also desirable for cultivation in the house. Their showy flowers are produced in abundance all summer. For cutting there is nothing better. The seed may be sown in the open border in April or May, or in a hotbed and transplanted when large enough.

		/ (0011	ORAIIO.	, .		
	Hard.	H'g't	Color	Pri	ice	
NAME.	and	Feet.	of of	pe	er	DESCRIPTION.
	Dur.	7 0001	Flower	Oz.	Pkt.	
Chrysanthemum.—Continued.	-	IV.	1			
	1. D		1			
frutescens (Marguerite or Paris Daisy)		I	white	1.00	10	
Comtessee de Chambord (Yellow Paris						These are the Paris Daisy. They are
Daisy)	6.6	66	yel.	1.50	5	attractive garden plants and valu-
uliginosum		T 1/2	white			able for cutting.
		2				able for cutting.
Maximum Perfection		2		1.25	10	
Perennial sorts, see Seeds for Green-						
house.						
Cineraria (Dusty Miller) maritima	hhP	I 1/2	yel.	. 50	5	Silver foliage plants, suitable for rib-
candidissima	6.6	46	" " "	50	=	bon beds and edging.
hybrida, see Seeds for Greenhouse.				. 30	3) bon beds and edging.
	1. 4		4			
Clarkia elegans alba			white	.40	5	Sow the seed in the open border in
—rosea, dwarf	6.6	I	rose	.75	5	April. They are of easy cultiva-
-Purple King, double	6.6	I 1/0	pur.	.40		tion, very pretty and free flowering,
-Salmon Queen		"	pink	.40		the double wariation he
	66					the double varieties being espe-
-mixed, single and double		6.6	mix'd	.40		cially beautiful. They are all suit-
pulchella			6.6	.40	5	able for vases or hanging baskets.
Clematis, see Climbers.						0 0
Clianthus, see Seeds for Greenhouse.	1	1				
) A lobelia like plant -land
Clintonia pulchella	6.6	3/4	bl.&w.		5	A lobelia-like plant, charming for
Cohma and Climbana) edging or rockwork.
Cobæa, see Climbers.						
Cockscomb, see Celosia.						
Coix, see Ornamental Grasses.						
Coleus, see Seeds for Greenhouse.						
						Beautiful free flowering plants for
Collinsia, mixed	6.6	I	mix'd	.35	5	
		_		.55	7	beds or mixed borders.
Columbine, see Aquilegia.						
	11.70	1.				Tuberous rooted, very showy plants,
Commelina cœlestis	†hP	I 1/2	bl.&w.		5	suitable for pots or borders.
Convoluting Miner (Dearf Maurice						suitable for pots of borders.
Convolvulus Minor (Dwarf Morning						
Glory)—						1 1 1 1 1 1 1 1 1 1 1 1
tricolor	hA	I	varied	.25	5	A dwarf Morning Glory suitable for
Rose Queen	6.6	66	rose	.25		growing inclumps or beds, and fine
	4.6	66				for hanging baskets, window boxes
splendens	66	66	violet	.25		etc.
white			white	.25	5	etc.
mixed	6.6	"	mix'd	.20	5	
mauritanicus	thhP	3/4	blue	I.00	IO	
Convolvulus Major, see Climbers.	•	/ 1				
Coreopsis (Calliopsis)—	1. 1					Nothing is social and
atrosanguinea	hA	2	crim.	.25		Nothing is easier grown, more showy
bicolor marmorata		"	y.&br.	.30	. 5	for the border, or lasting and effec-
—nana	6.6	I	mix'd	.40		tive when cut. The colors are
—tinctora	6.6	2	y.&br.	.40		varied and very bright throughout
	6.6	"	1			the entire season.
coronata	6.6		yel.	.40		
Drummondii	"		y.&br.	.35		The perennial sorts are especially
double hybrids		I 1/2	mix'd	.40	5	desirable both for garden effect and
Tom Thumb Crimson King	6.6		crim.		IO	cutting. Like sweet peas they
mixed	6.6	variéd		.25		seem to like to be gathered, and
grandiflora	hP	2	yel.			thrive under adverse treatment.
		"	ye1.	.75		chire and a develor freatment.
lanceolata				.75		
perennials, mixed			mix'd	.75	5	J
Cosmanthus fimbriata	hA	I	flesh		5	Small spreading plants, pretty
						fringed flowers.
Cosmidium Burridgeanum	66	2	or'ge		5	Large Coreopsis-like flowers.
Joseph Darriageanum		-	or ge		3	The only drawback hitherto has been
Coamos (Carres)						
Cosmos (Cosmea)—						its late flowering habit. Cultiva-
camelliaflora, pink	6.6	5	pink		5	tion overcomes this and selection
—red	6.6	6.6	red		5	over a period of years from a N. E.
—white	6.6	4.6	white		5	grown strain enables us to offer a
—mixed	6.6		mix'd	1 00		choice selection of colors that will
	4.6	6.6		1.00	5	
fringed, pink			pink		5	bloom from July till frost without
—white	6.6		white		5	any special attention, the flowers
Giants, pink	6.4	6.6	pink		5	run through all the bright colors,
—red		6.6	red		5	but are a trifle smaller than the
—white		6.6	white			Californian grown sorts. To in-
		6.6			5	
—mixed			mix'd	.75	5	duce early blooming of the latter,
Golden Yellow		4.6	yel.		5	grow the plants in small pots and
Marguerite	4.6	6.6	mix'd		5	allow them to become potbound
N. E. Early Blooming		6.6		1.00		before planting out. The seed
Tints of Dawn		6.6		. 55	5	should be sown indoors or in a
			w.& p.		5	
choice mixture, above sorts			mix'd	.75	5	hotbed in March or April.




NAME.	Hard. and Dur.	H'g't Feet	Color of Flower	Pr pe Oz.	er	DESCRIPTION.
Cowslip, See Primula Veris. Crepis (Hawk Weed)	hA hP	I	mix'd pink		5 5	Showy, continuous blooming annual. Desirable for borders or rockwork.
Dahlia, cactus, mixed. double grandiflora —Pompon —Tom Thumb Breck's single Daisy, double, see Bellis.	"	3 4 2 1 ¹ / ₂ 4	mix'd	I.50 2.00	10	We offer seed from the finest collection in Europe. If the seed is started early in a hotbed an abundance of flowers will be produced the same season. They like a rich, deep soil. The roots should be housed during winter.
Swan River, see Brachycome. Paris, see Chrysanthemum frutescens. Datura (Trumpet Flower)— Cornucopia Golden Queen humilis, double. Wrightii mixed annuals Delphinium (Larkspur) Bismarck candelabrum, double. Double Dwarf Rocket Emperor. Giant Hyacinth Flowered. Tall Rocket. Cardinale. Chinese double. elatum (Bee Larkspur). formosum. grandiflorum album. double hybrids. nudicaule. zalil. collection 6 varieties Dwf. Rocket. 30 collection 6 varieties Tall Rocket. 30 Devil-in-a-Bush, see Nigella Dew Plant, see Mesembryanthemum tricolor	hA	I I 1 1/2 I I 1/2 2 2 1/2 3 2 4 2 1/2 2 var.	w.& p. yel. w.& li. mix'd r. stri. scar. blue b.& w. white mix'd scar. yel.	.30 .50 .30 .30 .50 .50	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	In large clumps, or borders of shrubbery, these produce an excellent effect. They delight in a light, sandy soil. Very easily grown, exceedingly showy plants. Seed may be sown in the open border April or May. They well repay for special attention. Good soil and a liberal supply of well rotted manure is desirable. The taller sort are fine for shrubberies or mixed borders, while the tall kinds are suitable for beds. Most of the perennial sorts will flower the same season from an early sowing.
Dianthus (Pink). Chinensis, double mixed. Heddewegii, single. —double. —alba, double —atropurpureus		I 	mix'd '' white red	·75	5 5 5 5	The biennial sorts are all well known favorites that flower the first season. The colors of the Heddwegii vary through all shades of crimson to a delicate rose.




1 Total Aggregation and the Company of the Company						
	Hard.	H'g't	Color	Pri	ce	
NAME.	and	Feet.	of	pe	er	DESCRIPTION.
	Dur.	2 000	Flower	Oz.	Pkt.	
Dianthus. Continued.			1	1	1	
	thP	1	mix'd		-	The Diadematus shades from rose to
diadematus, double	1111	"	mix u		5	
imperialis, double	"	"	66	. 50		purple. They are all exceedingly
laciniatus	"	"		. 50	5	ornamental, and suitable alike for
—Crimson Bell			crim.	.75		beds, borders, house cultivation
—Salmon Queen	6.6	"	pink	2.50		and cutting. Sweet fragrance and
double mixed	66	66	mix'd	1.00	5	great diversity in color and form
-nanus hybridus	"	3/4	66		5	are theirs peculiarly.
plumarius (Pheasant's Eye)	6.6	I	w. & p.	.50	5	
The Bride	4.6	"	"		5	
collection, 12 varieties40						J
barbatus, single mixed (Sweet Wil-						
liam)	'nP	I 1/0	mix'd	.40	5	The favorite old-fashioned German
—double mixed	"	"	"	-,-	5	Sweet William.
caryophyllus, Margaret, rose	thhP	I	rose	2.00		
——white	"		white			These bloom in about four months
— — violet	"	66	violet			from time of sowing and produce
— — wixed	6.6	66	mix'd			> 80 per cent double flowers. They
	"	66	mix u	6.00		are remarkable for the richness
malmaison, mixed	"	T 1/	66			and profuseness of bloom as well
——Giant, mixed	4.6	1 1/2	66	2.00		as for vigor of growth.
-Chabaud, Perpetual					10	
-Dwarf Perpetual	hhP	I			10	:
-Giant Perpetual	thhP	I 1/2			25	
—Countess of Paris	hhP	"	yel.		25	Our seeds are saved especially for us
—Grenadin	"		scar.	2.00		by the best German and French
— — white		"	white		10	growers, and are the very best ob-
—Picotee mixed	"	I	mix'd		25	tainable.
—collection of 12, carnations and						
Picotees						J
Hardy Garden, double, rose	6.6	66	rose		25	
— — white	6.6	"	white		10	These are improved strains of the
mixed	"	66	mix'd		10	well-known, old-fashioned, hardy
Perpetual Perfection	6.6	I 1/2	6.6		25	garden, double, fragrant Pinks.
Dictamnus fraxinella	hP	2	pur.	.75	5	A great favorite with bees. Very
——alba	6.6	64	white		5	ornamental and sweetly scented.
Digitalis (Foxglove) gloxiniaflora	"	4	mix'd	. 50	5)
grandiflora	6.6	4	yel.	.75	5	A very showy plant for shrubberies,
maculata superba	4.6	3	spot.	.75	5	half-shady places, and borders.
purpurea	4.4	1.	pur.	.25	5	They thrive well in almost any
alba	6.4	66	white	.25	5	soil.
mixed	66	4.4	mix'd	.40		50111
Dodecatheon Meadia (American Cow-			111111111111111111111111111111111111111	.40	3	Beautiful native plant, with light
slip)	66	I	pur.		10	purple flowers.
Dolichos, see Climbers.		1	pur.		10	purple nowers.
Dutchman's Pipe, see Climbers.						
Echeveria hybrida	hhP	1/	mix'd		20	Elegant, succulent plants for carpet
motallian glaugous foliage	44	/3	yel.			bedding.
metallica, glaucous foliage			yeı.		50) bedding.
Eragrostis, see Ornamental Grasses.						
Erianthus, see Ornamental Grasses.	h D	3/	0 #1000		-	Assemble to be and a bondon start
Erigeron aurantiacus	hP		or'ge		5	
See Spe	ciai Of	iers of	n third	pag	0 0	r cover.

NAME.	Hard.	H'g't Feet.	Color		ice er	DESCRIPTION.
4	Dur.		Flower	Oz.	Pkt.	
Reveinum antencenum	1, 1	-1/	v. 01		-	Sweet-scented, fine for cutting. Pro- fuse bloomer.
Erysimum arkansanum Erythrina (Coral Tree).	hA	I 1/2	yel.	1	5	Grows freely outdoors in a warm
crista-galli	hhP	3	scar.	1.00	10	situation; half-hardy shrub.
Eschscholtzia (California Poppy)—						
Californica	hA	I	y.&o.		5	
—rose cardinal—alba		"	car. white		5	
—mixed.,	6.6	"	mix'd	.20		Bright colored, vase shaped flowers,
Giant (Hunnemannia)	6.6	"	yel.	.40	_	that continue in bloom a long time.
crocea	66	6.6	or'ge	.30		They are fine for budding, borders
—alba fl. pl.,, double		66	white			or pots.
mandarin	66		o.&s. yel.	.30		
tenuifolia (Fern-Leaved.)	"	4.6	,,,		5	
mixed	6.6	. "	mix'd		5	J
Proplement 1.1.1 (Pl. C. M.)	1.0					Makes a fine tree in a sheltered loca-
Eucalyptus, globulus (Blue Gum Tree)	hP	100		.40	5	tion. Seed should be started in heat.
Eulalia, see Ornamental Grasses.						(neat.
Eucharidium, Breweri	hA	I	rose	3.00	10	Natives of California. Very showy.
grandiflorum	44	"	mix'd	.75	5	Sometimes grown among grass.
Euphorbia heterophylla (Mexican Fire						The bracts of E. heterophylla are a
Plant)	6.6	4			10	beautiful orange scarlet. The foli-
variegata (Snow on the Mountain)	6.6	11/2		.50		age of E. Variegata is green with
						a white margin.
Eutoca multiflora	†hB	""	pink	. 50		Suitable for beds or mixed borders.
viscidaFenzlia dianthiflora	hA	I	blue	.40		Extra good for cutting. Requires considerable moisture.
alba	1111	"4	white			Very pretty for ribbons, beds or
				5) pot culture.
Festuca, see Ornamental Grasses. Feverfew, see Pyrethrum and Matri-						
caria. Flax, see Linum.						
Fountain Plant, see Amaranthus Sali-						
cifolius.						
Four O'Clock, see Mirabilis.						
Foxglove, see Digitalis. Fuchsia, see Seeds for Greenhouse.						An excellent border plant. The
Funkia alba (White Plaintain Lily)	hP	T 1/2	white		IO	flowers are borne on spikes well above the foliage. They prefer a
cœrulea	"	-7.72	blue		IO	dry situation.
						Seed may be sown any time in spring
Gaillardia (Blanket Flower) picta	hA	66	r.&y.	.25		outdoors, in a good light soil.
—lorenziana, doubleamblvodom	6.6	2	mix'd red	.50		They bear a profusion of beautifully formed brilliant colored
mixed	6.6	varied		·75		flowers, are valuable alike for beds
grandiflora maxima	†hhP	I 1/2	yel.	.75		and cutting. The perennial sorts
—superba	6.6	66	r.&y.		5	if sown indoors or in a hot-bed,
Galega officinalis	hP	2	blue		-	bloom splendidly the first season. Ornamental plants with spikes of
—alba	"	3	white		5 5	pea shaped flowers suitable for
) borders or cutting.
Gaura, Lindheimeri	†hhP	"	w.&r.	.40	5	J Produces numerous spikes of elegant
Gentiana acaulis (Blue Gentian)	hP	1/	blue	75	E	white and red tinted flowers.
cruciata	6.6	I 2	1. blue	·75		Dwarf growing very beautiful, hardy
1utea	4.6	3	yel.	.75		herbaceous plants.
Geranium, see Seeds for Greenhouse.	"	.17	0.5.5			Chown plants of the action and
japonicum	6.6	I 1/2	scar.		5	Showy plants of the easiest culture. Produce an abundance of flowers
Japonicum			y CI.		5	suitable for cutting.
Gesneria, see Seeds for Greenhouse.						
Gilia achilleæfolia	hA	I	blue	.30		Old-fashioned favorites that bloom
tricolor (white, lilac and purple.)	"	66	tri.	.30	5	throughout the entire season, suit-
Glaucium luteum (Horn Poppy.)	†hP	2	yel.	.75	5	able for any situation. A showy border plant with silver
- Constitution (Moral Coppy)			, , , ,	13	3	gray foliage.
Globe Amaranth (Gomphrena) see						
Everlastings.						
Gloxinia, see Seeds for Greenhouse.	-1-3-	86	. 43-1		1	



NAME.	Hard and Dur.	H'g't Feet.	Color of Flower	Pri pe	er	DESCRIPTION.
Godetia, Duchess of Albany	hA	T 1/2	white	.75	5	One of the most desirable annuals
Gloriosa	"	I		3.00		They produce throughout the en
Lady Albermarle	4.6	11	crim.	.50		tire season an abundance of beau
The Bride	"	66	w&car	.50		tiful flowers in a great variety of
Yellow Queen	66	6.6	yel.			delicate colors. They are of ver
mixed	6.6	66	mix'd			easy culture and suitable for beds
illixed			mix u	.40	3	mixed borders and ribbons.
Gourds (Cucurbita) see Climbers.						mixed borders and ribbons.
Gynerium, see Ornamental Grasses.						
Gypsophila, cerastioides	hP	3,1	white		-	Easily grown free flowering plants
elegans	hA	I 4	"	20	5	suitable for rockwork, shubberies
-roesa	11.7	66		.30		etc. Their fine feathery appear
muralis	6.6	1/2	rose	.30		ance makes them especially sui
paniculata	hP	2		.50		able for bouquets.
Hare's Tail, see Ornamental Grasses.	11.1	2	white	.30	, 5	able for bouquets.
Hawkweed, see Crepis.						
Helenium Douglasii	6.6	. 2	yel.		_)
Bigelowii	66		561.		5	Showy single yellow flowers.
Helianthus (Sunflower) argophyllus	hA	3 6	"	20		Argophyllus has beautiful silver
californicus double	1177		d 1101	.20		foliage. Californicas, large doubl
cucumerifolius	6.6	4	d. yel.			orange colored flowers. Cucumer
Early Double Flowered	6.6	6	y e1.	.40		folius is of branching habit an
			6.6	.25		covered with small dark centere
folia aurea variegata		5	66	.25		flowers. Early Double Flowers
globulas fistulosus plenus		4	6.6	.20		
—multiflorus	†hhP	1	66	.30	5	produces flowers from July unt frost. Folia aurea variegata an
——plenus		5	66	.30		ming significate born beautifu
Golden Bouquet	hA	3			5	nana variegata have beautifu
Giant Russian	66	7			5	yellow splashed foliage. The mu
lenticularis (Thousand Flowered).	6.6	10		.30	5	tiflorus are showy perennial varieties. Golden Bouquet and Stell
nana variegata	66	3		.30		are particularly desirable on ac
Oscar Wilde, black centre Stella	66		66	.30		count of their early bloomin
	6.6	4		.50		qualities. Lenticularis of graceful
mixed		varied	mix'd	.15	5	branching habit.
Heliopsis Pitcheriana	hP		***01		T 0	Calliopsis-like. Very fine for cutting
Heliotrope, see Seeds for Greenhouse.	пт	3	yel.		10	earnopsis-like. Very line for cutting
Helleborus (Christmas Rose) niger	66	I	pink)	-	Will bloom in midwinter if afforde
New Hybrids	4.6	1	mix'd		5	the protection of a cold frame.
Hesperis (Sweet Rocket), mixed	66	1 1/2	1111X (I			Transplant every second year.
Heuchera sanguinea		2	crim.	2 00	5	Graceful spikes suitable for cutting
Hibiscus Africanus (African Rose)	hA	2	yl&br	2.00	13	Beautiful and showy plants; remark
militaris (Marsh Mallow)	thP	31/2	rose	. 33	5	able for the size and fine colors of
moscheutos albus	"		white	-		flowers. The perennial sorts shoul
palustris roseus	6.6	3	rose	.75	5	be sown early indoors in order t
Crimson Eye	hA	5	w&cr.		10	get a successful flowering the sam
Golden Bowl	6.6	5	yel.		IO	season.
Hollyhock (Athæa Rosea).			9010		10	A very superior strain offered either
Breck's Silver Medal Strain	†hP	6	mix'd	2.50	IO	mixed or in 12 separate colors.
				_		of cover.

NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Pri pe	r	DESCRIPTION.
Hollyhock.—Continued.	th P	6	mix'd	2 00	10	Imported mined or consults and
Chater's Double	111 P	"	mix d	I.00		Imported, mixed or separate colors.
Single, mixed.	6 .			1.00		(An entirely new type; the flowers
Allegheny	s 6		6.6	6.00		are semi-double, finely fringed, and
collection, 12 distinct colors1.00	6.6	4.6				(embrace delicate shades of red.
Humea, see Seeds for Greenhouse.						
Humulus (Hop), see Climbers.						
Iberis (Candytuft), Gibraltarica	hP	3/4	pink		10) Reputiful hardy description
jacunda	6.		crim.		10	Beautiful, hardy, dwarf-growing, spring flowering plants.
sempervirens	•	I	white		5) 18
Ice Plant, see Mesembryanthemum crystallinum.				1		
Impatiens sultani (Perennial Balsam).	hhP	I	scar.		IO	Brilliant colored, single flowers
Hybrids, mixed	6.6	varied	mix'd		IO	throughout a long season.
Inula ensifolia	thP	I 1/2	yel.		10	The plants are of fine bush form, and
Inomma coo Climbora						covered with bloom.
lris Kæmpferi	hP	2	mix'd		5	The beautiful Japanese Iris.
Jacob's Ladder, see Polemonium.		-)	The seattrar Japanese 1113.
Job's Tears, see Ornamental Grasses.						
Kaulfussia amelloides, mixed	hA	I	mix'd		5	Fine for edging, or beds.
Kenilworth Ivy, see Linaria.						
Lagurus, see Ornamental Grasses. Lantana, see Seeds for Greenhouse.						
Larkspur, see Delphinium.						
Lathyrus, see Climbers.						
Lavendula (Lavender), spica	hP	2	blue	.25	5	Well known, sweet scented flower
Lavatera ambama variogata	hhP	2	red.	T 00	_	of the old gardens.
Lavatera arborea variegataalba	hA.	3 2	red white	.50	5	Hollyhock-like flowers. L. arborea
trimestris	. 6		red	1.00	5	has a beautiful mottled foliage.
Leptosiphon hybridus	. 4	I	mix'd			The colors are blue, white, lilac, pur-
I	1.1. 4		1			ple and orange. Very attractive.
Stillmani	hhA	2	yel.	.75	5	Large, single flowers, useful for cut- ting.
Liatris (Blazing Star) pyenostachia	hP	3	pur.		5	Fine for dry soils. Produces hand-
spicata	4.6	I 1/2	rose		5	some spikes of flowers.
Limnanthus Douglasii	hA	I	w.& y.		5	Does well in damp, shady places.
mixed	hP		mix'd violet	2 00	5	Splendid for bees.
—alba	""	"	white	.40		Snap dragon shaped flowers desirable for edging and good for rock-
maroccana	hA	3/4	rose	.40		work. It is unsurpassed for
-hybrids	6.4	+ 6	mix'd	4.00	5	baskets, vases, etc.
Linum (Flax) flavum (Golden Flax)	thh P	46	yel.		-	
grandiflorum rubrumluteum	hhA	66	crim.			Effective and showy plants for beds
Perennial sorts.	hhP	I		.30		and borders.
Loasa, see Climbers.						
Lobelia erinus. Crystal Palace Com-	11.1.5		111			
pacta	thhP	1/2	d.blue		10	Doult blue with white and
—compacta oculata	6.6	66	46		5	Dark blue with white eye. Indigo blue with white eye.
-Emperor William " ·35	4.6	66	blue		5	Skyblue.
—erecta " ·35	66	3/4	66		5	Of upright growth.
—Formosa	6.6	1/2	red		5	37.11 6.12
—gorderse	6.6	trai.	blue		5	Yellow foliage.
—Gracilis	6.6	1/2	b.& w		5	Fine for baskets and vases. White with blue belt.
-Prima Donna compacta " 1.00	6.6	1.6	d.red		10	
—pumila magnifica " 1.00	4.6	13	d.blue		10	The best for edging and pots.
—— White Gein	66		white		IO	
-Royal Purple	"	trai.	blue		5	Purple with white eye. Trailing habit.
-speciosa	hP	2	scar.		10	1
syphylitica	. "	6.6	blue		IO	Showy border plants.
Lophospermum, see climbers.	1-1-4	6.6	1) Donates and internal 1 to 111
Lotus Jacobæus	nna	6.6	br. yel.	.50		Pretty and interesting plants with small pea-shaped flowers.



NAME.	Hard and Dur.	H'g't Feet.	Color of Flower	pe		DESCRIPTION.
Love-Lies-Bleeding, see Amaranthus		1	,	102.		
caudatus.						(The seed pods make fine winter
Lunaria biennis (Honesty)	†hB	2	pur.	.40	5	bouquets.
Lupinus Cruickshanki	hP		varied	.30		,
mutabiles	"	3	66	.30		Showy, easily grown plants, with
Mixed Annual	hA	66	mix'd	.25		> long spikes of bright colored
—Perennial	hP	66	4.6	. 25		flowers.
Lychnis chalcedonica	thP	2	scar.	. 50	-	
—alba		"	white	.50		Bright colored border plants of easy
—mixed	"	"	mix'd	.40		culture.
fulgens	hhP	I	scar.	1.00		culture.
haageana hybrida	hP	6.6	mix'd		IO	
Lythrum roseum superbum	†hP	I 1/2	rose	.30	5	(Magnificent spikes of large rosy-
•		1				purple flowers.
Malcomia (Virginia Stock)	hA	I	mix'd	.30	5	Grand for beds or edging.
Malope grandiflora	6.6	2	6.6	.30		Fine for cutting.
Malva or Mallow, crispa:	hP	3		.30	5	Curled Mallow. Ornamental foliage
miniata (Sunset Plant)	hhP	4	scar.	. 50	5	f plant.
Martynia fragrans	hhA	2	pur.	.30		Stately plants with gloxinia-like
mixed	"	"	mix'd	.30	5	flowers that are followed by horn-
Marigold, see Tagetes and Calendula.						like fruit. Seed should be sown in
Marguerite, see Chrysanthemum fru-						a gentle bottom heat.
tescens.						
Marvel of Peru, see Mirabilis.		}				(701
Mathiola bicornis (Evening Scented	11 4	1,	1			The flowers are closed during the
Stock)	hhA	1/2	white	.25	5	day. Sweet scented at night.
Matricaria (Double Feverfew).	1. A	_	66		-	Continuous bloomers Fine for had
capensis	hA	I		.40		Continuous bloomers. Fine for bed-
exima (Golden Ball)	66	I /2	yel.	.75	10	ding or pot culture. Golden Ball is especially fine.
—grandiflora		1	WIIIte	./3	3	is especially line.
Mesembryanthemum crystallinum						
(Ice Plant)	hhA	trai.	66		5	Like a warm, sunny situation. They
tricolor (Dew Plant)	4.6		rose		5	are all effective in beds, rock-work,
—alba	6.6	1/4	white		5	baskets or vases. M. crystallinum
mixed	"	var.	mix'd		5	has peculiar glistening foliage.
Mignonette(Resedaodorata)grandiflora	hA	I	w&bf.	.15		Well known, fragrant favorites, de-
—Allen's Defiance	6.6	11/6	r. & w.	.70		lightful for working into bouquets.
-Breck's Giant Machet	"	"	red	.70		For winter flowering seed should
-Crimson Giant or Queen	6.6	6.6	6.6	.30		be sown in July or August. All
—Gabriele	6.6	66	6.6	.60		the sorts we offer are very fine,
—Golden Machet	"	6.6	yel.	. 50	IO	but especial attention is called to
—Golden Queen	"	6.6	"	. 50		Breck's Giant Machet and Golden
—Miles' Spiral	66	44	white	.30		Machet as being particularly good
—Parson's White	"		1	. 30		and the most desirable for pot cul-
—Victoria	"	"	red	. 50		ture.
—White Prize		**	white	.30) 701- 1
Mimosa pudica (Sensitive Plant)	hhA	1/2	pink	.75	5	The leaves of this plant close up if touched or shaken.

	Hard.	H'g't	Color	Pric		DUGGDIDMICAL
NAME.	and Dur.	Feet.	of Flower	per		DESCRIPTION.
	2		1 10 01	Oz. I	Pkt.	
Mimulus (Monkey Flower).	11 0	1.				
cardinalis	†hP	1 1/2	mix'd			A genus of extremely handsome,
cupreus duplex (Hose in Hose)			spot.			profuse flowering plants, with
—hybridus			mix'd		10	singularly shaped and brilliant
moschatus compacta (Musk)		1/2 .	yeı.	3.50	10	colored flowers. The seed should
Rœzlii		I	yel.			be sown early indoors.
Mirabilis Warvel of Barn or Four			spot.	5.00	10	(Sand should be sown early indoors
Mirabilis (Marvel of Peru or Four						Seed should be sown early indoors, and the plants set out when the
O'Clock)	6.6	,	mirr'd		_	weather is settled. If desired the
hybridlongiflora alba		2	mix'd white			roots may be kept over winter in
variegated leaved			mix'd	.25		the same way as dahlias. Few
collection 8 varieties30c.	6.6		mix (t	. 20	3	plants combine so much beauty of
concerion o varieties						flower and foliage as this genus.
Molucella lævis (Shell Flower)	hA	I	w.&p.	75	5	Of very curious form, easily grown
2.201W011W ACCVID (DITCH 1 10 WCL)	11.1	1	w.ccp.	. 73	3	and worthy of attention.
Momordica, see Climbers						, and working the same area.
Monkshood, see Aconitum			ľ			
Morning Glory, see climbers						
Morning Glory, dwarf, see Convolvu-						
lus tricolor						
Mourning Bride, see Scabiosa						
Musk, see Mimulus Moschatus						
Myosotis (Forget-Me-Not)]
alpestris mixed	†hP	I	mix'd			Charming little plants, very popular,
—alba	6.6	"	white			producing their beautiful star-like
—cœrulea		1/2	blue	1.00	01	flowers in great profusion; invalu-
—rosea	"		1036	./5	5	able for spring garden decoration.
—stricta rosea	"	I	1.1		10	The Stricta is an entirely new class
——cœlestina/	66	"	blue	1	10	of pillar-like form and very attrac-
-victoria	"		111	2.50		tive. They with the Victoria are
Azorica	"		d.blue		10	the best sorts for pot culture. M.
—alba			white		IO	Palustris Tom Thumb is a minia-
palustris	66	1/2	b.&w.			ture marsh Forget-me-not that
—semperflorens alba —Tom Thumb	66	1/	white			flowers from May until frost.
Myrsiphyllum, see Seeds for Green-		1/4	brue		10	7
house						
Nasturtium, dwarf, see Tropæolum						
nanum						
Nasturtium, tall, see climbers						
Nelumbium luteum (American Lotus)	hP		yel.		20	l See Nymphæa for cultural direc-
speciosum (Egyptian Lotus)	"		pink		20	tions.
· · · · · · · · · · · · · · · · · · ·			1			Sow the seed in light soil in March
Nemesia strumosa Suttoni	hA	I 1/2	var.		10	or April; requires gentle bottom
						heat.
Nemophila mixed	"	var.	mix'd	.20	5	Beautiful and of easy culture.
Nicotiana affinis	hhA	. 3	white	.50	5	Species of Tobacco. The three sorts
alata	"		pink		5	first named have deliciously fra-
atropurpurea grandiflora		4	crim.		5	grant flowers. Collosea is a hand-
colossea	"	6			10	some ornamental foliage plant.
—variegata			1;100		10	Seed should be started indoors.
gracilis		I	lilac blue	. 50		Generally has a white margin. Fine for edging or hanging baskets.
Nigella (Love-in-a-Mist)	6.6		miv'd	.50		Larkspur-like flowers.
Nolana mixed		1/	mix'd	.30		A fine trailer for rockeries.
Nycternia capensis		/2	w.&y.			Seed should be sown indoors or in a
selaginoides	4.4		v.&w.	.50		hotbed in March.
scraginordes			y .cc 11 .	1.00	J	Seed should be planted during March
						or April in a tea cup containing
						two or three inches of soil, and
Nymphæa cœrulea	hhP		blue		15	filled up with water. After plant-
dentata (night blooming)	"		white		15	ing, the cup should be placed in a
graciles	6.6		4.6		15	temperature of from 70 to 80 de-
odorata alba (white Pond Lily)	hP		6.6		10	grees during germination, which
-rosea (Cape Cod Pink)	6.6		pink		15	ordinarily takes ten days. When
O'Marana			red		15	large enough to transplant prick
zanzibarensis aurea			blue		15	into small pots and place them
—rosea	4.6		rose		15	in a pan of water deep enough to
						cover the pots about one inch.
						In June move to tubs or pools of
			i	1		water outdoors.
~ "		00				



		1				
NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Pri pe	er	
CEnothera (Evening Primrose) acaulis. biennis rosea mexicana annual varieties, mixed perennial varieties, mixed Orobus, mixed Onopordon acanthium (Thistle) Oxalis alba rosea tropæoloides valdiviana mixed Pæony, double, mixed single, mixed Pampas Grasse, see Ornamental Grasses.	hP " hhA " hB " hhP " hhP " " " " hP " "	3/4 2 3/4 Var. 6	white yel. rose mix'd "" white white rose yel. mix'd mix'd ""		5 5 5 5 5 5 5 10 10 5	
Pansy, see Viola tricolor. Papaver (Poppy)— alpinum album	†hP	I	white rose mix'd red scar. mix'd sc.&w. mix'd sc.&w. scar. s.& bl. c.& bl. sc.&w. yel. "white or'ge scar. mix'd scar.	.30 .25 .25 I.00 I.00 .30 .30 I.00	5 5 5 5 5 5 5 10 10 10	
—mixed, single orientale (Oriental Poppy) pavonium (Peacock Poppy) Pæony-flowered, double Ranunculus-flowered Shirley somniferum (Opium Poppy) umbrosum Victoria Cross White Swan, double Yellow Rose, double collection, 12 annual varieties See Spe	hP hA 	2 I I ¹ / ₂ 2 I ¹ / ₂ 3 I ¹ / ₂ ('	mix'd s.&pu. sc.& b. mix'd "" white crim. cr.&w. white yel.	1.00 .25 .25 .75 .30 .30 .30 .75	10 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6

Fine free flowering plants, suitable for backgrounds, shrubberies, etc.


DESCRIPTION.

Showy plants, pea shaped flowers.
Sow seed in pots, transplant without disturbing roots.

Splendid class of plants with brilliant colored flowers and dark foliage, suitable for rockwork, hanging baskets, vases, etc.

These beautiful varieties of poppies are so well known that it is needless to say anything in their favor. Quite a number of the perennial varieties bloom the first year from seed if sown early. The alpinum sorts are of low growth and con-stant bloomers. Cardinal hybrids embrace several shades of rose, chamois, and brick red. Chinese have double feathery flowers. Danebrog, bright scarlet, with a white spot at the base of each petal. Lævigatium single, scarlet, black spots and white margin. Me-phisto, scarlet and black spots. Mikado, feathery petals, white fringed with crimson. The nudicaule are all charming sorts that bloom very early. Oriental, one of the best, dark scarlet with a purple spot at the base of each petal. Pavonium, scarlet, with a black horseshoe-shaped blotch at the base of each petal. Shirley is fine for cutting, having long stems. The new strain we offer produces softer and more pleasing shades than we have offered hitherto. Yellow Rose, carnation-flowered

NAME.	Hard. and Dur.	H'g't Feet	Color of Flower	p	rice er Pkt.	DESCRIPTION.
Papaver collection, carnation-flowered, 12 colors	†hP	2 '' I ½ I	r. & w. mix'd		10 10	Bell-shaped flowers borne on long spikes. Splendid bedding plant; blooms the first season from early sown seed. Ornamental foliage plants for ribbons and beds.
Periwinkle, see Seeds for Greenhouse. Petunia hybrida, large flowered— —alba —blotched and striped —intus aurea —kermesina —Purple King —superbissima —fimbriata, or fringed —California Giant —double —Breck's Prize, double —Inimitable, double —nara compacta, brilliant rose —striped and blotched, double —double, mixed nana compacta multiflora ¼ oz. 1.00 nyctaginiflora striped and blotched choice mixed mixed collection, 12 varieties, large-flowered mixed collection, 12 varieties, large-flowered 1.00 6 " 50 12 " double fringed 1.50 " 6 " 75 " 12 " double large	hA	"" "" "" "" "" "" "" "" "" "" "" "" ""	white stri. yel. crim. pur. spot. iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii		10 10	Free flowering, sweet scented and easily cultivated, well-known favorites, effective and beautiful in borders, beds, vases, etc. They thrive in almost any soil and produce a brilliant array of color throughout a long season. Breck's Prize is an exceedingly fine strain of large fringed flowers that produces alarge percentage of doubles. We call special attention to the collection offered. The seed is all saved from selected pot-grown plants, and we believe will prove perfectly satisfactory.
Phacelia campanularia	6.6	I	blue		5	Whitlavia-like flowers; showy.
Climbers. Phlox Drummondii grandiflora alba —atropurpurea —striata —coccinea —Isabellina —oculata alba —rosea —stellata splendens —mixed cuspidata fimbriata nana compacta, Snowball —Fireball double red —white —yellow —mixed collection, 12 colors collection, 12 colors decussata (Perennial Phlox) —nana	 	1/2 1 1	white scar. red white yel. mix'd	I.00 I.00 I.00 I.00 I.00 4.00 6.00 .75 I.00 4.00 4.00 I.00 I.50	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	These flowers are of extreme beauty and are greatly admired. Their long duration of bloom, combined with their unequalled richness of color, render them of invaluable service in the flower garden. By making a second sowing they may be had in bloom until frost. They prefer a rich soil and plenty of water.
Physalis Francheti (Chinese Lantern).	6.6	2	٠,		5	Fine foliage which is in grand contrast to the balloon-like seed pods of bright orange red color. The fruit makes excellent preserves.




NAME.,	Hard and Dur.	H'g't Feet.	Color of Flower	D6	ice er Pkt.	DESCRIPTION.
Pink, see Dianthus. Poa, see Ornamental Grasses.						
Polemonium (Jacob's Ladder) cœru-						((Greek Valerian). Showy, old fa-
leum	hP	1 1/2			5	vorites.
flavum		.,	yel.		5	
Poppy, see Papaver	hA	1/	000=		_	These beautiful little favorites grow
Portulaca grandiflora, single scarlet —white	1174	,,1/2	scar. white	. 50		best in a light, dry soil. The seed
—yellow		"	yel.	. 50		should not be sown until the
-mixed	"		mix'd	. 50	5	weather is warm. They are very
—collection, 6 colors25	6.6	"				suitable for edgings, rockwork
—double mixed	"	66	6.6	4.00	10	beds, etc. A percentage of the
——collection, 6 colors40						seed sold as double, produce single
						flowers; as these bloom earlier they may be recognized and pulled
					1	out.
Potentilla, Double	hP	1	mix'd	1.25	10	Very useful for mixed borders.
Single	"	I 1/2		1.00		They last a long time in bloom.
Primula (Primrose).						
Auricula alpina	hhP		mix'd		10	
Japonica	ThhP	2	1	.50	10	These so-called hardy sorts require
vulgaris (English Primrose)50 mixed hardy sorts		I	yel. mix'd		10	a cold frame or other protection
veris (Polyanthus) Giant Fancy,		vai.	mix u		10	during winter. They do best in a
¹ / ₄ oz., 1.00		I	66		IO	northern aspect. They are all very
—Duplex (Hose in Hose). $\frac{1}{4}$ oz., 2.00	6.6		6.6		IO	beautiful and useful both for gar- den and pot culture.
—Gold Laced	6.6		yel.		10	den and pot culture.
—elatior (Cowslip)	" .	6.6	mix'd	1.00	10	
See also Seeds for Greenhouse.)
Prince's Feather, see Amaranthus cruentus.						
Prickly Poppy, see Argemone						
Pyrethrum (Feverfew))
aurem (Golden Feather)	hhP	I	yel.	1.00	5	Outdoor fully manufactured for adoing
-Golden Gem	"	1/2	white	1.00	5	Golden foliage sorts, used for edging, ribbons, etc.
—selaginoides	"		yel.	1.00	~ ~	Tibbons, etc.
—discoideum	hP	I 2	_	I.50		
atrosanguineum	"	"	mix'd			Showy, aster-like flowers, of long
—double	"	66	16	1.50	IO	duration; fine for bouquets.
Quaking Grass, see Ornamental Grasses						
Ragged Robin, see Lychnis						
Ranunculus, asiaticus superbissimus	†hhP	I	mix'd	.75	10	Very showy, double flowers.
Rhodanthe, see Everlastings						(Stately, ornamental foliage plants;
Ricinus, (Castor Oil Plant).						start seeds indoors.
Borboniensis	hhA	15		. 20	5	Large, dark green foliage.
Cambogensis	"	6		.40		Foliage nearly black.
	cial O	ffers	on thir	d pa	ge	of cover.

	Hard.	H'g't	Color	Pri		
NAME.	Dur.	Feet.	of Flower	Oz.		DESCRIPTION.
Ricinus.—Continued.	1.1.4					Divish green falia
Gibsoni (Duchess of Edinboro)		10		.20		Bluish-green foliage. Dark stems and foliage.
Philippinensis	6.6	6.6		.20	5	Purple foliage.
sanguineus (Obermanii)	66	7	1	.20		Red foliage.
Zanzibariensis maculatus		var.		.30		Bronze, changing to dark green; redribs.
mixed sorts		46		.20		Foliage light green to purple.
Rose of Heaven, see Agrostemma,						
cœli rosea						
Rose Campion, see Agrostemma, cor- onaria						
Rudbeckia (Cone Flower) bicolor su-						
perba	lı A	2	y. & p.		5	Easily grown, showy, free flowering; grand for borders, and unsurpassed
amplexicaulis		3	yel.		5 5	for cutting.
Newmanni		4.6	y. & p.		5	j
Saintpaulia ionantha, see Seeds for						Those beautiful annuals have anni
Greenhouse Salpiglossis grandiflora, tall mixed	hhA	2	mix'd	.75	5	These beautiful annuals have curiously penciled and marbled, fun-
—dwarf mixed		I	"	.75		nel-shaped flowers. Emperor is a
—Emperor	"	2	var.		10	new type, producing a great num-
collection 6 varieties, tall30 collection 6 varieties, dwarf30						ber of very large flowers veined with gold, on a single stem.
confection o varieties, awaii						(Well-known, late summer, brilliant
Salvia (Flowering Sage) argentea		3,	white		5	flower favorites. There is nothing
farinacapatens	hA thhA	2	blue	1.00	5	showier than a bed of splendens. The golden foliage variety contrasts
prunelloides purpurea	hA		pur.	1.00		splendidly with the scarlet flowers.
splendens	†hhP	"	scar.			The deep blue color of patens is
compacta erecta	66	I ½	d.scar.		10	also desirable, and this variety should be grown more largely.
—Golden Foliage Sanvitalia procumbens fl. pl	hA	1/2		.50		Suitable for beds or rockwork, bloom
Production P	66					all summer.
Saponaria calabrica		I	pink white	.50		Charming little plants flowering all the season, splendid for beds or
—aroa		":	mix'd	. 50		ribbon borders.
Scabiosa (Mourning Bride) atropur-						
purea	66	2 I	pur. white	. 50		
candidissima fl. pl	4.6	2	red	.50		Handsome plants for mired harders
King of Blacks		66	black	. 50	5	Handsome plants for mixed borders, flowers beautifully variegated, use-
Pompadour	66	varied	pu&w mix'd		2	ful for bouquets. They should be
Tall Mixed Dwarf Yellow		I	yel.	.30		more generally grown.
Drawf Victoria	6.6	"	white	.30	5	
Dwarf mixed	6.6	66	mix'd	.30	5	
collection 6 colors30) Large flowers, blotched purple and
Schizanthus mixed	6.6	I ½	mix'd	.30	5	spotted with orange; fine for bed-
Schizopetalon Walkeri	66	3/	white	. 50	5	Beautiful fringed flowers with a deli-
Sedum (Stonecrop) cœreleum 1/4 oz75	hP	1/4	blue		IO	cious almond perfume. Showy
sempervirum			d.red		10	> little plants for carpet beds or
mixed 1 ₄ oz75		varied	mix'd		5	rockwork, they flower profusely. Plant in sandy soil.
Senecio (Jacobea) elegans fl. pl	hA	I	mix'd	.75	5	
—nana fl. pl		1/2 I	DUT	I .00	5	A useful and showy class of gay
—pomponicus purpurea, — —ruber		"	pur. red			colored, profuse blooming plants, splendid for beds or pot culture.
—tall mixed	4.6	"	mix'd			,
Sensitive Plant, see Mimosa.					1	
Shell Flower, see Molucella. Silene (Catchfly) Armeria	4.6	"	mix'd	.25	5	
pendula rose		"	rose	.25	5	Ornamental free flowering plants
—double rose		1/2	white		5	with bright colored flowers, suitable for beds, borders, or ribbon
			mix'd			gardening.
virginica	h P	I 1/2			10	
Smilax (Myrsiphyllum) see Seeds for				1		
Greenhouse. Snapdragon, see Antirrhinum.	1			1	4	
Disaparagon, Sec Internation				0.00		



						MASTORTION.
NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Pri pe Oz.	r	DESCRIPTION.
Colonium consisestation	tP		0 = 2 0 = 0	,		
Solanum capsicastrum	"	2	or'ge	.50		Ornamental fruit bearing plants for
Wetherel!'s hybrids				. 50		the greenhouse and summer gar-
Sphenogyne speciosa	hA	I	yel.	.30	5	den, suitable for ribbon borders or
						rockwork.
Spraguea umbellata	hhA	1/2	rose		10	Amaranthus like flowers for edging
•						or rockwork.
Squirrel Tail Grass, see Ornamental						,
Grasses.						
	1. D				_	Silver learned fine for bondons
Stachys lanata	hP	2	stri.	.50		Silver leaved, fine for borders.
Statice (Sea Lavender) annual varieties			mix'd	. 50		Pretty little flowers, fine for winter
Perennial varieties	hP	66	6.6	.50	5	bouquets.
Stevia , see Seeds for Greenhouse.						
Stipa, see Ornamental Grasses.						
Stocks (Gilliflower).						
large flowering ten week bright crim-						
	1. 1. A	-1/				
son	hhA	11/4	crim.			
—brilliant rose			rose yel.	3.75	10	
-canary yellow	"	6.6	yel.	3.50	ro	The seed we offer is all not grown
—deep red	6.6	4.6	d.red	3.50	10	The seed we offer is all pot grown
—dark blue	6.6	"	d.blue	3.50	10	especially for us in Germany, by
—dark purp'e	6.6	66	d.pur.			the foremost cultivator of this
	6.6	"				fragrant favorite. It will produce
—light blue		"	l.blue			a very large percentage of flowers
—light rose			1.rose			that are unsurpassed for double-
—scarlet	"	6.6	scar.	3.50	10	ness, form, size and color. Our
—snow white	4.6		white	3.50	10	Boston Florists' strain is also now
—mixed	"	6.6	mix'd	3.00	10	>
—collection 12 distinct colors65						raised in Germany. It produces a
" 6 " "35						finelong spike, very double globular
Breck's Boston Florist White	6.6	"	white	5 00	TO	flower of the purest white. For a
	6.6	6.6		4.00		succession of flowers seed should-
Cut-and-Come-Again	6.6	I				be sown in March or April, in
Dresden perpetual	66	-		4.00		heat, and outdoors in May and
——mixed			mix'd	4.00	10	June. A light soil and high culti-
pyramidal large flowering		I 1/2	"	4.00	10	vation is desirable.
Victoria	"	I	white	4.00	10	
—mixed	6.6		mix'd	3.50	IO	
Early Autumnal	hhB	1 1/2	"	5.00 5.00	10	
Brompton or Winter	6.6	"		5.00	10	
East Lothian	6.6	6.6	mix'd	6.00	10	J
Stonecrop, see sedum.						
Streptocarpus, see Seeds for Green-						
house.						
Sunflower, see Helianthus.						
Sweet Alyssum, see Alyssum Mariti-						
mum.						
Sweet Pea (Lathyrus) see Climbers.						
Sweet William, see Dianthus Barbatus.						
Sweet Rocket, see Hespris.						
Swainsonia alba grandiflora	hhP	11/2	white		.15	Sweet Pea like flowers suitable for
						pot culture or bedding.
Sweet Clover (Melilotus) a!ba		21/0	white		5	Sweetly fragrant plants, fine for
—cœrulea			blue		5	
trifolium suaveolens		"	crim.	.40		borders.
Tagetes (Marigold) African lemon		2	l.yel.	.40		
——quilled			1.9 61.	.10	5	
-orange		6.6	or'ge	40	5	
-orange						
200 200	aial O	TONG O	n thind	2000	0 0	I COVOR

NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	pe			DESCRIPTION.
Tagetes.—Continued.			,	10111	1		
-quilled	hA	0	or'ge	10	-	1	
—El Dorado	1174	2					
—Pride of Garden		1 1/2	yel.	.40			
-mixed	11	2		.40			
		2	mix'd	.40	5	V	ery ornamental plants coming into
—collection of 6 distinct varieties .25		2	min'd	10	_		bloom in late summer. The Afri-
Freuch tall double		2	mix'd	.40			can sorts are old favorites. The
—dwarf double		I		.40			French varieties are of dwarf habit,
-striped	"		strı.	.40			flowers beautiful contrasting col-
—purple and gold			pr&yl.		5		ors, excellent for beds.
—gold edged	4.6		br&yl.		5		,
—mixed	.,	I	mix'd	.40	5		
—collection 6 distinct varieties25							
		6.6					
signata pumila		4.6	strı.	.50			
—golden ring		"	or'ge	. 50			
-Cloth of Gold			yel.	. 50	5)	
Tassel Flower, see Cacalia.							
Thunbergia, see Climbers.							
Thistle, see Onopordon.							
Thrift, see Armeria.							aluable for vases, hanging baskets
Torenia Fournieri	tA	I	mix'd		10	(or pot culture.
Tricholæna, see Ornamental Grasses.							
Tritoma (Red Hot Poker Plant)—							ne flowers are produced in large
uvaria grandiflora	hhP	3	scar.	1.00	10		spikes of orange tinted flower
							tubes.
Tritonia aurea	4.6	1/2	or'ge	1.50	10		warf growing bulbous plants, tubu-
							lar shaped flowers.
Trollius, mixed	hP	I	mix'd	2.00	15	Ве	eautiful Ranunculas like flowers.
Tropæolum nanum (Narturtium)	
Dwarf)—							
—Aurora	hA	3/1	varied	.20	5		
—Beauty	4.6	. (7	y.&sc.				
—black (King Theodore)	4.6	6.6	blk.	.15	5		
—bronze	"	44	bro'ze		5	7	11 11 1
—cœrulea rosea	44	4.6	peach	.20			eautiful bedding plants, unequalled
—crimson	6.6	4.6	crim.		5		for brightness and variety of col-
-Crystal Palace Gem	4.4	4.6	spot.	.15	5		oring. The foliage is generally of
—Cloth of Gold	4.6	4.6	yel.	.20	5		a very dark green shade. They
-Empress of India, dark leaved	66	6.6	crim.	.20	5		are very valuable for bedding and
-Golden King	44	6.6	yel.	.25	5		are not surpassed for producing an
-King of Tom Thumbs	44	6.6	scar.	.20	5		abundance of flowers for cutting.
-Lady Bird (Bird Flower)	66	4.4	o.&r.	.20			The Liliput is an entirely new
—Pearl	66	4.4	white	.20	_		class of charming little Nastur-
-Ruby King	66	6.6	carm.				tiums and will become a general
-rose	4.6	6.6	rose	.20	0		favorite. A light soil is most
—scarlet	66	6.6	scar.	.20	-		suitable for Nasturtium.
—spotted	66	"		.20			
-yellow	6.6	6.6	spot.				
-Breck's Rainbow Mixture	"	6.6	yel.	.20	0		
—collection 12 distinct varieties50			mix u	. 20	5		
Liliput	+ 6	1/2	"	1.00	TE	1	
Tropæolum Majus, see Climbers.		/2		1.00	- 3	-	
Trumpet Vine, see Climbers.							
Valeriana	hP	2	mix'd		-) T	arge bright flowers for mixed bor-
THE PERSON NAMED OF THE PE	111	2	min (I	. 50	5		ders or shubberies.
Venidium calendulaceum	hha	I	yel.	.50	=		olden yellow, daisy like flowers.
Venus=Looking-Glass, see campanula	111121	1	y CI.	.50	5)	olden yellow, daisy like nowers.
speculum. Verbena hybrida, Auricula-flowered	thh D	1.4	mix'd	2 00	10		
	111111						
—candidissima compacta	6.6	74	white		0 1	0.	o of the best hadding plants in
—coccinea compacta	6.6		scar.			UI	ne of the best bedding plants in
—cœrulea	6.6	I	blue				cultivation. Unrivalled as a con-
—Defiance	6.6	"	scar.				stant bloomer, brilliancy of flower
-Golden Leaved		4.6	mix'd			?	and sweet fragrance. Montana is
—Italica striata	6.6		stri.				a perfect gem. The plant literally
Mammoth	66		mix'd				covers itself during the summer
—mixed, choice	6.6	I		1.50		1	with bright rose colored flowers.
				1.00			
Montana	hP		rose	.50	5		
lemon scented (Aloysia) see Seeds							
for Greenhouse.	oial Ca	fonce	n this			2	
See Spe	C18.1 ()	Lers Ol	II I.DIPC	1 109.0	A O	COV	AT.



NAME.	Hard. and Dur.	H'g't Feet	Color of Flower	Pr pe Oz.	er	DESCRIPTION.
Veronica	hP	1 0	lenier?d		10	
Vinca, see Seeds for Greenhouse.	111	2	mix'd		10	
	hhP	1/	d blue		10	
Viola (Violet) cornuta, admiration	""	, 72	d.blue		10	Well-known favorites that are much
-Mauve Queen	"	- 66	pur.		10	in demand on account of their fra
Magnificent		66	white	1	10	grance and profusion of bloom
		66	blue			
odorata semperflorens	66	66	white		10	They are very easily grown from
—The Czar	66	66	violet		10	seed, although they frequently take a long time to germinate.
—The White Czar	66	66	white		10	a long time to germinate.
mixed	64	66	mix'd		10	
Viola Tricolor (Pansy)—			IIIIA U	1	10	
Breck's Boston Prize	thP	I	66	\$12	25	
Breck's International Prize	"	6.	66	6.00		
Bugnot's Private Strain	66	46	46	0.00	_	
Bugnot's Blotched	66	66	66		50	Pansy is one of our specialties. Nearly
		3/4		2 50	25	all the seed we offer is grown fo
Belgian Blotched		/4	66	2.50		us under contract, by persons who
English Fancy	66	66	66	4.00		give special attention to their par
—Show		66	66	4.00		ticular pet strain. For size and
Lyon Perfection	46	66	4.6	,	-	form of flowers, variety and bril
Scotch Prize	66	66	66	7.00		liancy of colors and markings, there
Trimardeau or Giant Mixed	66	66	66	4.00		is nothing approaches those we
—atropurpurea	66	66		4.00		offer. Breck's Boston Prize is an
—Emperor William	66	66		4.00		American strain and is superior to
—golden yellow	66	66		5.00		any European mixture. Mr. Bug
—Golden fire spotted	66	.6	-	7.00		not annually grows for us the seed
—King of the Blacks	66	66	d. pur.			we offer under his name. The
—Lord Beaconsfield	61	66	y. & w.			flowers are immensely large and
-striped	66	3/	stri.			wonderful in their coloring.
—yellow marbled	6.6	"	var.			The English and Scotch Prize Pan
—white, dark eye	66	66	w.& p.			sies are remarkably fine; they are
Large-flowered, azure-blue	66	1/2				from the finest collections in these
—black, yellow eye	66	1/2	b. & y.			countries.
-bronze	66	66	br'nze			Our Trimardeau Pansies embrace the
-brown	66	66		2.00		cream of that type, and will give
—candidissima	66	4.6	white			perfect satisfaction in every par
-Cardinal	44	66	red			ticular.
—dark blue	66	66	d.blue			Pansies repay good treatment in pro
—Emperor William	4.6	66	blue			fusion and size and brightness o
—fawn	4.4	66	fawn			flower, as well as in large, hand
-Faust, or King of Blacks	6.6	66	black			some foliage. They delight in
—gold margined	66	66	var.	2.00	10	cool moist soil and a situation tha
-Havana brown	4.6	66		2.00	10	protects them from cutting winds
—Lord Beaconsfield	66	46	b.& w.	2.00	10	as well as the midday sun. To ob
—Mahogany color	66	66	var.	2.00	10	tain large flowers early in spring
—dark, white edge	46	66		2.00	10	seed should be sown in July of
—striped	66	66	66	2.00	10	August and the plants protected
—Victoria	66	66	red	2.00	10	with a frame during winter. Spring
—violet	66	66	var.	2.00	IO	sown seed does very well, although
See Spe	cial O	ffers o	n third	l pas	ge c	of cover.
				A		

	Hard.	H'g't	Color		ice	
NAME.	and	Feet.	of	P	er	DESCRIPTION.
	Dur.		Flower	Oz.	Pkt.	
Viola Tricolor.—Continued.			1		1	
—choice mixed	†hP	1,_	mix'd	2 00	10	the flowers produced are not so
—fine mixed	1111	" "2		1.00		
				1.00	, 5	large.
—collection, 18 colors80						
—collection, 12 colors60						
—collection, 6 colors30						
Virginian Creeper, see Climbers				I		
Virgin's Bower, see Climbers				1		
Viscaria cardinalis	lıA.	I	scar.	T 00	_	Showy flowers produced throughout
	1124			1.00		Showy flowers produced throughout
oculata cœrula			blue		5	the season; fine for beds.
Wahlenbergia (Bell Flower) grandi-						(Large and showy border plants with
flora	hP	2	6.6	I.00	5	bell-shaped flowers. Allied to the
—alba	6.6	"	white	. 75	5	Campanula.
Waitzia, see Everlastings						*
Waliflower (Cherasthus)						Beautiful border plants with fragrant
	hhP	I	mix'd	4 00	т О	flowers ranging in velvety shades
double German	11111	6.	111111111111111111111111111111111111111			
single German		6.6	"	.50		of brown and yellow. The annual
single annual	lıΑ	66			10	sort is a decided acquisition.
Whitlavia grandiflora	4.4		blue		5	(Flowers are bell shaped and pro-
-alba	"	6.6	white		5	duced throughout the entire sea-
						son.
Wigandia caracassana	hhP	6	lilac		F	(Beautiful decorative plants, richly
	""	"	iiiac ii		5	veined foliage and bright colored
imperalis					5	
V41						(stalks.
Xeranthemum, see Everlastings						
Yarrow, see Achillea						
Zea, see Ornamental Grasses						
Zinnia, tall double						
-Breck's Defiance	hA	2	mirr'd		_	
	11A		mix'd			}
—carmine	"	"	car.			
—crimson		66	crim.			
-flesh pink	6.6		flesh	I.00	5	Breck's Defiance is without excep-
-golden yellow	66	6.6	yel.	1.00	5	tion the finest strain of large double
—light yellow	66	6.6		1.00		zinnias offered. The plants are of
—lilac	66	6.6	lilac			vigorous branching habit and pro-
	66	6.6			-	
—purple	"	66	pur.			duce freely immense double flowers
-rose		6.6	rose			in an endless variety of splendid
—scarlet, light			scar.	I.00	5	colors; not the old hard red but
-scarlet, dark	6.6	6.6	"	I.00	5	innumerable delicate and velvety
-striped	6.6	6.6	strip.			shades. The separate colors are
—white	6.6	4.4	white			saved from the same collection
dwarf, mixed	6.6	6.6	mix'd			which is admitted to be the finest
	6.6	4.6	miz a			in Europe. Seed sown early in
dwarf, also in above colors separate	6.6	66		1.50	5	
collection 6 colors30	"	6.6				heat will begin to bloom in June
large robust			mix'd			and continue until frost.
Lilliput	6.6	3/4		1.00		
Tom Thumb	6.6	1/2		1.00	10	
Curled and Crested	6.6	I	"	1.00		
Haageana, double	6.6	1.6	yel.			
			, 54.	23		
CLIMBERS.						
	117			i		D-1, (.11 1.11-1
Abobra virdiflora	hhP	10	scar.	1.00	5	Dark green foliage, scarlet fruit.
Adlumia (Mountain Fringe or Alleghe-) Foliage resembles Maiden Hair Fern.
ny Vine) cirrhosa	h B	15	flesh	1.00	5	Sow in a shady place in spring and
—purpurea	6.6	i.	pur.	1.00		transplant carefully in September.
Ampelopsis quinquefolia (Virginia			1		9	Nothing better for veranda, foliage
	lıP	20		2.5	-	beautiful in autumn.
Creeper	111	30		.25		
Veitchii (Boston or Japanese Ivy)		50		.25	10	The well-known and decorative Bos-
						ton Ivy.
Aristolochia (Dutchman's Pipe) ele-						
gans	hhP	25	br.&y1	1.00	10	> Very large, showy foliage.
sipho	hP	66	"		10	
Balloon Vine, see cardiospermum.						
Beans, running, see Phaseolus.	66	6.6	000#	1 00	10	Fine foliage and brilliant flame
Bignonia radicans (Trumpet Vine)			scar.	00.1		Fine foliage and brilliant flowers.
Byronopsis erythrocarpa	hhA	10		.40	5	The green fruit changes to scarlet
						and white.
Cardiospermum (Balloon Vine) hali-						
cacabum	6.6	8	white		5	
Centrosema grandiflora (Butterfly Pea)	hP	6	varied		10	Pea-shaped flower of many pleasing
Virginica	- 66	66	6.6		10	colors.
· ·						
San San	aial Of	TO MA O	n thind	2000	-0 0	A COMPAN

		(00	ORATION	,.		
	Hard	H'g't	Color	Pri		
NAME.	and Dur.	Feet.	of Flower	pe		DESCRIPTION.
	Dui.		1. lower	Oz.	Pkt.	
Clematis (Virgin's Bower) flammula	hP	15	white		5	These are general favorites.
Large Flowering Hybrids	6.6	var.	mix'd		10	> The large flowered Hybrids and Pan-
paniculata	6.6	15	white		5	iculata will please and surprise all.
Cobæa macrostemma	hhP	20	gr&y1		10	Start the seeds in heat, setting them
scandens	+ 6	4.6	pur.	.75		on edge, and cover half an inch.
-alba		6.6	white			They flower most profusely when
						planted in sandy or light soil.
Coccinea indica	hhA	10	6.6		5	White flowers, scarlet fruit.
Convolvulus major (Morning Glory)	hA	6.6	mix'd	.10		Convolvulus Major is the old favor-
-Imperial Japanese	"	20	"	.50		ite. The other two sorts are new
-purpurea fl. pl. (Double Morning		20		.50		and fine, especially the Japanese
Glory)		т ~	w.&r.		10	
G101y)		15	W.CCI.		10	Morning Glory. They bear large
Cugumis oringgoons (Hedge Hog Courd)	hhA	8	yel.		-	and wonderfully colored flowers.
Cucumis erinaceous (Hedge Hog Gourd)		16	ye1.		5	These are all of rapid growth, orna-
acatangulus (Rag or Dish Cloth G'rd)	6.6		66		5	mental foliage, and produce very
flexuosus (Snake Cucumber)		10	6.6		5	curious fruit.
perennis	tP	15			5	The inside of the Dish Cloth Gourd
Cucurbita, see Gourds.	111					is useful for bathing, etc.
Cyclanthera pedata	hhA	10			5	Beautiful oval-shaped fruit.
Cypress Vine, see Ipomæa quamocht.	1.					
Dolichos lablab (Hyacinth Bean)	hA	66	pur.	.20		Beautiful, sweet-scented flowers, fol-
—alba	6.6		white	.20	5	lowed by ornamental pods.
—mixed	6.6	6.6	mix'd	.15	5	lowed by ornamental pods.
Dutchman's Pipe, see Aristolochia.						
Echinocystis lobata (Wild Cucumber).	hhA	12	green		5	Soak the seed 8 hours, plant eye down.
Gourds angora	6.6	8			1 5	White spotted fruit.
Apple-shaped	6.6	10			5	Small striped fruit.
Bottle-shaped		6.6			5	Ornamental and curious.
Dipper-shaped		15			5	Useful.
Egg-shaped		10	1		5	White Nest Egg. Useful.
Gooseberry-shaped	6.6	6			5	Small and very odd.
Hercules' Club	4.6	15	1		5	Very long.
Lemon-shaped	6.6	6			5	Very beautiful.
Orange-shaped	6.6	6.6			1 5	"
Pear-shaped	6.6	10			5	(6
Sugar-Trough		15			5	Used as water holders.
Mixed		var.		.25	5 5	All ornamental.
Collection, 12 varieties50					′ ′	
Humulus (Hop) Japonica	hA	12	1	.50	5	Quick growers, form a fine screen.
-Variegated		15	1	.50	010	The H. J. Variegated bears beauti-
lupulus (Common Hop)		20			5	ful green and white leaves.
Ipomæa bona nox (Evening Glory)		15	white	.25		
coccinea (Star Ipomœa)		10	scar.		5	
Heavenly Blue		6.6	blue	1.00		Time foot manifest for blooming
hederacea superba (Ivy-leaved)	6.6	6.6	6.6		5	Fine, fast growing, free blooming
Leari		15	6.6		10	plants of the Morning Glory family.
limbata elegantissima		10	b&w	. 30	5	The varied and many hues of its
Mexicana grandiflora alba		15	white		01	many species and varieties are ex-
noctiflora (Moon Flower)		- 3	111100	. 7 3	10	ceedingly beautiful. They are all
setosa (Brazilian Morning Glory)	hhP	10	red		5	useful for covering trellis work,
quamoclit (Cypress Vine)	hhA	1, 11	scar.	.30		verandas, etc.
—white		4.6	white		5	
—mixed		4.6	mix'd	.25		
Lathyrus (Sweet Pea), see next page.			mia d	.25	5	
	tP	4.6	Dur		-	Large trumpet flowers.
Lophospermum scandens		6.6	pur.		5)
Maurandya Barclayana	111	6.6			10	A graceful climber with flowers
Emeryana rosea		66	rose mix'd		10	somewhat resembling Digitalis.
Mina lobata		15	w. &r.		10	Curious flowers.
Mommordica balsaminia (Balsam Ap-						Golden yellow fruit, warted, when
ple)		10			5	ripe opens disclosing its brilliant
—charantia (Balsam Pear)	1	1			5) colored interior.
Nasturtium, see Tropæolum	4.D	1	h1		1.	
Passiflora (Passion Flower), cœrulea.		30	blue		10	(Interesting and beautiful. The seed
coccinea		20	scar.		10	should be started in heat.
incarnata		1	rose		10)
Phaseolus Multiflorus (Climbing Bean)		1	0.5		1	Wall known and wasful and
Scarlet Runner		10	scar.		5	Well known and useful, ornamental
White Runner			white		5	climbers.
Thunbergia alata		5,	o. & b.		5	Rapid growing, slender climber; ex-
—alba		66	white		5	tremely pretty flowers, freely produced.
mixed			mix'd	.75	5) duced.
Con the	i-1 O	FF ama	43-1	- an a		6 0 3 3 5 6 6



NAME.	Per Oz.	Per Pkt.	NAME.	Per Oz.	Per Pkt.
Blanche Burpee	. 10	5	Coquette, primrose, tinted with apri-		
Emily Henderson	. 10	5	cot	.10	5
Fisher's Snowflake white	. IO	5	Venus, salmon-buff	. I O	5
Mrs. Sankey	.10	5			
Golden Gleam vellow	.10	5	STANDARD AND WINGS OF SLIGHTLY DIFFERENT TINTS.		
Mrs. Eckford	.10	5	Lady Beaconsfield, pink and primrose	. 10	5
Prima Donna	.10	5	Triumph, orange-pink, wings white,	.10	3
Lovely pink	.10	5	slightly flushed	.10	5
Katherine Tracy	.10	5	Emily Lynch, creamy rose, primrose	.10	J
Lady Penzance)	. 10	5	tinted wings	.10	5
Ovid rose	.10	5	tiffed wings	. 10	3
Her Majesty)	.10	5	FLAKED AND CLOUDED.		
Brilliant scarlet	.10	5	Royal Rose, pink and blush white	.10	5
Firefly)	.10	5	Apple Blossom, pink and blush	.10	5
Harvard)	.10	5	, print did did		,
Salopian crimson		5	RICH METALLIC.		
Mars)	.10	5	Countess of Powis,		
Prince Edward of York scarlet-	.10	5	Meteor, orange-salmon, veined with		
Princess Victoria crimson.	. 10	5	pink and purple	.10	5
Captain of the Blues, bluish		5	Rising Sun, orange-rose, shaded pink	.10	5
Lady Nina Balfour	9	10	Etna, crimson, marbled edges	.10	5
Celestial mauve-	. 10	5			
Tien Countries	.10	5	SUFFUSED AND NARROWLY EDGED		
Princess May Emily Eckford mauve-reddish	. 10	5	WITH LAVENDER.		
Additional to the second secon	.10		Lottie Eckford, rose-white, blue edge	. 10	5
Captivation magenta Duke of Clarence claret		5	Maid of Honor, pale blue and white,		
Shahzada) maroon and	.10	5	shaded	. 10	5
Stanley tints		5	Golden Gate, edged with lavender	.10	5
, , , , , , , , , , , , , , , , , , ,	.10	3	SUFFUSED AND NARROWLY EDGED WITH ROSE.		
BLENDINGS.			Countess of Aberdeen, white edged		
Crown Jewel, delicate creamy white,			with rose	. 10	-
veined with violet	. IO	5		. 10	5
See Si	pecial (offers of	third page of cover.		

		(CORP	ORATION)		
NAME.	Hard. and Dur.	H'g't Feet	Color of Flower	Pri pe Oz.	r	DESCRIPTION.
Lathyrus (Sweet Peas).—Continued. PENCILLED EFFECT.			1	02.	FKt.	
Capt. Clark, tricolor				.10		
CONTRASTING, STANDARD AND WINGS IN DIFFERENT TINTS.						
Little Dorrit, carmine, tinted pink, white wings				10	-	
Blushing Bride, rose and white Earliest of All, similar to Extra Early				.10	3	
Blanche Ferry but ten days earlier Extra Early Blanche Ferry, pink and				.40		
Duke of York, rose, primrose wings.				.10		
VARIEGATED.						
Aurora, orange salmon flakes on white ground				.10	5	
Mrs. Joseph Chamberlain, white flaked with rose				.10	- 1	
Mikado, orange cerise, striped white Ramona creamy white, splashed with				.10		
pink Striped celestial, white, mauve striped				.10		
Gray Friar, watered purple on white Senator, striped chocolate on white.				.10	5	
America, striped white and scarlet. Pink Cupid, height six inches				.10	5	
White Cupid, height six inches Beauty Cupid, pale rose striped with				.10		
Primrose Cupid, pale primrose Red Ridinghood rosy pink and white					20	
Red Ridinghood, rosy pink and white curiously hooded				.10	5	
pink and white				.10	5	
see colored pages. Lathyrus latifolius albus (Perennial	1.0					A beautiful perennial climber, also
Pea) —Pink Beauty	hP "	10	white pink	1.00	10	useful for borders; excellent for cutting.
Tropæolum majus (Climbing Nastur-			mix'd	.75	10	We call especial attention to our
tium) —atropurpureum	hA	10	d.crm.	.15	5	strains of Tall and Dwarf Nastur- tiums. They are really beautiful
-coccineum	"	"	scar.	. 15		scarce named varieties. We have
—cœruleum roseum		"	d. rose	. 1 5		them grown for us by the most
—Dunnett's Orange —Edward Otto	"	"	or'ge lilac	.15	5 5	successful cultivator of this popular flower in the world. We assort
-Heinnemanni	"	"	choc.	.15	5	the varieties ourselves, and can
—hemisphericum	"	"	or'ge	. 15	5	thus assure customers of their
-King Theodore	"	"	mar.	.15		obtaining, not only the most vig-
—luteum —regelianum	"	"	yel. violet	.15	5	orous strain in existence, but the greatest number of shades and deli-
—Scheurvianum	"	6.6	sul.	.15	_	cate colors. The mixture includes
coccinium	"	"	stri.	.15	5	white, pink, rose, scarlet, crimson,
—mixed	"	"	mix'd	. 15		brick, claret, garnet, orange, prim-
—collection, 12 colors50						rose, yellow, etc. For list of
Tropæolum Lobbianum, Asa Gray	hhA	8	white	.60	10	Dwarf varieties see page 87.
-Brilliant	"	"	scar.	. 30		
—Crown Prince	6.6	"	d.red	.30	10	
—Giant of Batttles	66	"	carm.	. 30		N 1.11: 1: 1: 0 1.61:
—Good Venture	"	"	mix'd	.25		More delicate in flower and foliage
-Lili Smith		"	cr ≻ d.crm	.30		than Tropæolum Major, but equally desirable. The flowers
-Napoleon III.	"		stri.	.30		though smaller are more con-
-Roi des Noirs	"	"	black	.30	10	spicuous and of many splendid
—Spitfire	"	"	scar.	.30	10	colors.
—mixed	"		mix'd	.30	10	



NAME.	Hard and Dur.	H'g't Feet.	Color of Flower	Pri pe Oz.	r	
Tropæolum Lobbianum.—Continued. —collection, 12 colors	hhA	8 "	mix'd yel.	. 25		
SEEDS FOR GREENHOUSE. Abutilon (Chinese Bell Flower). choice hybrids	tP	4 6 varied 1 6 2	mix'd yel. " mix'd	. 50	15 10 10 10 20 25 20 20	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Begonias, tuberous rooted— —Breck's International prize, single. — —double	66	66	66		25 50 50	}
Rex, Ornamental Leaved. Semperflorens	66 66 66 66 66 66 66 66 66 66	1 1 1/2	rose white rose carm. " scar. mix'd red rose white rose "		25 20 20 20 20 20 20 20 20 20 20 20	

Tennysonian is a new Californian strain of the greatest excellence. It embraces all desirable colors.

DESCRIPTION.

Of very graceful form. They bear a wealth of fragrant golden yellow flowers.

Fine, summer blooming greenhouse plants.


Beautiful fern-like plants, that withstand the atmosphere of the living rooms better than ferns.

With a little care, there is no difficulty in raising these from seed. They are very free flowering, and are adapted both for greenhouse cultivation and summer bedding. Our seed is from the finest collection in England.

These well-known and favorite plants are especially suitable for growing in the living rooms; they withstand any amount of abuse and are always beautiful in addition to their fine flowers and sweet perfume, they have lovely foliage The Semperflorens type are excellent for summer bedding.

NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Price per Oz. Pkt.	DESCRIPTION.
Calceolaria, Breck's Scotch Prize	tP "	2	mix'd	50	The strains of this universal favorite offered by us are saved from the best collections, and are PRIZE
Dalkeith Park	66	6.6	66	25 50	WINNERS wherever exhibited. Splendid greenhouse plants with
William's Prize	"	"	6.6	50	beautifully striped, blotched and
Large Flowered Selfs	"	"	4.6	25	variegated flowers. Sow in pans
—spotted	"	6.6	4.6	25	or shallow boxes filled with light
Dwarf Large Flowered	6.6	I	"	50	sandy soil that has been sifted.
rugosa (Shrubby) For bedding		1 1/2		25	Sow moderately thick in rows on the surface and cover very lightly with Sphagnum moss, water very carefully with an atomizer, when large enough to handle transplant
Chrysanthemum, Chinese	hhP	3	"	10	singly into 2-inch pots.
—pompon.		1 1/2		10	The "Queen of Autumn." The seed
Japanese		3 1 1/2	6.6	10	we offer is saved from the best sorts only and includes everything
mixed	6.6	var.	"	10	desirable.
					(BRECK'S COLUMBIA is an American
Cineraria grandiflora			i i		strain. Those who have grown it
—Breck's Columbia	tP	11/2	mix'd	50	claim it to be superior in habit of
-Covent Garden	"	"	46	50	plant, size, form and color of flow-
—James' Prize	"	66	6.6	50	ers to any of the European selections. We especially recommend
—Nana	"	I	"	50	it. Florists and private gardeners
—Plenessima, double		1 1/2		50	throughout the United States en-
an a s	6.6				dorse its superiority.
Clianthus Dampieri		3	scar.	10	Fine summer blooming plants with
magnificus	66	4 2	crim.	. 10	magnificent pea-shaped flowers. Bedding plants with beautiful col-
fringed and blotched	"			20	ored foliage. Easily grown from
large leaved varieties	"	"		20	seed.
Cuphea (Cigar Plant) miniata	†hhP	I	"	5) Continual bloomers. Adapted for
—compacta	"	-	mix'd	10	bedding and for house and conser-
cyclamen giganteum		I	s. & w.	10) vatory decoration. (Easily grown, free-flowering, bulbous
-Breck's Imperial	tP	66	mix'd	50	plants for pot culture. Breck's
—album (Mont Blanc)	1.6	"	white	50	Imperial is unsurpassed for size,
-atropurpureum	66	44	d. red	50	form, profusion and variety of
-Crimson King	66	"	derim.	50	delicate colored flowers. It has
—Duke of Connaught —picturatum	66	46	w.&p.	50	eclipsed all others on the exhibition tables at the Mass. Horticul-
—Princess May	46	66	pink	50	tural Society's exhibitions.
—Princess of Wales	66	66	red	50	The several varieties offered here are
—Rosy Moon		66	rose	50	grown for us by the leading cycla-
—sanguineum	66	"	d. red p. & c.	50	men growers of Europe, and are
—Sunray, pink and claret. —White Swan		66	white	50	at least equal in quality to any obtainable.
-William's Prize	44	66	mix'd	25	Bush Hill Pioneer is the first of a
—Bush Hill Pioneer		44	white	50	new race; each petal has a distinct
-Large Double Flowered	66	16	mix'd	50	crest or feather upon its face.
Persicum, mixed		1/2		25	The Double Flowered sort makes a fine contrast to the single varieties.
					Ornamental plants for greenhouse,
Dracæna Australis	"	8			also useful for vases. Indivisa has
—inderisa		4.4			narrow, green leaves. The mid rib
Veitchii		3			of Veitchii is a deep red color.
Ferns, collection 12 fine sorts		2	white	10	Sweet-scented bulbous plants.
Fuchsia hybrida Single		var.	mix'd	25	(Well known plants of easy culture.
—Double	66	66	16	25	They require a firm, rich soil and
Geranium, see Pelargonium.		- /		1	shady location.
Gesnera, veined hybrids	66	1/2		50	Velvety foliage, spotted flowers. Allied to Gloxinia.
Gloxinia hybrida grandiflora.					The seed here offered embraces the
—Aighurth crimson	66	I	crim.	150	cream of several European Prize
—Avalanche	66	4.6	white	50.	Collections. It is the very choicest
—cœlestina	"	66	b.& w.	50	obtainable, and includes colors,
—Cyclops	66	66	c.& w.	50	shades and markings that beggar description.
—Defiance	66	6.6	scar.	50	Cyclops is carmine with white edge
Jonath		00	par.	30	for the control of th

NAME.	Hard.	H'g't	Color	Pr	ice er	DESCRIPTION.		
	Dur.	Feet.	Flower	Oz.				
Gloxinia.—Continued.	1							
—Hetherset Hybrid	tP	I "	mix'd		50	spotted red. Goliath, purple-vio-		
—Princess Maud —French Spotted and Striped			c.& w.		50	let spotted, throat carmine, white edge spotted violet. Hetherset		
—Giant Hybrids	4.6	44	spot.		50	Hybrid is one of the most beautiful		
Glaire 11 y birds			IIIIA (I		30	offered.		
Grevillea robusta	4.6	4	oran.	1.00	10	Graceful foliage plant.		
Heliotropium (Heliotrope).						(Well-known bedding and pot plants		
Chieftain (dark)	66	46	d.pur.		10	that are highly prized for their		
Snowball		2	white mix'd		IO	delightful fragrance. They are of the easiest culture and prefer a		
Giant Hybrids, mixed		2	IIIIx u		10	light, rich soil.		
Humea elegans	hhB	4	red		10	Handsome, sweet-scented pot plants.		
Lantana hybrida	tP	2	mix'd		5	Suitable for pots and beds.		
Lapageria rosea	66	15	rose		25	Beautiful greenhouse climber.		
Musa ensete (Banana)		10			25	Splendid foliage plant. A beautiful climber; flowers have a		
Myrsiphyllum (Smilax)— asparagoides		"	white	.75	10	sweet orange fragrance.		
Pelargonium (Geranium)—				13)		
apple-scented		I 1/2	pink		15	General favorites; indispensable for		
double scarlet	66	2	scar.		10	indoor and outdoor decoration.		
Ivy-leaved	66		mix'd		20	The seed we offer is saved from first-class varieties.		
Zonaleshow pelargoniums	"		"		50	mist-class varieties.		
Periwinkle, see Vinca.					50			
Primrose, see Primula, General List,								
page 84.								
Primula sinensis (Chinese Primrose)	66	3/	mix'd white					
Breck's Superb	66	4	white		50	1		
alba oculata lutea (white, yellow eye)	"	66	w.& y.		50			
Chiswick Red	- 66	"	crim.		50	To secure good results in growing		
coccinea, scarlet, yellow eye	66	66	scar.		50	these favorites the planter must be		
cristata hybrida		66	mix'd		25	sure to obtain the very best strains		
cœrulea	66	66	blue mix'd		50	only. Our seed is the cream of		
Magnum Bonum		66	d. red		50	several collections that are recog-		
rubra violacea	66	66	dcrim		50	nized as the best in Europe. Breck's Superb is the finest strain in		
Snowball (Queen of Whites)	66	66	white		50	existence; vigor of plants, size,		
Snowdon (immense trusses)	46	66	mix'd		50	substance and variety of delicate		
—mixed	44	66	mix d		50 25	shades of flowers are its features.		
double mixed	44	66	66		50	- 1		
obconica grandiflora	4.6	66	white		15			
—-rosea		46	rose		25			
— —fimbriata			white		25	Beautiful violet-like flowers.		
Stevia eupatoria			blue white		25 5)		
Lindleyana	4.6	1/2	rosy		5	(Valuable for pots and borders. Fine		
Streptocarpus, imp. hybrida	66	I	mix'd		25	for bouquets.		
Vinca (Periwinkle) alba		IO	scar.	T 00	10	Magnificent climber.		
rosea		3	white			Tender evergreen plants, suitable for pot culture or planting out.		
-alba	6.6	44	ro.&w.		0	Handsome single flowers and glossy		
—mixed	4.4	6.6	mix'd			foliage.		
EVERLASTINGS.								
Useful for winter bouquets.								
Acroclinium album	hhA	I	white	.40	5] 0 (1 1		
—fl. pl	4.6	66	66	.40		Graceful plants, with daisy-like flow-		
roseum	4.6	66	rose	.40	5	ers; useful for winter decorations. The flowers should be gathered		
—fl. pl		66	"	.40		when young.		
Ammobium alatum		2	mix'd white	.40		Gather before fully expanded to pre-		
grandiflorum			WIIILE	.40		serve for winter.		
Globe Amaranth, see Gomphrena.				7	9	These are old favorites for winter		
Gomphrena aurea superba	lı A		or'ge	.40		bouquets, and were formerly called		
globosa alba	66	66	white	.40		"Bachelor's Buttons."		
-striata	66	44	rose stri.	.40		The flowers are globular in form, of delicate colors, and retain their		
—violacea	4.4	4.6	violet	.40	~	beauty for years. They should be		
—mixed		6.6	mix'd	.40		grown in an enriched sandy ioam.		
See Spe	cial Of	fers o	n third	l pag	e o	f cover.		



			,			
	Hard	H'g't	Color	Pr		
NAME.	and Dur.	Feet.	of	pe	r	DESCRIPTION.
	Dur.		Flower	Oz.	Pkt.	
Comphrena.—Continued.			1	1	ı	
—nana compacta rubra	hA	I	red		-	1
——————————————————————————————————————		"	white		5	
					5	
Helichrysum bracteatum, single		I 1/2	yel.	.50		These one the best business of all areas
—album		46			5	These are the best known of all ever-
—Fireball			crim.	.75		lastings. The flowers are of large
monstrosum album, double		"	white	.75		size and bright colors. The flowers
-luteum, double			yel.	.75	5	should be gathered when partially
-purpureum, double		I 1/2		.75	5	unfolded and suspended with their
-roseum, double	66	6.	rose	.75	5	heads downward in a cool place.
—double mixed	66	66	mix'd	.75	5	They prefer a rich loamy soil.
-nanum, dwarf double	66	I	60	.75	5	J
Helipterum, Sanfordi	66	66	yel.		5	Small foliage, large clusters of white
corymbiflorum	:6	66	white		5	and golden star-like flowers.
Rhodanthe maculata	hhA	I 1/2	r.& w.		5	
—alba	4.6	66	white		5	Vous boostifully formed flowers
—mixed	66	66	mix'd		5	Yery beautifully formed flowers.
Manglesii	66	I	rose		5	
Shortia Californica	hA	66	yel.		5	Í
Waitzia grandiflora		66		1.00) Flowers in clusters; should be gath-
,						ered early.
Xeranthemum album fl. pl	hA	2	white	1	5	A showy class of everlastings. The
purpureum fl. pl		66	pur.		5	flowers retain their color and form
mixed double	.6	66	mix'd		5	a long time.
mined double			mix d		3	a long time.
ORNAMENTAL GRASSES.						
A large number of these grasses, if cut	1					
before they are fully matured, will be						
useful in the formation of winter bou-						
					- 1	
quets, mixed with everlastings.			4	- 1	1	
collection, 12 distinct sorts 50			1			
Abyssinian Grass, see Poa Amabilis		7/	1		_	Tille always for however
Agrostis nebulosa	hA	I 1/2	1		5	Fine plumes for bouquet.
Andropogon argentus	hP	4		1	5	Dense, silky, with bright, white hairs.
Animated Oats, see Avena sterilis		0		- 1		37 // 1 1 D C
Arundo conspicua	6.	8		-	5	New Zealand Pampas Grass.
Donax fol. variegatis	٠٠.				10	Finely striped foliage.
Avena sterilis (Animated Oats)	$\ln A$	21/2			10	
Briza gracilis	6.	I			5	The well-known Quaking Grass.
maxima	66	2			5	
Bryzopyrum siculum	66	3/4			5	Good for edging.
Bromus brizæformis	hP	1 1/2				Excellent for winter bouquets.
Chloris barbata	tP	I			5	Very effective in borders, slender and
elegans	6.6	3/4			5	elegant, good for bouquets.
One the			n thin			of cover

NAME.	Hard. and Dur.	H'g't Feet.	Color of Flower	Price per Oz. Pkt.		DESCRIPTION.
Chloropsis Blanchardiana	tP hA	3 1 1 ¹ / ₂			10 5 5	Flowers of a bright rose color. Golden spikes, desirable. The dry seeds make fine strings of beads for children.
Eleusine oligostachya	ltP	8 6			10 5 10	Three horns, very pretty. For borders and bouquets. Resembles Pampas Grass. Magnificent.
Festuca pectinella	tP	7 6			5 10 10	Useful for edging and bouquets. Most stately of all grasses. G. jubatum has fine silvery red flowers.
Hordeum jubatum Isolepsis gracilis Job's Tears, see Coix. Lagurus ovatus (Hare's Tail)	hA hhP	2 1/2 I 1/2			5 10	Squirrel Tail Grass. Pretty rush-like grass.
Pampas Grass, see Gynerium. Paspalum elegans. Pennisetum longistylum. Poa amabilis (Abyssinian Grass). Stipa elegantissima. pennata (Feather Grass).	" " hP	2 I ½ 2 "			10 5 10 10	Pretty for borders or shrubberies. Distinct and beautiful. Excellent for bouquets.
Tricholæna rosea. Tripsacum dactyloides. Uniola latifolia Zea Japonica variegata (Maize). —gigantea quadricolor Mixed.	hA	1 1/4 3 4 var.			10 10 5 10	Pretty for edging. Useful for bouquets. The leaves are beautiful, striped with white, rose and yellow.

WILD GARDEN SEEDS.



Any one who has cultivated flowers in neatly laid out beds, or carefully planned ribbon borders, is aware of the amount of labor and constant attention necessary to produce the desired effect. To those who cannot give this care, we offer "Wild Garden Seeds," a mixture of over one hundred varieties of hardy flower seeds. No one who has not seen such a bed can form an idea of its possibilities, the different seasons of bloom insuring something new almost every day. Half-oz. packets, 20 cts.

BRECK'S COLLECTIONS OF FLOWER SEEDS.

COLLECTION "A," price 25 cts., contains one packet each of Mignonette; Alyssum, white; Sweet Peas, fine mixed; Phlox Drummondi, fine mixed; Portulaca, fine mixed; Chinese Pink, fine mixed.

COLLECTION "B," price 50 cts., contains the varieties in Collection "A," with the following in addition: Nasturtium, Tom Thumb, fine mixed; Candytuft, finest mixed; Aster, German, fine mixed; Pansy, finest mixed; Eschcholtzia, fine mixed; Morning Glory, fine mixed

Collections "A," and "B," with the following in addition:
Coreopsis, fine mixed; Balsam, fine mixed; Zinnia, fine

mixed; Mourning Bride, fine mixed; Petunia, finest mixed; Calendula, "Meteor," yellow.

Collection "D," price \$1.00, contains the varieties in Collections "A," "B" and "C," with the following in addition: Tall Nasturtium, fine mixed; Marigold, French, striped; Larkspur, dwarf Rocket; Poppy, double mixed; Convolvulus, dwarf mixed; Chrysanthemum, fine mixed; Antirrhinum, finest mixed.

COLLECTION "E." This assortment produces a fine effect in the garden and all the sorts are suitable for bouquets. Price 50 cts. Abronia, Ageratum, Amaranthus Bicolor, Aquilegia Aster Chrysanthemum-flowered, Calliopsis Collinsia, Dianthus Chinensis, Godetia, Mignonette, Phlox Drummondi, Zinnia.

Collection "F." The following kinds are specially suitable for growing in vases or hanging baskets. Price 25 cts. Alyssum Maritinium, Convolvulus Mauritanicus, Dwarf Nasturtiums, Lobb's Nasturtiums, Lobelia Gracilis, Mimulus Moschatus.



-Equestre. The flowers measure five or more inches across, and are bright, sparkling orange-red, with a green and white star at the centre. 20 cts. each; \$2.25 per doz.

Formosissima. (Jacobean Lily). Blooms freely out of doors; flowers deep velvety crimson. 15 cts.

each; \$1.75 doz.

-Johnsonii. Large crimson and white flowers. 40 cts. each; \$4.00 per doz.

—Lutea. (Sternbergia). Showy yellow, autumn flowering variety. 15 cts. each; \$1.50 per doz.
—Vallotta Purpurea. Crimson-scarlet flowers, borne in clusters of five or six on a long stem. A fine sort

for pot culture. 50 cts. each; \$4.00 per doz.

—Vittata. Red and white grounds, beautifully peaked with many tints. 50 cts. each.

APIOS TUBEROSA. A pretty, hardy, native climber. Flowers resemble the well-known Wistaria; very

fragrant. 10 cts. each; \$1.00 per doz.

ANEMONES. (Wind-Flower.) Japonica. Two feet, September. Of free, vigorous habit of growth, and in autumn producing a continuous abundance of bright red flowers. 20 cts. each; \$2.25 per doz.

—Japonica Alba. Two feet, September. An excellent companion to the preceding sort. The flowers are

pure white with yellow centre, fine for cutting. 20 cts. each; \$2.25 per doz.

Japonica. Whirlwind. This plant is of more vigorous growth than either of the two preceding, and has handsomer, broader and thicker foliage. The distinct, pure-white, semi-double flowers appear in

August and continue until frost. 25 cts. each; \$2.50 per doz.

BEGONIA. Tuberous Rooted. These are desirable plants for bedding. The flowers are not destroyed by rain storms, but seem to shine more brilliant after every shower. The colors are varied and beautiful. Our bulbs are from the same source as our seed and are superior. Single flowered sorts, Red, Crimson, Scarlet, Rose, Pink, White, Yellow, Gold and Bronze, Striped and Flaked. 10 cts. each; \$1.00 per doz.; \$7.00 per 100.

—Single Flowered. Mixed colors, 6 cts. each; 50 cts. per doz.; \$3.50 per 100.

—Double Flowered Sorts. Same colors as the single kind. 15 cts. each; \$1.50 per doz.

—Double Flowered Mixed. 12 cts. each; \$1.25 per doz.

BESSERA ELEGANS. (Coral Drop.) Bright scarlet flowers, borne on stems about two feet high. Will bloom from shortly after planting until frost. 5 cts. each; 50 cts. per doz.

CALADIUM ESCULENTUM. Beautiful, ornamental foliage plant. The leaves are of immense size, light green, with darker veins. Will grow in any good garden soil, to a height of five feet. Dry bulbs, according to size, 10, 15 and 20 cts. each; \$1.00 to \$2.00 per doz. Bulbs started in pots, 20 and 25 cts. each; \$2.00 to \$3.00 per doz. Special Offer No. 3 only applies to Caladiums. CALLA LILIES. White. 25 cts. each; \$2.50 per doz.

—Little Gem. 25 cts. each; \$2.50 per doz.

CINNAMON VINE Hardy climber, shining green foliage, fragrant white flowers. 6 cts. each; 50 cts. per doz.

CRINUM. Amaryllis-like bulbous plants, suitable for pot or open ground culture. —Capense. Bright Rose. 25 cts. each.

-Kirkii. Large white, purple-striped flowers borne on dark purple-colored stems, two feet high; 40 cts. each.

Delicate blush with a pink stripe through the centre. Very fragrant. 35 cts. each.

CYCLAMEN. Suitable for pot culture only. Plant the bulbs in a light, rich soil, and water sparingly

-Persicum Giganteum. Mixed colors, 25 cts. each; \$2.50 per doz. Started plants in pots, 50 cts. to \$1.00 each. See Special Offers on third page of cover.

LARGE FLOWERING DWARF FRENCH CANNAS.

Our Cannas are all started plants; not dry bulbs.



The appreciation of the improvements in Cannas shown by the public, has resulted in increased effort being made to still further enhance their value as ornamental plants. We know of nothing so effective in foliage or continuous in flower as these new Dwarf French Cannas. They are very popular, and they are certainly entitled to a place in every garden.

There are now a great many sorts being catalogued, but those here described are the best in size, substance and colors of flowers and

-Alphonse Bouvier. Height, five feet; flower, crimson-scarlet;

foliage, green.

-Admiral Courbet. Height, four feet; flowers, yellow, speckled

with orange-scarlet; foliage, green.

AUSTRIA. Height, four feet; flowers, pure yellow, very large and exceedingly beautiful; foliage, musa-like in color and

-Charles Henderson. Height, 31/2 feet; flowers deep crimson;

Height, 4 feet; flowers, vermilion-scarlet, shaded orange; foliage, deep green. 20 cts.; \$2.00 per doz.

Egandale. Height, 4 feet; flowers, bright red; foliage, purple.

Florence Vaughan. Height, 3½ feet; flowers, golden yellow, spotted with bright red; foliage, a deep green. 20 cts. each;

\$2.00 per doz. F. Morel. Height, 31/2 feet; flowers, bright scarlet; foliage,

dark green. 20 cts. each; \$2.00 per doz.

—F. R. Pierson. Height, 3½ feet; flowers, bright scarlet; foliage, green. 20 cts. each; \$2.00 per doz.

—Geoffry St. Hillaire. Height, 5 ft.; flowers, glowing orange;

foliage, chocolate.

-Gold Coin. Height, 3 feet; bright lemon yellow, spotted with light orange; foliage, deep green. The flower spikes are large and borne well above the foliage. 20 cts. each; \$2.00 per doz.

Gustav Sennholz. Height, 3½ feet; flowers, silvery rose, mottled with salmon; foliage, deep green. ITALIA. The most beautiful and valuable variety yet introduced; this with Austria forms the beginning of a distinct type that will doubtless lead to many wonders in Cannas. Height, five feet; flowers, yellow, blotched with orange-scarlet and bordered with golden-yellow; much larger and more attractive in every way than any other variety; foliage, light green veined with dark green. 25 cts. \$2.50 per doz.

_J. D. Cabos. Height, 4 feet; flowers, apricot with deeper shading; foliage, deep green. -Jules Chretien. Height, 4 feet; flowers, bright red, very large; foliage, deep green.

Madame Crozy. Height, 3½ feet; flowers, crimson-scarlet, bordered with yellow; foliage, deep green.
 Mile. de Crullion. Height, 4 feet; flowers, light yellow, shading to terra cotta; foliage, light green.
 Paul Marquant. Height, 4 feet; flowers, salmon, shaded red; foliage, deep green.
 President Cleveland. In many respects the best variety yet introduced. Height, 3½ feet; flowers, a peculiar bright red, and very massive, foliage, deep green.
 Queen Charlotte. Height, 4 feet; flowers, blood red, banded with bright canary yellow; foliage, bluick green.

bluish-green.

-Souv d'Antoine Crozy. Height, 3 feet; flowers, intense scarlet-crimson with a broad, rich golden-yellow edge; foliage, deep green. 35 cts. each; \$3.50 per doz.

Vesuvius. Height, 4½ feet; flowers, crimson-scarlet; foliage, dark green.

-Victor Hugo. Height, 4 feet; flowers, scarlet; foliage, quite dark

Price 15 cts. each; \$1.00 per dozen, except as noted.

Cannas are not subject to any of our Special Offers.

CONVOLVULUS. Moon Flower, or Evening Glory. The flowers of this lovely climber are very large, freely produced, pure white in color and very fragrant. They open in the evening and are wonderfully attractive. They should not be set out until danger of frost is past. 15 cts. each; \$1.50 per doz.

CYCLOBOTHRA FLAVIA. This golden gem is of great beauty and easily grown; the habit of plant and bloom is similar to Bessera; the color is clear golden yellow, with intense black spots on each

8 cts. each; 80 cts. per doz.

These plants require absolutely no care. They grow for months in the house or garden without watering, and increase in value yearly. Their flowers are of exquisite beauty and fragrance, and their curious forms render them exceedingly interesting. In winter they require scarcely any water.

We, send by mail ten fine plants of blooming size, each one distinct and named, for \$1.00, or five for 50 cts. CHRYSANTHEMUMS, POMPON AND HARDY. Eighteen varieties for garden cultivation. They include a much greater diversity of color and form than has hitherto been obtainable, we are sure they will delight all who plant them. While they are all hardy, it is well to give them a protection with leaves or litter during winter.

Each 20 cts.; per doz. \$2.00.

-Viscount de Vere, lilac-pink; Grunnewold, pink; La Vogue, yellow; Souvenir de Jersey, yellow; Mille, Martha, white; Blushing Bride, white, shaded pink; Rio des Precoses, red, shaded bronze; Emily Roebottom, anemone white; Snowdrop, white; Gen. Canrobert, yellow; Bronze Bride, bronze; Sœur Melane, white; Mme. des Granges,

white; Julius Lagrave, dark red, late keeper; Rose Trevenna, pink; Bob, brown and white; Model of Perfection, lilac; Mme. La Count de

Franchaise de Cannel, bronze; Golden Fleece, bright yellow. CHRYSANTHEMUMS. We offer these from one of the largest and best collections in the country. If what you want is not included in the sorts here named, send us your list, we can furnish every desirable

variety.

A. Waterer, bronze yellow; Charity, pink; Cullingfordi, crimson; Day Dawn, white; E. M. Bigelow, red; Edith M. Hollis, white; Golden Queen, yellow; Golden Wedding, yellow; Gettysburg, red; Hicks Arnold, yellow; Infatuation, white; Indiana, pink; J. L. Canning, white; Lady Playfair, pink; Lilian B. Bird, pink; Major Bonnafon, yellow; Mrs. Phipps, white; Mayflower, white; Mrs. George West, pink; Mrs. S. Morgan, yellow; Octoroon, red; Pink Ivory, pink; Silver Cloud, white; Tuxedo, yellow. Ready for delivery after the middle 15 cts. each; \$1.50 per doz.

CARNATIONS. For blooming in the garden we can furnish three colors

that will flower if set out after the middle of May, from July until frost. -Scarlet, Crimson, White. Extra strong plants from pots. 25 cts. each;



Chrysanthemums

\$2.50 per doz.

—Mound Pinks. These old favorites, if given enough room, form a pretty mound of bluish-green foliage and produce freely beautiful, blush-pink, fragrant flowers. 20 cts. each; \$2.00 per doz.

-Margaret. This is the new class that blooms from seed in about four months. About 90 per cent of the flowers are double. All very sweet scented and they embrace a great variety of delicate shades. They are exceedingly useful for cutting. Strong plants, 15 cts. each; \$1.50 per doz. HLIAS. Large Double Show Named sorts in a

large variety of colors. 15 cts. each; \$1.50 per doz.

—Pompon, or Small-Flowered Double. Really more de-

sirable and popular than the foregoing. Named sorts in a great variety of colors. 15 cts. each; \$1.50 per doz.

-Single Flowered. From a grand collection. 15 cts.

each; \$1.50 per doz.
-Cactus. Large double and single flowered. 20 cts. each; \$2.00 per doz.

-Hardy. Golden Ball. Height four feet, furnished with pretty dark-green foliage, which in fall just shows through the covering of beautiful double golden-yellow flowers that last till frost. Seeds, per pkt., 5 cts.

Extra strong plants, each, 15 cts.; per doz., \$1.50.

GLADIOLI. This valuable and easy cultivated class of bulbs is not half appreciated. They can be grown in beds or borders, and a continuous bloom can be kept up from June till frost by a succession of planting. Fine mixed varieties, doz., 25 cts.; 100, \$1.75. Named sorts, mixed, doz., 30 cts.; 100, \$2.00. Scarlet shades in mixture, doz., 20 cts.; 100, \$1.50. Crimson shades in mixture, doz., 20 cts.; 100, \$1.50. Pink shades in mixture, doz., 35 cts.; 100, \$2.75. White shades in mixture, doz., 40 cts.; 100, \$3.00. Yellow shades in mixture, doz., 40 cts.; 100, \$3.00. Striped and variegated, doz., 30 cts.; 100, \$2.00. French Hybrids, doz., 50 cts.; 100, \$3.50. Lemoine's Hybrids, collection of 10 named varieties, \$2.00.

GLOXINIA BULBS. Our stock of these is very choice. The bulbs should be potted in the spring in light,

sandy loam, and they will commence growing and blooming at once. In the fall, dry them and store in a warm place through winter. Strong, flowering bulbs, mixed colors, per bulb, 15 cts.; \$1.75 per doz.



Dahilas

HEUCHERA. Sanguinea. One of the handsomest hardy perennials of recent introduction. The flowers are of a rich crimson color, leaves light green. Roots, 15 cts. each; \$1.50 per doz. Seed, per pkt., 10 cts.

HYACINTHUS. Candicans. Perfectly hardy. Height three feet, bears an



Lilium Auratum

abundance of pure-white, bell-shaped flowers. Each 10 cts.; per doz.,

IRIS. Kaempferi. When these are in bloom nothing in the garden is grander. The name "Poor Man's Orchids" has been suggested for them on account of their ease of culture and great beauty. Choice named varieties, \$2.50 per doz. Double and single mixed, \$1.75.

-Germanica. The German Iris bloom earlier than the Kaempferi, they

embrace many charming combinations of colors, and are very fragrant.

Choice named varieties, \$1.50 per doz. Fine mixture, \$1.00 per doz.

LILIES. Lilium Auratum. Golden Banded Lily of Japan. Immense white flowers, each petal marked with a wide gold band and spotted with ma-Each, 20 cts.; per doz., \$2.00.

-Lilium Lancifolium Rubrum. White with rich crimson spots. Each, 15

cts.; per doz., \$1.50.
—Lilium Lancifolium Roseum. White stained and spotted rose. Each, 15 cts.; per doz., \$1.50.

-Lilium Lancifolium Album. Large, pure-white flowers. Each, 20 cts.; per doz., \$2.00.

MILLA. Biflora. Beautiful, white, waxy flowers with pale lemon anthers. Deliciously fragrant. Plant out-doors in May and take up bulbs in fall

like Gladioli. Each, 10 cts.; per doz., 75 cts.; per 100, \$5.00.

MADEIRA VINE. A beautiful, rapid-growing climber, bearing in profusion very fragrant white flowers. Each, 5 cts.; per doz., 50 cts.

MONTBRETIA. Crocosmiaeflora. Very large flowers of fine shape. Base

of flowers is bright orange, sprinkled with purple spots, arranged like Tigridia. Each, 10 cts.; per doz., 75 cts.

PÆONIES. We can furnish these well-known, old favorites in all the

newest varieties.

Hardy Herbaceous Sorts, named. 50 cts. to \$1.00 each.
Hardy Herbaceous, assorted colors; large flowering roots. 50 cts. each.
Hardy Herbaceous, large, double, white. 50 cts. each.

SMILAX. A beautiful climber for greenhouse or window culture. Plants from two and a half inch pots. 15 cts. each; \$1.00 per doz.

TIGRIDIA. (Shell Flower.) Beautiful, large, shell-like flowers, produced from July until frost. They require similar treatment to the dahlia.

Conchiflora. Orange and crimson spots. 5 cts. each; 50 cts. per doz.

White flowers spotted with maroon and rose. 5 cts. each; 50 cts. per doz. —Grandiflora Alba.

-Grandiflora Crimson. 5 cts. each; 50 cts. per doz.

—Pavonia. Red with crimson spots. 5 cts. each; 50 cts. per doz.

TUBEROSES. These are universal favorites and very easily grown. Before potting, remove the small offsets. Use rich loam and start in hot bed or in house. Do not set out until al! danger from frost is past.

-Excelsior Double Pearl. 5 cts. each; 25 cts. per doz.; \$1.75 per 100.

—Tall, Double. 5 cts. each; 25 cts. per doz.; \$1.75 per 100.

—Albino. This variety is hardier and earlier than the others. The flowers are single, white, large and fragrant. 5 cts. each; 30 cts. per doz.; \$1.75 per per 100.

SUMMER BEDDING PLANTS, FLOWERING AND FOLIAGE.

00111111111111111	*			70	
	Doz.	001		Doz.	100
Abutilon, in variety	\$1.50	\$10.00	Geranium, single, scarlet, white, red	\$1.00	\$8.00
Achyranthes, Collinsii	1.00	8.00	Geranium, single, bronze-leaved.	1.00	8.00
Ageratum, best dwarf, blue	-75	5.00	Geranium, single, silver-leaved .	1.50	10.00
Alternanthera, dwarf	.75	6.00	Heliotropes,	1.00	8.00
Alyssum, double, white.	.75	6.00	Hollyhocks, choice strain	2.50	18.00
Alyssum, variegated foliage .	.75	6.00	Lantanas, choice varieties	00.1	8.00
Asters, pure white	.50	4.00	Lobelias, various sorts	.50	4.00
Asters, assorted colors	.50	4.00	Lemon Verbenas,	1.50	10.00
Begonias, choice varieties	1.50	10.00	Marigold, French and African .	.60	4.00
Caladium Esculentum,	2.50		Nasturtium, tall, for trellises, etc.	.60	4.00
Cannas assorted	1.00	8.00	Nasturtium, dwarf, beds, or borders	.60	4.00
Cannas, Crozy's choice new varieties	1.50	10.00	Pansies, extra large flowered .	.50	4.00
Calendula, deep yellow	.60	4.00	Pansies, choice fancy, assorted colors	1.00	8.00
Centaurea Candidissima,	1.00	8.00	Petunia, double, choice varieties.	1.25	8.00
Centaurea Gymnocarpa, silvery foliage	·75	6.00	Petunia, single, dwarf or tall	.75	6.00
Cobæa. Scandens	1.25	9.00	Phlox, all colors	.60	4.00
Coleus, fine varieties	.60	5.00	Ricinus, in variety	2.00	15.00
Coleus, new varieties, extra	1.00	8.00	Salvia, scarlet for beds, etc	1.25	8.00
Feverfew double white, free-flowering	5 .75	6.00	Stocks, double, ten weeks	1.00	7.00
Feverfew, golden (golden fea.) yellow	.60	4.00	Verbenas, assorted colors, extra .	.60	4.00
Fuchsias, various fine sorts, small pl's	1.25	10.00	Vincas, red and white	1.25	9.00
Geranium, double, red, rose, white	1.25	8.00	Zinnias, assorted colors	.60	4.00
	. ,	1 C	uniahad at Lawast Drison		

Other Varieties can be furnished at Lowest Prices. Special Offer No. 3 only applies on Bedding Plants

AQUATIC PLANTS.

The hardy varieties may be planted as soon as vegetation commences in the spring. They may be grown in tubs. A warm, sheltered position, yet with full exposure and sunshine should be selected. Fill the tubs two-thirds full of turfy soil enriched with decomposed hot bed or farmyard manure; cover with two inches of sand and fill with water. The crowns of the plants should be placed just under the surface of the soil.

The tender varieties should not be planted until from the 1st until the 1oth of June. Nelumbiums, though hardy when established, should not be planted as early as the hardy Nymphæas.



HARDY VARIETIES.

NELUMBIUM. Speciosum. (Egyptian Lotus) The flowers are about a foot across, of a deep rose color, with a soft, creamy white at bases of the petals; exquisitely fragrant. Flowering tubers, 75 cts. and \$1.50 each.

(American Lotus.) This differs from N. Speciosum only in the color of its flowers; they are of a rich, sulphur

yellow tint. 75 cts. and \$1.50 each; \$7.50 per doz. -Kermesinum. Another distinct variety, bearing flowers resem-

bling the Hermosa Rose in color. \$1.50 each. Album Grandiflorum. Immense flowers of pure ivory whiteness,

very scarce. \$2.00 each.

-Album Striatum. Pure white, the edges of the petals are irregularly striped and tipped with rosy carmine. Their fragrance is quite distinct. \$1.50 each.

NYMPHÆA. Alba Candidissima. Flowers six inches in diameter; pure white with broad petals; the earliest flowering varie-

ty. 75 cts. each; \$7.50 per doz.

Odorata. Its lovely, pure white flowers, so common in some locations, is worthy of a place among the choicest varieties. 20

cts. each; \$2.00 per doz.

Odorata Gigantea. Similar in all respects to N. Odorata. but the flower is very large and full. 20 cts. each; \$2.00 per doz.

Odorata Rosea. (The popular pink Cape Cod water lily). The flowers are of large size, cup-shaped; a lovely deep pink in color; delicious fragrance and free bloomer. 50 cts. each; \$5.00 per doz.

Odorata Sulphurea. Large, yellow, fragrant flowers, standing a few inches out of the water. The leaves are deep green, beautifully mottled with reddish yellow or brown spots. 50 cts. each; \$5.00 per doz. Odorata Caroliniana. The flowers on well-grown specimen plants are very large, measuring 7 inches in diameter; the color is of the clearest rosy pink, the faintest tint at the points deepening to the centre of the flower, the golden stamens reflecting a lovely salmon shade; deliciously fragrant. \$1.50 each.

TENDER VARIETIES.

NYMPHÆA. Cœrulea. (Stellata.) The flowers are a clear light blue, very delicately scented; six to eight inches across. Known as the Blue Lotus. \$1.00 each.

The largest and best white, night-blooming variety; long, pointed buds, on strong stalks,

opening horizontally; leaves deep green, with serrated edges. 50 cts. each.

Devoniensis. The flowers are a brilliant rosy red, and are from ten inches to twelve inches across. 50 cts. each.

Zanzibarensis Azurea. This is similar to the true Zanzibarensis except in color, being deep, rich, azure blue. 50 cts. each.

-Zanzibarensis Rosea. Similar to the preceding, save in color, which is a beautiful deep rose. 50 cts.

EICHHORNIA. Crassipes Major. (Water Hyacinth.) A very showy aquatic, bearing very freely flowers of a delicate lilac rose in trusses like a hyacinth. It should be grown in about three inches of water, so that the ends of the roots can enter the soil. 15 cts. each; \$1.50 per doz. LYMNANTHEMUM. Indicum. (Water Snowflake.) A very pretty floating species, with light green,

roundish leaves and pure white flowers most beautifully fringed. 15 cts. each.

LIMNOCHARIS. Humboldti. (The Water Poppy.) Oval leaves and yellow, poppy-like flowers, standing out of the water. A good plant for growing in shallow water. 15 cts. each; \$1.50 per doz.

MYRIOPHYLLUM. Proserpinacoides. (Parrot's Feather.) An aquatic hanging plant. Its long trail-

ing stems are clothed with whorls of the most exquisite foliage, as finely cut as the leaves of the Cypress Vine, and much more delicate. Planted in a water-tight hanging-basket, so water can be kept standing on the surface, it will trail finely. 15 cts. each; \$1.50 per doz.

CYPERUS. Papyrus. This is the true Egyptian Paper Plant. It grows finely in shallow water with

rich soil, and makes a splendid companion for flowering aquatics. It will also flourish and make a

fine clump in the garden, with no more water than Cannas require to make them do well. 25 cts. each. ZIZANIA. Aquatica. Wild Rice. This native aquatic annual is very ornamental in the Water Garden; its graceful panicles of bloom are produced on stalks five to ten feet high; should be grown in shallow water. 10 cts. each; 75 cts. per doz.

Those interested in Acquatic Plants and their cultivation will find Mr. Tricker's book, "The WATER

GARDEN," attractive reading and a valuable guide in all matters connected with the subject. \$2.00 by mail.

PLANT DEPARTMENT.



To this important branch of our business we are giving much attention, and are in a position, second to none, to supply Fruit Trees, Shade and Ornamental Trees, Evergreen and Flowering Shrubs, Vines, Herbaceous and Summer Bedding Plants, etc., in all desirable varieties and sizes, at lowest prices. We shall be glad to advise

intending buyers as to selection, and also furnish plans and estimates for laying out and planting ornamental grounds. See particulars of Landscape Department in colored pages.

While we exercise the greatest care to have all Nursery

stock pure and reliable, we sell no Trees, Plants, Shrubs or other Nursery stock with warranty, express or implied, in any respect. If the purchaser does not accept these goods on these terms, they must be returned at once, and the money that has been paid for them will be refunded.

ROSES.

The list of Varieties is revised, and contains nothing but the really most desirable and distinct kinds.

PLANTING. If possible, select a position sheltered from high winds but open to sunshine. If the soil is not naturally suitable it must be improved—if light, by the addition of rich loam and decomposed cow or stable manure, well worked in; where stiff and heavy, good drainage and rough stable manure are the essentials.

When planting, carefully prune all dead or bruised roots or branches, spread the root fibres as much as possible, and set deep enough to cover the junction of the bud and stock, thereby preventing suckers, and enabling the *rose* to make roots.

During the growing season, frequent waterings with liquid manure is an advantage. It is easily made by mixing cow

manure with water in an old tub or barrel.

In the following list we have aimed at selecting those that combine, in the fullest manner, the five requirements of a perfect rose, namely: beauty of color, beauty of form, fragrance, profusion and continuity of bloom, and vigor of growth. To aid our customers in making selection, we have indicated what we consider the best fifty, by prefixing a star *; to the best twenty-five, two stars **; to the best twelve, three stars ***; to the best six, four stars ****.

Strong Plants, 30 cts. each; \$3.00 per doz. Extra Strong Plants, 50 cts. each; \$4.00 per doz.

HYBRID PERPETUAL ROSES.

*Abel Grand, silvery rose, large, very free bloomer.

****Alfred Colomb, bright fiery red, large and very fine.

Alfred K. Williams, carmine red, fine form.

**Alphonse Soupert, bright pink, form of La
Reine, very large.

American Beauty, bright, carmine rose, very sweetly scented.

*Anna de Diesbach, deep rose, very large and showy.

*Augustine Guinoisseau, white, slightly tinted flesh, form of *La France*.

Auguste Rigotard, cherry red, large and deep.
****Baroness Rothschild, delicate flesh, one of the very best.

**Beauty of Waltham, light crimson, large and of fine form.

Captain Christy, light salmon flesh, a distinct shade.

*Captain Hayward, bright carmine crimson, perfect form, sweetly scented.

****Charles Lefebvre, brilliant velvety crimson, superb.

*Comte de Raimbaud, new shade of purplish crimson, very beautiful.

**Comtesse de Oxford, bright carmine red, very large, handsome foliage. *Countess of Roseberry, brilliant carmine rose,

very double. **Dr. Andry, bright reddish crimson, large, free

flowerer.

****Duke of Edinburgh, bright vermilion, superb

Duchess de Morny, splendid clear light rose, beautifully formed.

*Duchess of Bedford, dazzling scarlet crimson. ****Dupuy Jamain, very bright cerise, large, full, and fine form.

Earl of Dufferin, rich velvety crimson shaded with dark maroon.

Eclair, bright fiery red, large and full, form of Chas. Lefebvre. Edouard Morren, glossy pink, a very fresh and

delicate shade.

**Etienne Levet, light carmine red, perfectly folded.

*Ferdinand de Lesseps, crimson, shaded with violet.

*Fisher Holmes, crimson, purplish shading. ****General Jacqueminot, scarlet crimson, large and magnificent.

Gloire Lyonnaise, chrome yellow, edged with

white.

Gloire de Margottin, dazzling red; the most brilliant known.

*Henrich Schultheis, delicate pinkish rose, large and sweetly scented.

*Horace Vernet, bright light crimson; a superb flower

*Jeannie Dickson, rosy pink with a silvery pink edge.

**John Hopper, brilliant rosy crimson, an abundant bloomer

***La France de 89, brilliant red, sometimes lined with white.

*La France, bright lilac rose, centre silvery white; a favorite.

La Rosiere, velvety crimson, a grand flower.

*Louis Van Houtte, reddish scarlet and amaranth, shaded with bluish purple.

*Mabel Morrison, pure white, form of Baroness Rothschild.

***Madame C. Testout, habit and character of La France, but deeper in color.

Madame Eugenie Verdier, bright satined rose, silver shaded.

*Madame Nachary, light silvery rose, deep cupped form.

*** Madame G. Luizet, fine satin rose; very clear. *Madame Chas. Wood, crimson shaded with purple; extra form.

**Madame Victor Verdier, beautiful cherry rose, exquisitely cupped.

Strong Plants 30 cts. each, \$3.00 per doz. Extra Strong Plants 50 cts. each, \$4.00 per doz.

Mdlle. Eugenie Verdier, bright flesh-rose, reverse of petals silvery white.

Mdlle. Marie Rady, red, bordered with white;

*Mdlle. S. M. Rodocanachi, very brilliant cherry-rose, extra fragrant.

**Mdlle. Annie Wood, vivid crimson, of the most perfect form.

*Magna Charta, bright pink suffused with carmine, large and full.

Marchioness of Londonderry, ivory white, of great substance and perfect form.

*Marshall P. Wilder, cherry carmine, form of Alfred Colomb.

*Margaret Dickson, white, centre petals, flesh. *Marie Bauman, light crimson, large, full and fine form

** Marquise de Castellane, bright rose, very large and full.

Maurice Bernardin, crimson beautifully shaded with violet.

***Merveille de Lyon, beautiful pure white, form of Baroness Rothschild.

**Mons. E. Y. Teas, dazzling cherry red, perfect form.

***Mrs. John Laing, soft pink, style of Madame G. Luizet.

Mrs. R. G. Sharman Crawford, deep rosy pink shaded with pale flesh.

**Paul Neyron, dark rose, fine form, very large. Pierre Notting, dark red, distinct color, very large and full.

*Prince Camille de Rohan, velvety crimson, beautiful shade.

Queen of Queens, pink with blush edges, large and fine.

*Senateur Vaisee, dazzling red, large, full and extra fine.

*Silver Queen, silvery blush, shaded in the centre delicate rosy pink.

*Sir Garnet Wolseley, fine scarlet crimson, with a rich deep shading.

**Ulrich Brunner, cerise red, very large and fine. Victor Hugo, bright crimson red, shaded purple.
Victor Verdier, deep carmine, large and well-

formed.

**White Baroness, pure white, form of Baroness Rothschild.

ROSES. CLIMBING

Crimson Rambler, the finest climbing rose yet offered; it is a very rapid grower, and produces an immense number of lovely pink flowers.

Yellow Rambler. The flowers are borne in immense clusters—the color is a decided yellow. It is a fitting companion to the Crimson Rambler.

Dawson. Vigorous, and most productive of rich pink, semi-double, fragrant flowers, in clusters.

grant. Gloire de Dijon, buff, orange centre; splendid foliage, tea scented.

Blairii. Flowers borne in profusion all summer,

color, rosy-blush; large and delightfully fra-

Baltimore Belle, pale blush, changing to white; fine.

Queen of the Prairie, bright, rosy red; frequently with white stripe.

Strong Plants, 50 cts. each; \$4.00 per dozen.

ROSES. SINGLE

Grandiflora. Finely cut foliage and myriads of purest white flowers.

Rugosa Alba, forms large bushes with deep green, glossy foliage, flowers beautiful pure white, sweetly scented.

Rugosa Rubra, similar to the preceding, but with large rosy crimson flowers, succeeded by cherrylike fruit.

Madame G. Bruant, semi-double white flowers, otherwise resembles Rugosa Alba.

Madame Chas. Worth, semi-double crimson flowers, habit similar to Rugosa Rubra.

Multiflora. Dense clusters, small creamy white fragrant flowers.

Sweet Briar. Fragrant foliage and flowers.

Carolina, (Wild Swamp Rose,) Flowers very bright. 25 cts. each; \$2.00 per doz.

Wichuriana, low trailing variety, suitable for covering banks, rocks, etc. Glossy green foliage, pure white very fragrant flowers. 35 cts. each; **\$3.00** per doz.

Strong Plants, 50 cts. each; \$4.00 per dozen except as noted.

AUSTRIAN ROSES.

These are the showiest yellow roses in cultivation; very profuse bloomers, their bright flowers literally covering the bush.

Harrisonii, fine golden Yellow. Persian Yellow, the deepest yellow.

50 cts. each; \$4.00 per doz.

EVER-BLOOMING TEA ROSES.

The Teas are tender and require protection. They are admirably adapted for greenhouse culture, and are now much grown in the summer garden. Bon Silene. Rosy-carmine, fragrant.

Kentia Belmoreana

Bride. Snowy white. Bridesmaid. Brilliant pink.

Catherine Mermet. Bright silvery pink.

Mad. Hoste, Yellowish-white. Niphetos. White, tinged-lemon. Perle des Jardins. Straw color.

Souvenir de Wotton. Crimson.

Small Plants, 15 cts. each; \$1.50 per dozen. Large Plants, 30 cts. each; \$3.00 per dozen.

MOSS ROSES.

Crested Moss. Rose large and full; beautiful. Glory of Mosses. Blush, very large and full. Laneii. Rosy crimson, tinted purple. Little Gem. Crimson, very small and double,

beautifully mossed. Princess Adelaide. Pale, glossy rose.

Reine Blanche. Fine white, large and full. Strong Plants, 50 cts. each; \$4.00 per doz.

POLYANTHA, OR FAIRY ROSES.

These are of low, compact habit, producing small, graceful flowers in great abundance. They are perfectly hardy, and will bloom through the hottest and driest months of summer.

Little Gem, white, slightly tinted with pink. Mme. Cecile Brunner, salmon rose, buff shaded. Mignonette, blush; very fragrant and free flowering Paquerette, pure white; dwarf and free flowering. Perle d' Or, saffron yellow, deeper in centre, edges white; very fine.

Price, small plants 35 cts. each; \$3.50 per doz. large plants 50 cts. cach; \$4.00 per doz.

FOLIAGE PLANTS FOR HOUSE, LAWN AND PIAZZA.

ARICA LUTESCENS. A majestic palm. Its dark, glossy-green leaves are gracefully curved on slender stems. The trunk and stems are a golden yellow, irregularly spotted with bronzy-green. Each, 11 ft., \$1.50; 22 ft., \$3.00

KENTIA BELMOREANA. Sometimes called the "Curly Palm," recognized as one of the best for all purposes, being able to withstand more ill-usage, per-

haps, than any other. Each, 1½ ft., \$2.00; 2 ft., \$3.00; 3 ft., \$5.00.

LANTANIA BORBONICA. This is a typical palm and is more largely used than any other. It is of strong, healthy habit, and especially suitable for window culture. Each, 1½ ft., \$1.50; 2 ft., \$2.00; 2½ ft., \$3.00; 3 ft., \$5.00.

PANDANUS UTILIS. This is a most desirable variety for window culture, and

will bear without injury a great deal of neglect. Each, I ft., \$1.00; 1½ ft., \$2.50. DRACENA INDIVISA. Valuable as a window plant and for centres of vases, baskets, beds, etc.; 50 cts. to \$1.50 each.

DRACENA TERMINALIS. A beautiful decorative plant, gorgeous shades of crimson, bronzy-green and pink foliage; 50 cents to \$1.50 each.

RUBBER PLANTS. Ficus Elestica. We can furnish nice, healthy plants of this favorite at from \$1.00 to \$5.00 each, according to size.

NEPHROLEPSIS EXALTATA. Boston Fern. A very popular window-plant. It bears well with heat, dust and neglect, and always has a bright, fresh appearance. Strong plants, 50 cents to \$2.00 each.



HARDY ASTERS.

We have in this class some of the most showy, as well as really beautiful and interesting flowering plants in cultivation, invaluable in the garden, especially as they blossom when the scarcity of hardy flowers is most marked. Will thrive in grass or any rough spot and bloom freely the first season.

A. Alpinus. 9 in. July. Bright purple. 25 cts.; \$2.50 per doz.

A. Amellus Bessarabicus. 2 ft. Rich purplish-blue flowers, with orange centre; one of the finest. 25

cts.; \$2.50 per doz.

A. Chapmanni. Numerous heads of small flowers of a light clear blue. 15 cts.; \$1.50 per doz.

A. Longifolius Formosus. 3 ft. October. A dwarf-growing variety, which is a cloud of very large, bright,

rose-colored blossoms; a superb aster. 20 cts.; \$2,00 per doz.

A. Novæ Angilæ. 4 ft. Our grandest American species, with thousands of big, violet-purple blossoms; a grand aster. 15 cts.: \$1.50 per doz.
 A. Novæ Angilæ. var. Roseus. 4 ft. A most charming variety of the above, with all shades of rose and

crimson. 25 cts.; \$2.50 per doz.

A. Nova-Belgica, var. Lady Trevellyn. 4 ft. Sept.. Oct. Large heads of white flowers, with yellow cen-

tres. 25 cts. each; \$2.50 per doz.

Sibericus. 9 in. Aug., Sept. The plant forms a perfect hemisphere, and is completely covered with clear pink flowers in autumn. 35 cts. each; \$3.50 per doz.

Hardy Herbaceous Perennials. This Collection, value \$13.00, will be delivered free, as per Special Offer No. 1, on receipt of \$10.00.

			6-7 [b) and por apportar office area, off rec		01 10101	
CLASS.	G'1	SEASON.	5	CLASS.	5	Season.	5
C14A33.	E,	DEASON.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C1/A55.	H	SEASON.	2
	TVT		-		TVE		-
Achillea the Pearl, dense heads of	FT.			Iberis Corraefolia (Hardy Candy-	FT.		
		Summer	. 75				
Ajuga Genevensis (Bugle), spikes of	1/2	Summer	.13	flowers; evergreen	2/	May	.25
deepest blue ,	1/2	Summer	.20	Iris Kaempferii (Japanese Iris), im-	,3	2,243	. 23
Alyssum Saxatile var. Compacta	12			mense flowers in all shades of colors		July	.35
(Gold dust), bright golden yellow.	I	May	.20	Linum Perenne (Peren'l Flax), large	3	3 3	
Anemone Japonica (Japan Wind fl'er)		1		open clusters of rich blue; choice	I 1/2	Summer	. 20
bright pink, yellow stamens	2	Sept.	.20	Lathyrus Latifolius (Perennial Pea),	1		
Anemone Japonica var. Whirlwind,		-		clusters of rich clear red; climber.	5	Summer	.25
double white elegant	2	Sept.	.25	Lychnis Chalcedonica (Scarlet			
Anthemis Tinctoria (Hardy Golden		_	1	Lampflower), heads of scarlet	2	Summer	. 20
Marguerite), deepest golden yel-				Lychnis Viscaria var. fl. pl. (Ragged			
low	2	All S'm'r	.15	Robin), dense spikes of rich red;			
Aquilegia Chrysantha (Golden Col-		T 1		fragrant; choice	I 1/2	June	.25
umbine), rich yellow; fine form .	3	July	.25	Monarda Didyma (Bergamot), fra-		C	
Arabis Albida (Alpine Rock Cress),				grant head of scarlet	1 1/2	Summer	. 20
heads of very fragrant pure-white	2/	Mary	200	CEnothera Macrocarpa (Evening			
flowers	73	May	. 20	Primrose), yellow fragrant flowers	Y	Summer	25
mile), immense heads of rich lav-				of immense size; prostrate. Papaver Orientale (Oriental Poppy),	1	Summer	. 25
ender pink flowers	-	Sept.	.25				1
Campanula Carpathica (Carpathian	-	Бери.	.23	large and fine	2	June	.35
Harebell), bright blue; dense	I	Summer	.25	Papaver Royal Scarlet. An im-		3	33
Coreopis Lanceolata (Golden Tick-			-3	provement over last, with flowers			
seed), bright yellow. A mass of				eight inches across, of deepest			ł.
flowers all summer	2	Summer	. 20				ķ.
Centaurea Montana var. Alba (Corn-				centre. One of the best.	2	June	.50
flower), pure white, fine for cutting.	1 1/2	Summer	.25	Pentstemon Barbatus var. Torreyii			
Chelone Lyonii (Turtle-head), dense				(Torrey's Beard-tongue), long			
heads of deep, rich red		Sept.	.25	spikes of bright orange scarlet .	5	July	.25
Delphinium Formosum (Showy				Phlox Hybrida (Hybrid Perennial		_	
Larkspur), deep blue, pure white				Phlox), immense trusses, all shades		Late	
eye; long spikes	3	Summer	.25		3	Summer	.25
Dianthus Plumarius (Scotch Pink),		τ		Platycodon Grandiflora (Giant Bell-			
fragrant bright pink flowers	I	June	. 20	flower), large rich blue, bell-shaped	21/	Cummon	0.5
Dicentra Spectabilis (Bleeding		Mary Index	200	flowers	2/2	Summer	.25
Heart), pink and white		May-July	. 20	der), clusters of rich blue flowers.	T	May	2=
Dictamnus Fraxinella (Gas Plant), spikes of purple; whole plant				Potentilla Hybrida (Cinquifoil), clus-		May	. 25
strongly scented	2	L'ne-Inly	25	ters of double red, orange or yel-			
Delphinium Chinensis (Chinese		j ne jury	.23	low flowers	I	J'ne-July	. 35
Larkspur), broad clusters bright				Pyrethrum Hybridum, double white,		3 3 3	33
blue flowers; elegant	2	Summer	.25	pink or red shaded flowers	2	Summer	.35
Doronicum Excelsum, elegant yel-				Pyrethrum Uliginosum (Giant Daisy),			
low flowers; enormous bloomer .		May-J'ne	. 25	broad heads of large, pure white,			
Epimedium Alpinum (Barrenwort),				daisy-like flowers	3	Sept.	. 25
choice pink and white, in clusters.		Spring	.25	Rudbeckia Speciosa (Showy Cone-			
Funkia Ovata (Plantain Lily), showy				flower), deep golden-yellow flowers		0	
foliage; spikes of purple	2	August	.25	with purple centres	2	Summer	. 25
Funkia Subcordata (White Day-lily),			1	Sedum Spectabile (Showy Stone-			
			.25	crop), broad heads of deep, showy		Sant	1 0=
Gypsophila Paniculata (Infant's				pink flowers; choice		Sept.	.25
	2	Summer	.20	Scabiosa Caucasica, large lavender-		Summer	25
Helianthus Multiflorus var. fl. pl.				blue flowers; excellent for cutting		Summer	1.25
(double perennial Sun-flower),				Spiraea Palmata, elegant foliage; showy spikes of deepest crimson.		Summer	.25
double golden yellow; flowers three inches in diameter, profusely pro-				Veronica Amæthystina (Amæthyst		()dilline	1.23
duced; very beautiful	5	Aug-Nov.	TE				
Heliopsis Pitcheriana. Golden yel-		ing non	3		I 1/0	June	.25
low flowers in broad open heads,				Veronica Longifolia var. Subsessilis	/ 2		
blooming for a long season		July-Oct.	. 25				
Hemerocallis Flava (Yellow Day-				ing perennials, with long dense			
lily), bright yellow; fragrant	2	July	. 25			Late	
Hibiscus Crimson Eye, immense				lasting for a long season	2	Summer	.30
creamy white flowers with crimson				Yucca Filamentosa (Spanish Bay-			
eye	4	AugOct.	.30				
Helenium Hoopesii, large clusters of		_		heads of drooping, bell-shaped,		T. 1	
rich golden-yellow	3	June	.25	creamy white flowers; elegant .	5_	July	.35
See S	Spe	cial Offer	8 01	a third page of cover.			

HOLLYHOCKS.—Breck's Silver Medal Strain.

This strain has been awarded a silver medal by the Massachusetts Horticultural Society, and always obtained the first prize wherever exhibited. No other collection can approach this in variety of shades of color, length of spikes, profusion and texture of flowers and foliage.

We offer a fine lot of strong, healthy plants, in all shades of white, carmine, dark maroon, salmon, apple-blossom, light and dark crimson, rose, yellow, purple and variegated. 25 cts. each; \$2.50 per doz.;

\$18.00 per 100.

RUDBECKIA. (Cone Flower)

Handsome border plants of easiest culture. They produce a wealth of showy flowers suitable for cutting.

R. Laciniata. Var. Golden Glow. 6 ft. Aug., Oct. Forms a self-supporting bush, with deeply cut, bright green foliage. The flowers, which are produced in the greatest profusion, are three inches or more in diameter, very double, and rich golden yellow color. 25 cts. each; \$2.50 per doz. R. Maxima. 6 ft. June, Aug. Flowers 5 inches across, with tall cone-like centres and drooping, yellow

rays. 25 cts. each; \$2.50 per doz.

CLEMATIS.

Elegant, hardy free-flowering climbers.

Paniculata. The beautiful autumn flowering, hardy, fragrant white Clematis, now so popular. Plants 25 cts. to \$1.00 each; \$3.00 to \$10.00 per doz.

Miss Bateman. White; chocolate-red anthers. 50 cts. to \$1.00 each.

Flammula. (European Sweet Clematis.) Flowers small, white and very fragrant. 25 cts. each. Henryii. Immense, single, purest white flowers. 75 cts. each. Jackmannii. Large, intense violet-purple flowers. 50 to 75 cts. each.

-Alba. Like preceding, except in color, which is pure white. 50 to 75 cts. each.

Lawsoniana. Large, rosy-purple, darker veins, 75 cts.

Mad. Edouard Andre. Bright crimson. \$1.00 each.
Virginiana. (Amer. White Clematis.) A profusion of white flowers in August. 15 cts. each.

HARDY CLIMBING PLANTS.

Actinidia Polygama. A strong, clean vine from Japan. 50 cts. each.


Akebia Quinata. Of rapid growth, with shining foli-

age and bluish clusters of fragrant flowers. 35 cts.

Ampelopsis Englemanni. A variety of the Virginia Creeper, with bright foliage; fine color in the autumn; the tendrils enable it to support itself like A. Veitchii. 25 and 35 cts.

Ampelopsis Quinquefolia. (Virginia Creeper.) We11known climber; very vigorous. 25 cts. each.

Ampelopsis Veitchii. (Boston Ivy, Japanese Ivy). Well-known particularly around Boston. It grows rapidly and clings to a wall or fence with the tenacity of Ivy; the foliage is handsome in the summer, and changes to a crimson-scarlet in autumn. For the ornamentation of brick or stone structures,



Celastrus Scandens. (Roxbury Wax Work). A vigorous vine with conspicuous orange-scarlet berries in

autumn. 35 cts. each.

Euonymus Radicans. Var. Variegata. Retains its glossy green and bright foliage through the winter;

nice plants 35 cts.

Honeysuckle. Hall's Japan. Abundant, vigorous foliage retained until early winter, flower white and yellow, fragrant. 25 cts.

Honeysuckle, Scarlet. Strong, rapid grower, bright scarlet. 25 cts.

Honeysuckle. Belgica. Dutch monthly, very sweet scented, red and buff. 35 cts.

Silk Vine. A rapid growing vine, will make 30 to 40 feet in a season, 35 cts.

Wistaria Chinensis. One of the most elegant and rapid growing of all climbing plants, bearing long pendulous clusters of pale blue flowers in May and June. 50 cts.

Wistaria Chinensis Alba. White, otherwise similar to preceding.

RHODODENDRONS.

We draw our supply of Rhododendrons from what we believe to be the finest stock in the world. All the plants, even the smallest sizes, are symmetrical in form, well furnished, and have good fibrous roots that make transplanting comparatively safe.

R. Catawbiense. 8 ft, June. This is one of the types from which the hardy named varieties originated. It forms a broad, dense bush with handsome, deep-green evergreen foliage, and bears at the extremity of each branchlet immense heads of clear lilac, spotted purple flowers. I ft., 75 cts. each; \$9.00 per doz.; stronger plants, \$1.00 to \$2.50 each.

R. Catawbiense Seedlings. Unnamed varieties, combining a great range of color, and almost as desirable

as named sorts. I to 2 ft., \$1.00; 2 to 3 ft., \$2.50.

R. Maximum. 10 ft., July. A hardy native. The foliage is the largest and most effective of all hardy kinds. The leaves are of the deepest glossy-green and often 10 inches long. The flowers are borne in immense heads 4 to 6 inches across, white, tinged with pink and yellow. This is of rapid growth, and is the latest flowering of all hardy kinds. Small plants, 75 cts. each; \$9.00 per doz.; larger plants, \$1.00 to \$2.00.

Special Offer No. 3 only applies to Articles on this page.



NAMED HYBRID RHODODENDRONS.

Album Grandiflorum. Blush, changing to white. Atrosanguineum. Deep blood red. Berty Parsons. Mauve, with brown eve. Bicolor. Rose, with white spot on upper petals. Caractacus. Rich purplish crimson. Chas. Bagley. Cherry red. Delicatissimum. Blush white, tinted pink. Everastianum. Rosy lilac, spotted red; fringed and crisped. The best perfectly hardy Rhododendron. Giganteum. Light rose. H. H. Hunnewell. Dark, rich crimson. James Bateman. Clear rosy scarlet. Lee's Purple. Dark purple. Old Port. Rich plum. Purpureum Grandiflorum. Purple. Roseum Elegans. Rich rose. Roseum Grandiflorum. Clear rose.

Price: 1 ft., \$1.00 each; 12 to 18 inches, \$1.50 each; 18 to 24 inches, \$2.00 each. Prices on larger plants and per dozen and hundred on application.

HARDY FLOWERING SHRUBS.

The month after each sort indicates the time of flowering.

Almond (Prunus Jap. Rubra fl. pl.). Double pink flowers. 50 cts. May. Almond (Prunus Jap. Alba fl. pl.). Double white flowers, beautiful. 50 cts. May. Althæa purpurea plena (Rose of Sharon). Hibiscus. 35 and 50 cts. October.

Althæa Striata. Carnation striped. 35 and 50 cts. Althæa. Double variegated. 35 and 50 cts.

Andromeda Racemosa. White flowers in clusters. 50 cts. May.

Azaleas. Ghent Hybrids, perfectly hardy, and of many brilliant colors. Fine plants, \$1.00; large sizes, \$2.00 and \$2.50. June.

Azalea Mollis. A new type, flowering earlier than the Ghent, and in color and form approaching the In-

dian varieties. 75 cts. to \$1.00.

Barberry (Berberis Thunbergii). A low growing shrub of arching habit; the foliage changes to many brilliant colors in the fall. 50 cts. each. June.

Catalpa Aurea. Golden foliage. 50 cts.

Calycanthus Floridus. Strawberry tree or sweet-scented shrub, dark flowers. 50 cts. June to Sept. Chionanthus Virginicus. (Fringe Tree). White. 50 cts. June.

Cornus Florida. (Dogwood.) White. 50 cts. May.

—Rubra. (Rose.) 50 cts. May.

—Sanguinea. (Red Osier.) Bark deep red. 35 cts.

Floridating Virginian Virginian Control of the large and marked with silvery white.

Elegantissima. Variegated foliage. The leaves are marked with silvery white.

Corchorus Japonica (Kerria). A small shrub with bright green leaves and clear yellow flowers. 25 and 50 cents. June and July.

Daphne Cneorum. A low growing evergreen, produces panicles of bright pink flowers. 50 cts. May and August.

Desmodium Penduliflorum. (Sweet Pea Shrub). Red and violet pea-shaped flowers. 50 cts. Autumn. Deutzia Gracilis. Compact, filled with starry white flowers. 35 and 50 cents. June.

Deutzia Crenata fl. pl. Flowers double white, tinged with rose. 35 and 50 cents. June. Deutzia C. fl. Alba pl. With very double pure white flowers. 35 and 50 cents. June.

Elder, Golden. Very effective for its bright yellow foliage. 15 and 35 cents.

Eleagnus Longipes. A new fruit-bearing ornamental shrub from Japan. A decided novelty. 75 cents. Tulv.

Euonymus Atropurpureus (Burning Bush.) Purple. 50 cents. June.

Exochorda Grandiflora. A choice shrub of strong, upright growth, producing a profusion of large, snowy-white flowers in June. 50 and 75 cents. May.

Forsythia Suspensa. Trained as a standard, it becomes one of the most beautiful weeping shrubs, covered with bright golden yellow blossoms, early in summer. Dwarfs, 35 and 50 cents. April.

Hydrangea, Paniculata Grandiflora. Flowers white in great pyramidal panicles, about a foot long. 50 cents, 75 cents and \$1.00. August to October.

Kalmia Latifolia. A choice native evergreen shrub with shining foliage and dense clusters of pink or nearly white flowers. \$1.00 to \$1.50. June.

Litac (Syringa). Bluish purple flowers. 35 and 50 cents. May.

Lilac (S. Alba.) Pure white. 50 cents. May.

Lonicera Tartarica (Bush Honeysuckle). Pink, sweet-scented. 35 cents. May.

Mock Orange or Syringa (Philadelphus). Of compact habit, with creamy white flowers, deliciously fragrant. 35 and 50 cents. June.

Mahonia Aquifolia. A handsome shrub with shining prickly leaves, and showy, bright yellow flowers in May, followed by large clusters of purple berries. 35 cents. May.

Pyrus Japonica (Cydonia). Japan Quince, flowers bright scarlet, very showy. 25 and 50 cents. May.

Rhus Cotinus. The well-known smoke bush. 3 ft., 50 cents; 5 ft., \$1.00. June.

Snowball (Viburnum Plicatum). A great improvement on the old-fashioned sort, with dark green foliage, and superb trusses of white flowers in midsummer. 50 and 75 cents. June.

Spiræa Aurea. Frequent pinching produces a deep golden yellow color. 35 and 50 cets.

Spiræa Thunbergii. Dwarf, flowers early, very pretty. 35 and 50 cents. April to May.

Spiræa Van Houtti. The most profuse flowering of all the Spiræas, the bush being a mass of white

bloom. 35 and 50 cents. June.

Weigelia Rosea. Well known, very free flowering. 35 and 50 cents. May to June. Fine variegated foliage, rosy-pink flowers. 50 cents. June. Weigelia Variegata.

Special Offer No. 3 only applies to Articles on this page.

EVERGREENS.

Arbor Vitæ (Thuja occidentalis). Common American form. 2 to 3 ft.,

25 cents; 3 to 4 ft., 50 cents.
Fir Balsam (Abies balsamea). Erect, regular pyramidal tree, rapid

grower, very hardy. 50 cents to \$1.00. Fir, Douglas. Hardy, and very ornamental. 3 to 4 ft., \$1.00 each. Fir, Nordmann's. Dark, rich green foliage, silvery underneath. 11/4 ft., \$1.50 each; 3 ft., \$5.00 each.

Juniper Virginiana (Red Cedar). Native variety. 3 ft., 50 cts; 5 ft.,

\$1.00.

Pine Swiss Stone. (*P. Cembra*). Short needles, compact growth, very attractive. 2 ft., \$1.00; 3 to 4 ft., \$2.50.

Pine, Austrian. Stout growth, long needles, perfectly hardy in bleakest exposure. I foot, 25 cents; 3 feet, 75 cents each.

Pine, White (*P. Strobus*). The most ornamental of all our native pines. 2 feet, 50 cents; 5 to 6 feet, \$1.00 each.

Retinospora Plumosa. Very hardy, with plume-like foliage. 3 ft... 50 cents; 4 to 5 ft., \$1.00.

Retinospora Plumosa var. Aurea. Of bright golden color. 3 ft., \$1.00. Spruce, White (*Picea Alba*.) Very hardy native tree. 2 feet, 50 cents; 3 feet, \$1.00.

Spruce, Colorado, Blue (P. Pungens). Perfectly hardy, pyramidal in shape, foliage dark steel-blue color. 1 to 2 ft., \$1.50; 2 to 3 ft., \$5.00


Spruce, Norway (Abies Excelsa.) An elegant tree, hardy, lofty, rapid growth, and pyramidal form. 2 feet, 50 cents; 5 feet, \$1.00.

Spruce, Hemlock (Abies Canadensis). Of good shape and habit. 3 feet, 75 cents; 5 feet, \$1.50.



Blue Spruce (Picea Pungens.)

SHADE AND ORNAMENTAL TREES.



Catalpa Speciosa.

Apple, Japan Crab (Malus Halleana). Also sold under the name of Parkman's Crab, a beautiful variety producing long, pink flower-buds, quite conspicuous. 50 cents and \$1.00.

Ash, American White (Fraxinus Alba). A large, noble tree. 10 feet, 75 cents; 12 feet, \$1.00.

Ash, Weeping (F. Pendula.) A beautiful tree of irregular form. 6-7 feet, \$1.00.

Ash, Mountain (Sorbus Americana). Very ornamental, bearing large clusters of shining red berries. 6 to 7 feet, 50

cents; 10 feet, \$1.00.

Beech, American (Fagus Feruginea). Compact form, with rich, glossy, attractive foliage. 3 to 5 feet, 50 cents; 5 to 7 feet, \$1.00.

Beech, Rivers Purple (F. Atropurpurea). The finest of all purple-leaved trees, beautiful as single specimens. 4 to 5 feet, \$1.50.

Beech, Cut Leaved (F. incisa). Distinct and fine. 3 to 4 feet, \$1.00.

Beech, Weeping (F. Pendula). A remarkable picturesque tree

of curious growth. 3 to 5 feet, \$1.50

Birch, European White (Betula Alba). A graceful tree with silvery bark, slender branches, and elegant drooping habit. 4 to 5 feet, 50 cents; 7 to 8 feet, 75 cents.

Birch, Canoe (B. papyracea). A native variety which attains great size. 5 feet, 75 cents; 8 feet, \$1.00 Birch, Cut Leaved, Weeping (B. Pendula laciniata). One of

the most popular weeping trees, most beautiful as specimens on the lawn. 5 to 6 feet, \$1.00; 8 to 10 feet specimens, \$2.00.

Catalpa Speciosa. A Western type, very desirable, being more hardy and finer in bloom than the common variety.

6 to 7 feet, 75 cents. Hawthorn, Paul's Scarlet (C. coccinea fl. pl. Paulii).

Flowers bright carmine, red, makes a striking contrast when planted with the white, 5-6 feet, \$1.50. Laburnum Golden (Cytissus). A small tree produc-

ing freely long clusters of the brightest goldenyellow blossoms, of sweet pea size and shape. 4

feet, 50 cents; 5-6 feet, 1.00. Larch. European (Larix Europea). An elegant, rapid-growing, pyramidal tree. 4-6 feet, 75 cents. Linden, Amercan or Basswood (Tilia Americana).

A beautiful, rapid-growing, native tree with large leaves and fragrant flowers. 8 feet, 75 cents; 10 feet, \$1.00

Chestnut, American (Castanea Americana). A tree of stately growth. 4 to 5 ft., 50 cents; 8 ft., \$1.00. Chestnut, Horse (Esculus Hippocastrum). Strong

habit, magnificent foliage, and fine spikes of flowers in May and June. 4 to 5 feet, \$1.00; 6 feet, \$1.50.

Elm, American. Ulmus Americana.) The noble spreading and drooping tree of our own forests.

10-12 feet, \$1.00; 12-14 feet, \$1.50.

Elm, English. (U. Campestris) An erect, lofty tree of rapid, compact growth. 8-10 feet, \$1.00

Hawthorn, Double White (Cratægus Alba fl. pl.).

Ornamental flowers and foliage. 6 feet. \$1.50.

SHADE AND ORNAMENTAL TREES, Continued.

Linden European (T. Europæa). Pyramidal tree of larger size. 7-8 feet, 75 cents; 8-10 feet, \$1.00. Maple, Cut-Leaved Weeping (Acer Wierii Lacinia-

tum). A weeping silver-leaved variety with deeply

cut foliage. 8 feet. \$1.00.

Maple, Japan (Atrosanguineum Purpureum). This is the richest crimson and the most brilliant, vigorous, and the best type of the Japanese varieties. \$2.00 each.

Marle, White or Silver-Leaved, (A. Dasycarpum), A native variety of rapid growth, very beautiful, 8-

10 feet, 75 cents; 10-12 feet, \$1.00.

Maple, Norway (A. Ptantanoides). Of sprawling habit, foliage dark green. 7-8 feet, 50 cents; 8-10

feet, 75 cents.

Maple, Sugar. (Acer Saccharinum.) One of the best street trees. 6-8 feet, 50 cents, 10-12 feet,

\$1.00.

Magnolia Acuminata (Cucumber 11.) Of pyramidal growth, flowers yellow, tinted with bluish purple. Fine specimens. 5-6 feet, 75 cents.

Magnolia Conspicua. (Chinese White.) A variety of great beauty; the flowers are large, pure white, and appear before the leaves. 2-3 feet, \$1.75.

Magnolia Soulangeana. Flowers white and purple, cup-shaped; foliage large and glossy. Fine speci-

mens. 2-3 feet, \$1.50; 3-4, \$2.50; 5-6, \$5.00 Mulberry, Downing's Everbearing (Morus). A rapid growing tree which bears nice fruit. 4-5 feet, 50 cents.

Mulberry. Teas Weeping. Absolutely hardy and free from disease, very vigorous in growth. years old, \$1.50.

Oak, White (Quercus Alba). One of the finest of American trees, of large size and spreading branches. \$1.00, Oak, Red, (Q. rubra),

A native species of rapid \$1.00 each. growth.

Poplar, Bolleana (Populus). Pyramidal growth. 8-10

feet, \$1.00.
Poplar Lombard (P fastigiata). Well known and remarkable for its erect rapid growth. 6-8 feet,

50 cents; 8-10 feet, 75 cents. Prunus, Pissardi. One of the best novelties of late years. The wood and leaves are dark purple throughout the entire season. 4-5 feet, 75 cents;

8-10 feet, \$1.50. Syringa Japonica (Giant tree lilac). It makes a stout tree with large rich foliage, and throws up

well above the leaves large clusters of white flow-

ers about a foot long. 2-3 feet, 75 cents. Willow, Kilmarnock (Salix Caprea Pendula). An exceedingly graceful tree with glossy foliage and

perfect umbrella head. \$1.00. Willow, Golden Barked (S. aurea). Rapid grower. Golden bark in winter. Valuable for seashore. 4-5 feet, 50 cents; 6-8 feet, \$1.00.
Willow, (S. Babylonica). Great Weeping Willow.

An immense and beautiful tree with bright green foliage and pendant branches. 6-8 feet, 50 cents.

HEDGE PLANTS.

Acacia, Three Thorned. Beautiful foliage, makes a strong and fine fence. \$8.00; 3 years, \$10.00 per 100. Arbor Vitæ, American, Stocky plants. 11/2 feet, \$10.00 per 100.

Barberry, Common kind, fruit is very conspicuous in the fall and winter. \$8.00 per 100.

Barberry Purple. Foliage soft purple, very beautiful. I foot \$10.00; 2 feet, \$15.00 per 100.

Buckthorn. Makes a hardy and strong fence. 2 years, \$8.00; 4 years, \$15.00 per 100.

California Privet. Of rapid growth, very hardy. \$10.00 per 100.

English Privet, Hardy and very desirable. \$10.00 per 100.

Lilacs, The common purple. 2-3 feet, \$10.00 per 100. Chinese White. \$15.00 per 100.

Spruce, Norway, Unsurpassed for windbreaks or screens. Small plants,\$10.00; 2 feet,\$15.00 per 100. Spruce, White, Rapid grower. Small plants \$10.00; 2 feet, \$15.00 per 100.

FRUIT TREES.

PEACHES.

EXTRA EARLY.

Amsden. July; greenish white and red, sweet, melting.

Alexander. July; medium, melting, juicy. Alberta. Late July; flesh yellow. Very juicy.

EARLY.

Large Early York. August; large, handsome, white, and red, juicy.

Coolidge's Favorite. August; medium, juicy, rich, freestone

Mountain Rose. September; large, white and red, melting, good.

Crawford's Early. September; large, yellow, juicy. freestone.

Foster. September; similar to preceding, but of

better quality. ld Mixon. September; large, white and red, Old Mixon. juicy and rich.

LATE.

Crawford's Late. Very large, juicy, good, freestone. Late Rare Ripe. September; large, white, very good. Stump the World. September; medium, red and white, good.

Price, 4 to 6 feet, 25 cents; large size, 50 cents.

CHERRIES.

Coe's Transparent. June; medium, pale amber and

Black Tartarian. June; large, purplish black. Black Eagle. July; large, tender, rich, juicy. Downer's Red. July; light red, tender and juicy. May Duke. June; large, dark red, tender sub-acid. Black Heart. July; medium, black, fine flavor. Late Duke. July; large, dark red, sub-acid. Price 75 cents and \$1.00 each.

PLUMS.

Coe's Golden. September; large, light yellow, firm, rich and sweet.

Green Gage. September; large, greenish yellow, very fine.

Imperial Gage. August; large, greenish, juicy and rich.

Jefferson. August; large, yellow and red, high flavor. Lombard. September; medium, violet, red, juicy.

Washington. August; large and fine. Price 75 cents and \$1.00 each.

Special Offer No. 3, only applies to Shrubs on this page.

JAPANESE PLUMS.

Extremely prolific, very hardy, early fruiting.

bundance. Early. Fruit amber turning to cherry, flesh yellow, juicy, tender and sweet. Burbank. September; bright red, flesh yellow and

Satsuma. September; purplish red, flesh dark red, juicy and of fine quality. Price 75 cents and \$1.00 each.

APPLES.

We can furnish all varieties usually catalogued, but the following list comprises the most desirable sorts.

SUMMER.

Astrachan, large, crimson, very early. Early Harvest, pale yellow, excellent, early. Sweet Bough, large, pale yellow. Williams, dark red, mild flavor.

AUTUMN.

Walter Pease, larger, better flavored more productive, and longer keeper than the Gravenstein. Highest quality, \$1.00 each.

Gravenstein, large yellow, striped red.

Fameuse (Snow apple), crimson, flesh white, excellent.

Porter, medium, bright yellow, good. Pippin, fall, yellowish-green, very fine.

WINTER.

Baldwin, large, dark red, productive, medium. Hunt's Russet, late yellow, good flavor. Hubbardston, large, yellow, splashed red, early. King, large, striped red, excellent. Lady, small, yellow and red, good. Northern Spy, large, striped red, good keeper. Rhode Island Greening, large, yellowish-green medium.

Roxbury Russet, extra quality, largest of the russets.

Tolman's Sweet, medium, light yellow, excellent Jacob's Sweet, best late-keeping sweet apple. splendid quality

Prices 35, 50 and 75 cents according to size, except as noted. A few sorts in bearing size 1.00 and upwards.

CRAB-APPLES.

Hyslop. October to January; deep crimson. Red Siberian. September to October; small, red.

Whitney, Aug., Sept.; striped, red and yellow. Price 35 cts., 50 cts. and 75 cts., according to size.

PEARS.

We can supply all varieties. Following are the leading kinds.

SUMMER.

Clapp. Very productive; large, juicy and rich. Bartlett. Large, clear, yellow, juicy; late.

Giffard. Medium; greenish yellow, juicy, good.

Wilder. Ripens beginning Aug., of superior quality. \$1.00.

AUTUMN.

Beurre Hardy. October; large, greenish russet. Belle Lucrative. September; yellowish green, juicy, melting. Bosc. October; large, russet, buttery, rich. Buffum. September; very prolific, good for preserving. Duchesse d'Angouleme. October; very large, greenish, good. Louise Bonne. October; large, pale yellowish and red, juicy. Seckel. September; small, dull brown, red cheeked, sweet. November; large, russet brown, very juicy Vermont Beauty. October; yellow with carmine cheek, rich, juicy and best quality. \$1.00.

WINTER.

November-January; large, greenish yellow, red cheek, rich. Dana's Hovey. November; small, rusty yellow, rich, juicy. Lawrence. January; medium, pale yellow, sweet. Nellis. January; medium, of excellent quality. Vicar. December; very large, yellowish green; cooking.
Price (except as noted): Standards, 5-7 ft., 75 cts.; bearing trees of a

few varieties, \$2.00, upwards.

QUINCES.

Orange or Apple. Large, roundish, bright yellow, productive. Rea's Mammoth. A fine variety; golden yellow.

Champion. Vigorous and productive. Meech. Comparatively new; quality unsurpassed. Price, 50 cts., 75 cts. and \$1.00 each.

APRICOTS.

We offer six varieties that are perfectly hardy in New England. Price, 3-4 ft., 50 cts. each; set, six varieties, \$2.50.

FRUITS.

GOOSEBERRIES

Smith's Improved, large, light green Industry, very large, dark cherry red Each. Per doz. Houghton's, pale red, tender and sweet \$0.20 \$1.50 \$0.20 \$1.50 Downing .20 2.00

RASPBERRIES.

Per doz. Cuthbert, red, firm and superior quality \$1.00 \$5.00 Gregg, largest and best black cap . 1.00 5.00 Loudon, early crimson, fine quality 1.00 5.00

Caroline, best yellow variety \$1.00 \$5.00 Souhegan, earliest black, very productive 1.00

Each. Per doz.

HARDY GRAPES.

We can supply all the really valuable sorts; the following varieties we can recommend for general culture.

Brighton, September, red, sweet, excellent.

Concord, well known, very popular.

Delaware, September; small, unsurpassed quality.

Green Mountain, extra early, productive. \$1.00.

Hayes, white, sweet, juicy, good.
Moore's Early, large, black, earlier than Concord.

Moore's Diamond, large, white, very productive, very good. \$1.00.

Moyer, a new red variety from Canada, a cross between the Delaware and some native sort, juicy and sweet, hardy and productive plants; I year old, 50 cts.

Niagara, large, white, melting, sweet, 50 cts. Pocklington, pale, yellowish green, very sweet, 50 cts.

Vergennes, large, dark red, sweet, juicy

Worden, black, very productive, good flavor. Price (except when noted) I year vines, 35 cts.; 2 years old, for 50 cts.

BLACKBERRIES.

Per doz. 100 Per doz. 100 Early Harvest, extra early productive Wachusett, hardy, good size and qual. \$1.00 \$5.00 \$1.00 \$5.00 Dorchester, very early, rich and sweet Lucretia Dewberry, a trailing variety 6.00 T.00 Snyder, best quality very sweet . . . 1.00 6.00 of immense size, sweet and luscious 1.00 5.00 CURRANTS.

Per doz. Cherry, large, red, juicy and acid . . \$1.00 \$5.00 Fay, like cherry, but more prolific . . 2.00 La Versaillaise, very large, red . . . 7.00 1.00 Red Dutch, a well-known variety . 1.00 7.00

Per doz. 100 White Dutch, the least acid kind . . . \$1.00 \$7.00 White Grape, a fine variety. . 1.00 7.00 Crandall, an improved sort, fruit very large, 25 cts. each; \$2.50 per doz.

STRAWBERRIES.

We consider the following the best system for cultivating the straw-

Set your plants about one foot apart in the rows, and the rows three feet apart (it will take about fifteen thousand plants per acre at this distance), and allow them to make runners to fill up a space of about twelve to fourteen inches wide; that would give you a space about twenty-two inches wide for a path.

It is claimed that one can get much more fruit off the same ground grown in these narrow rows than by allowing them to run all over the

ground and the fruit is of better quality.

They should have from fifteen to twenty cords stable manure per acre, or one ton of ground bone, one-half ton muriate of potash, and four hundred pounds nitrate of soda to be worked into the soil.

In field culture they should be worked once a week with cultivator, and gone over by hand once in two weeks; care should be taken, after runners start to work cultivator always the same way, to prevent breaking runners.

They should be mulched in fall after ground is frozen to protect from thawing and freezing during winter, and part of the mulch should remain during fruiting season.

Any good corn land will raise strawberries if properly fertilized.

For Garden Culture, set plants one foot apart in the row, and the rows two feet apart, keep the runners cut off, and otherwise carry out the instructions given above.

The varieties marked "P" are pistillate and must have a row of staminate, or perfect-flowered varieties, planted say every ten feet among them. Those marked "S" are staminate or self fertilizing varieties. Belmont (S). A late, dark crimson sort, quality fine.

Bubach No. 5. (P). Prolific and of good quality. Light scarlet, late.

Brandywine (S). Hardy, very prolific, good quality. Medium.

Clyde (S). Fine, medium early; bright scarlet berries. Per doz., 25 cts.; per 100, \$1.00.

Enormous (P). Large, late, crimson variety.

Gandy (S). Large, late, crimson; two weeks after Belmont.

Glen Mary (S). A new desirable main crop sort. Per doz., 35 cts.; per 100, \$2.00.

Leader (S). Large, bright crimson berries, early and continuous.

Marshall (S). Very large, dark crimson, fine flavor, late.

Rio (S). A large, early, crimson colored, productive sort of good quality.

Sample (S). Large, very fine quality. \$3.50 per 100.

25 cts. per doz.; 75 cts. per 100, except as noted. Pot grown plants, ready in August, \$2.50 per 100. Special Offer No. 3 only aplies to articles on this page.

SPECIAL OFFERS.

Carriage Paid or 10 Per Cent. Discount Allowed.

We make the following offers on all orders made up from our ANNUAL CATALOGUE FOR 1899, at the net cash prices therein stated (except as noted), SENT US BY MAIL OR EXPRESS, ACCOMPANIED BY CASH

OFFER No. 1.

We will send GOODS PREPAID by Mail, Express, or Freight, as we may deem advisable, TO ANY CITY OR TOWN IN NEW ENGLAND.

OFFER No. 2.

We DELIVER ALL MAILABLE goods (except those marked net), including Vegetable and Flower Seeds quoted, by packet, ounce, pound, pint or quart; also Bulbs (except Caladiums), to any POST-OFFICE in the United States.

OFFER No. 3.

WHERE CUSTOMERS PAY TRANSPORTATION CHARGES THEMSELVES we will allow A DISCOUNT OF TEN PER CENT on all goods except those marked net.

PLEASE REMEMBER.

That orders sent in early SECURE THE FIRST SELECTIONS.

That our SPECIAL OFFERS are POSITIVELY LIMITED to ORDERS BY MAIL or EXPRESS ACCOMPANIED BY CASH, postal note, draft on New York or Boston, stamps, express or post-office money order.

That "Special Offers Nos. 2 and 3" are especially advantageous to PARTIES LIVING OUTSIDE of New England; when goods are not mailable, in a majority of cases the 10 per cent. discount will offset transportation charges.

PLEASE NOTE.

We offer such extraordinary inducements for orders sent us by mail or express, accompanied by cash, because we can execute them in the quiet of our mail order department with promptness, dispatch, and with goods of the highest excellence, and increase the volume of our business without impairing the efficiency of its service.

BAGS. — Persons remitting with their orders should include a sufficient sum to cover cost of bags necessary to contain purchase. Prices are: 1 and 2 bushels, 15 cents; 1-2 bushel, 12 cents; 1-4 bushel, 8 cents; 1-8 bushel, 6 cents. The amount charged will be refunded if bags are returned in good condition free of expense to us, within one month from date of purchase.

Juft Brecher ford

